



MEYLE[®]
Products



BMW



Spare parts for passenger cars

1 **Body/Cabin**

Body • Interior fittings

2 **Brakes**

Disc brake • Drum brake • Hydraulics

3 **Drive train/Transmission**

Axle shafts • Drive shafts • Joints • Transmission

4 **Electrics**

Body • Brakes • Engine • Interiors • Lighting

5 **Engine/Cooling/Clutch**

Belt drive / Engine control • Clutch • Cooling system
Crankshaft drive • Exhaust system • Fuel system
Lubrication system • Mounts

6 **Steering**

Hydraulics • Mounting parts • Steering rack • Tie rod assemblies

7 **Suspension**

Control arms • Stabilizer • Subframe • Suspension / damping
Wheel hubs / Wheel bearings

Index **MEYLE no.** → **Ref. no.**

Index **Ref. no.** → **MEYLE no.**

Body/Cabin

1

Body, Interior fittings

Brake pedal pad	Heater hose	Water pump, headlight cleaning
Cabin air filter	Hood shock	Window lifter
Clutch pedal pad	Sliding shoe, window lifter	Windshield washer pump
Gas spring, rear window	Trunk-/tailgate shock	Wiper Blade

Brakes

41

Disc brake, Drum brake, Hydraulics

Brake disc	Brake pad set	Guide bolt, brake caliper
Brake drum	Brake shoe kit	Guide sleeve kit, brake caliper
Brake hose	Brake shoe set, parking brake	Wheel cylinder

Drive train/Transmission

156

Axle shafts, Drive shafts, Joints, Transmission

A/T oil pan	Drive shaft support	Mount, automatic transmission
Boot kit, C.V. joint	Driveshaft bearing	Mount, differential
Bracket, shift linkage	Hydraulic filter kit, A/T	Mount, manual transmission
Bushing, gear lever	Hydraulic filter, A/T	Parts kit, automatic transm. oil change
C.V. joint kit	Joint, propeller shaft	

Electrics

211

Body, Brakes, Engine, Interiors, Lighting

ABS wheel sensor	Lambda probe	Sensor, wash water level
Back up light switch	Relay, fuel pump	Spark plug connector
Brake light switch	Relay, hazard lights	Switch, window lifter
Column switch	Sender unit, coolant temperature	Temperature switch, radiator fan
Control unit, heating/ventilation	Sensor xenon light (headlight levelling)	Vacuum element
Crank position sensor	Sensor, camshaft position	Voltage regulator
Glow plug	Sensor, coolant level	Wear sensor
Heater fan motor	Sensor, engine oil level	
Ignition coil	Sensor, outdoor temperature	

Engine/Cooling/Clutch

268

Belt drive / Engine control, Clutch, Cooling system, Crankshaft drive, Exhaust system, Fuel system, Lubrication system, Mounts

A/T oil pan gasket	Expansion tank cap	Radiator cap
Air filter	Fan blade	Radiator fan motor
Breather hose	Fan clutch	Radiator hose
Breather hose, expansion tank	Fuel filter	Suction hose, air filter
Breather screw/-valve, radiator	Fuel pump	Support, cooling fan
Breather valve	Fuel pump	Tension roller, ribbed belt
Buffer, oil pan	Intake manifold, air supply	Tensioner pulley, ribbed belt
Cap, fuel tank	Mount, alternator	Thermostat
Cap, oil filler	Muffler bracket	Thermostat housing
Clutch disc	Oil filter	Timing belt roller
Coolant flange	Oil hose	Vent valve
Engine mount	Oil pressure switch	Water pump
Expansion tank	Oil trap	Water pump pulley

Steering

385

Hydraulics, Mounting parts, Steering rack, Tie rod assemblies

Axial rod	Hydraulic pump, P/S	P/S fluid reservoir
Drag link	Idler arm bushing	P/S hose
Gasket set, steering rack	Mount, steering rack	Steering arm

Steering boot
Steering boot kit

Tie rod assembly
Tie rod end



Suspension

433

Control arms, Stabilizer, Subframe, Suspension / damping, Wheel hubs / Wheel bearings

Axle support bushing
Ball joint
Bracket, control arm
Coil spring
Control arm
Control arm bushing
Control arm set
Dust cap, wheel bearing
Dust cover kit, shock absorber

Dust cover/boot, strut
Gasket, suspension strut
Mount, axle carrier
Mount, axle rod
Mount, control arm
Mount, rod/strut stabilizer
Mount, stabilizer
Mount, wheel bearing housing
Pressure accumulator

Repair kit, subframe
Rod/strut, suspension
Rubber stop, suspension
Shock absorber
Stabilizer link
Strut mount
Wheel bearing
Wheel bearing kit
Wheel hub

Gas spring, rear window
340 160 0106
 51 24 8 190 688

Notes

 Power Output F [N] 560
 Length [mm] 245

References

51 24 8 190 688


Application info

5 (E39) (11/95-05/04)

Hood shock
340 160 3072
 51 23 1 869 147

Notes

 Power Output F [N] 230
 Length [mm] 498

References

11 81 1 869 147 51 23 1 869 147


Application info

6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

Hood shock
340 160 3717
 51 23 1 906 286

Notes

 Power Output F [N] 350
 Length [mm] 256

References

11 81 1 906 286 51 23 1 906 286


Application info

3 (E30) (09/82-10/94)

340 160 2696

51 23 1 908 465

Hood shock



Notes

Power Output F [N]	440
Length [mm]	255

References

51 23 1 908 465

Application info

7 (E32) (09/86-09/94)

340 160 3718

51 23 1 927 129

Hood shock



Notes

Power Output F [N]	380
Length [mm]	443

References

51 23 1 868 555	51 23 1 907 962
51 23 1 907 262	51 23 1 927 129

Application info

5 (E28) (06/80-12/87)

340 161 0065

51 23 1 944 119

Hood shock



Notes

Power Output F [N]	380
Length [mm]	240

References

51 23 1 944 119

Application info

5 (E34) (12/87-01/97)

Hood shock
340 161 0612
 51 23 1 960 852

Notes

 Power Output F [N] 320
 Length [mm] 367

References

51 23 1 960 852


Application info

3 (E36) (09/90-08/00)

Hood shock
340 910 0010
 51 23 3 400 352

Notes

 Power Output F [N] 720
 Length [mm] 285

References

51 23 3 400 352


Application info

X3 (E83) (01/04--)

Hood shock
340 910 0001
 51 23 7 008 745

Notes

 Power Output F [N] 330
 Length [mm] 313

References

51 23 7 008 745


Application info

5 (E60, E61) (07/03--)

340 910 0004
51 23 7 060 550

Hood shock



Notes

Power Output F [N]	330
Length [mm]	400

References

51 23 7 060 550

Application info

3 (E90, E91, E92, E93) (01/05--)

340 910 0002
51 23 7 118 370

Hood shock



Notes

Power Output F [N]	350
Length [mm]	374

References

51 23 7 118 370

Application info

1 (E81, E82, E87, E88) (11/03--)

340 160 0102
51 23 8 119 558

Hood shock



Notes

Power Output F [N]	280
Length [mm]	410

References

51 23 8 119 558

Application info

3 (E36) (09/90-08/00)

Hood shock
340 160 0111
 51 23 8 150 077

Notes

 Power Output F [N] 800
 Length [mm] 350

References

51 23 8 150 077


Application info

7 (E38) (10/94-11/01)

Hood shock
340 160 0110
 51 23 8 174 866

Notes

 Power Output F [N] 700
 Length [mm] 350

References

51 23 8 174 866


Application info

5 (E39) (11/95-05/04)

Hood shock
340 160 1381
 51 23 8 202 688

Notes

 Power Output F [N] 580
 Length [mm] 316

References

51 23 8 202 688


Application info

3 (E46) (02/98--)

340 910 0000
51 23 8 240 596

Hood shock



Notes

Power Output F [N]	160
Length [mm]	715

References

51 23 8 240 596

Application info

7 (E65, E66) (11/01--)

340 910 0003
51 23 8 402 551

Hood shock



Notes

Power Output F [N]	640
Length [mm]	290

References

51 23 8 402 551

Application info

X5 (E53) (05/00--)

300 513 2100
51 32 1 938 884

Sliding shoe, window lifter



References

51 32 1 938 884

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z3 (E36/7, E36/8) (10/95-06/03)

Trunk-/tailgate shock
340 161 0535
 51 24 1 908 431

Notes

 Power Output F [N] 490
 Length [mm] 256

References

51 24 1 908 431


Application info

7 (E32) (09/86-09/94)

Trunk-/tailgate shock
340 161 0022
 51 24 1 960 862

Notes

 Power Output F [N] 480
 Length [mm] 295

References

51 24 1 960 862


Application info

3 (E36) (09/90-08/00)

Trunk-/tailgate shock
340 910 0011
 51 24 3 400 379

Notes

 for vehicles without aerodynamic pack
 Power Output F [N] 590
 Length [mm] 625

References

51 24 3 400 379


Application info

X3 (E83) (01/04--)

340 910 0009
51 24 7 008 764

Trunk-/tailgate shock



Notes

Power Output F [N]	350
Length [mm]	425

References

51 24 7 008 764

Application info

6 (E63, E64) (01/04--)

340 910 0006
51 24 7 060 622

Trunk-/tailgate shock



Notes

Power Output F [N]	400
Length [mm]	412

References

51 24 7 060 622

Application info

1 (E81, E82, E87, E88) (11/03--)

340 910 0008
51 24 7 060 623

Trunk-/tailgate shock



Notes

Power Output F [N]	320
Length [mm]	370

References

51 24 4 365 788	51 24 7 060 623
51 24 4 394 052	51 24 7 250 308

Application info

3 (E90, E91, E92, E93) (01/05--)

Trunk-/tailgate shock
340 910 0007
 51 24 7 127 875

Notes

 Power Output F [N] 450
 Length [mm] 545

References

51 24 7 127 875


Application info

3 (E90, E91, E92, E93) (01/05--)

Trunk-/tailgate shock
340 161 0310
 51 24 8 110 327

Notes

 Power Output F [N] 410
 Length [mm] 365

References

51 24 1 934 270 51 24 8 110 327


Application info

5 (E34) (12/87-01/97)

Trunk-/tailgate shock
340 160 0104
 51 24 8 222 913

Notes

 Power Output F [N] 540
 Length [mm] 345

References

51 24 8 222 913


Application info

5 (E39) (11/95-05/04)

340 160 0712
51 24 8 227 895

Trunk-/tailgate shock



Notes

Power Output F [N]	280
Length [mm]	366

References

51 24 8 227 895

Application info

3 (E46) (02/98--)

340 160 0118
51 24 8 230 070

Trunk-/tailgate shock



Notes

	for vehicles with rear windscreen wiper
Power Output F [N]	420
Length [mm]	596

References

51 24 8 230 070

Application info

3 (E36) (09/90-08/00)

340 160 9829
51 24 8 232 873

Trunk-/tailgate shock



Notes

Power Output F [N]	450
Length [mm]	545

References

51 24 8 232 873

Application info

3 (E46) (02/98--)

Trunk-/tailgate shock
340 160 0120

51 24 8 245 031

Notes

for vehicles with rear windscreen wiper

Power Output F [N] 420
 Length [mm] 518

References

51 24 8 171 158 51 24 8 245 031
 51 24 8 217 305


Application info

3 (E36) (09/90-08/00)

Trunk-/tailgate shock
340 160 9832

51 24 8 254 281

Notes

Power Output F [N] 320
 Length [mm] 349

References

51 24 4 212 802 51 24 8 254 281
 51 24 8 220 075


Application info

3 (E46) (02/98--)

Trunk-/tailgate shock
340 910 0005

51 24 8 402 405

Notes

Power Output F [N] 530
 Length [mm] 530

References

51 24 8 402 405


Application info

X5 (E53) (05/00--)

313 067 0001
67 12 6 973 097

Water pump, headlight cleaning



Notes

Voltage [V] 12
Electric
Mono Pump

References

67 12 6 973 097 67 12 8 377 430
67 12 8 362 157 67 12 8 377 613


Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E70) (02/07--)
X6 (E71) (05/08--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 909 0000
51 33 1 977 609

Window lifter



Notes

Left Front
Electric
without electric motor

References

51 33 1 977 609

Counterpart


314 909 0002

Application info

3 (E36) (09/90-08/00)

314 909 0002
51 33 1 977 610

Window lifter



Notes

Right Front
Electric
without electric motor

References

51 33 1 977 610

Counterpart

314 909 0000

Window lifter
314 909 0002
 51 33 1 977 610

Application info

3 (E36) (09/90-08/00)

Window lifter
314 909 0027
 51 33 7 140 587

Notes

 Left Front
 Electric
 without electric motor

References

51 33 7 140 587

Counterpart

314 909 0028


Application info

3 (E90, E91, E92, E93) (01/05--)

Window lifter
314 909 0028
 51 33 7 140 588

Notes

 Right Front
 Electric
 without electric motor

References

51 33 7 140 588

Counterpart

314 909 0027


Application info

3 (E90, E91, E92, E93) (01/05--)

314 909 0031
51 33 7 184 383

Window lifter



Notes

Left Front
Electric
without electric motor

References

51 33 7 075 667

51 33 7 184 383

Counterpart

314 909 0032

Application info

5 (E60, E61) (07/03--)

314 909 0032
51 33 7 184 384

Window lifter



Notes

Right Front
Electric
without electric motor

References

51 33 7 075 668

51 33 7 184 384

Counterpart

314 909 0031

Application info

5 (E60, E61) (07/03--)

314 909 0008
51 33 7 202 479

Window lifter



Notes

Left Front
Electric
without electric motor

References

51 33 7 024 811
51 33 7 138 861

51 33 7 202 479

Counterpart

314 909 0009

Application info

7 (E65, E66) (11/01--)

Window lifter
314 909 0009

51 33 7 202 480

Notes

 Right Front
 Electric
 without electric motor

References

 51 33 7 024 812
 51 33 7 138 862

51 33 7 202 480

Counterpart

314 909 0008


Application info

7 (E65, E66) (11/01--)

Window lifter
314 909 0033

51 33 8 229 105

Notes

 Left Front
 Electric
 without electric motor

References

51 33 8 229 105

Counterpart

314 909 0034


Application info

3 (E46) (02/98--)

Window lifter
314 909 0034

51 33 8 229 106

Notes

 Right Front
 Electric
 without electric motor

References

51 33 8 229 106

Counterpart

314 909 0033


Application info

3 (E46) (02/98--)

314 909 0003
51 33 8 252 393

Window lifter



Notes

Left Front
Electric
without electric motor

References

51 33 8 252 393

Counterpart

314 909 0004

Application info

5 (E39) (11/95-05/04)

314 909 0004
51 33 8 252 394

Window lifter



Notes

Right Front
Electric
without electric motor

References

51 33 8 159 832
51 33 8 236 860

51 33 8 252 394

Counterpart

314 909 0003

Application info

5 (E39) (11/95-05/04)

314 909 0010
51 33 8 254 911

Window lifter



Notes

Left Front
Electric
without electric motor

References

51 33 8 254 911

Counterpart

314 909 0011

Application info

X5 (E53) (05/00--)

Window lifter
314 909 0011
 51 33 8 254 912

Notes

 Right Front
 Electric
 without electric motor

References

51 33 8 254 912

Counterpart

314 909 0010


Application info

X5 (E53) (05/00--)

Window lifter
314 909 0012
 51 35 7 125 059

Notes

 Left Rear
 Electric
 without electric motor

References

51 35 7 125 059

51 35 8 254 913

Counterpart

314 909 0013


Application info

X5 (E53) (05/00--)

Window lifter
314 909 0013
 51 35 7 125 060

Notes

 Right Rear
 Electric
 without electric motor

References

51 35 7 125 060

51 35 8 254 914

Counterpart

314 909 0012


Application info

X5 (E53) (05/00--)

314 909 0029
51 35 7 140 589

Window lifter



Notes

Left Rear
Electric
without electric motor

References

51 35 7 140 589

Counterpart

314 909 0030

Application info

3 (E90, E91, E92, E93) (01/05--)

314 909 0030
51 35 7 140 590

Window lifter



Notes

Right Rear
Electric
without electric motor

References

51 35 7 140 590

Counterpart

314 909 0029

Application info

3 (E90, E91, E92, E93) (01/05--)

314 909 0018
51 35 8 159 835

Window lifter



Notes

Left Rear
Electric
without electric motor

References


51 35 8 159 835

Counterpart


314 909 0019

Application info


5 (E39) (11/95-05/04)

314 909 0019	
51 35 8 159 836	
<p>Window lifter</p> <p>Notes</p> <p style="padding-left: 40px;">Right Rear Electric without electric motor</p> <p>References</p> <p>51 35 8 159 836</p> <p>Counterpart</p> <p>314 909 0018</p>	

Application info
 5 (E39) (11/95-05/04)

314 909 0006	
51 35 8 212 099	
<p>Window lifter</p> <p>Notes</p> <p style="padding-left: 40px;">Left Rear Electric without electric motor</p> <p>References</p> <p>51 35 8 212 099</p> <p>Counterpart</p> <p>314 909 0007</p>	

Application info
 3 (E46) (02/98--)

314 909 0007	
51 35 8 212 100	
<p>Window lifter</p> <p>Notes</p> <p style="padding-left: 40px;">Right Rear Electric without electric motor</p> <p>References</p> <p>51 35 8 212 100</p> <p>Counterpart</p> <p>314 909 0006</p>	

Application info
 3 (E46) (02/98--)

314 909 0020
51 35 8 252 429

Window lifter



Notes

Left Rear
Electric
without electric motor

References

51 35 8 252 429

Counterpart

314 909 0021

Application info

5 (E39) (11/95-05/04)

314 909 0021
51 35 8 252 430

Window lifter



Notes

Right Rear
Electric
without electric motor

References

51 35 8 252 430

Counterpart

314 909 0020

Application info

5 (E39) (11/95-05/04)

100 955 0002
61 66 1 368 589

Windshield washer pump



Notes

Voltage [V]

Front
12
Mono Pump

References

61 66 1 368 589

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)

5 (E28) (06/80-12/87)

Windshield washer pump
313 061 0002
 61 66 1 380 066

Notes

Voltage [V]

 Front
 12
 Mono Pump

References

61 66 1 377 830

61 66 1 380 066


Application info

3 (E30) (09/82-10/94)

5 (E34) (12/87-01/97)

Windshield washer pump
314 870 0002
 61 66 1 380 068

Notes

Voltage [V]

 Front
 12
 Mono Pump

References

61 66 1 380 068

61 66 8 360 614


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Z3 (E36/7, E36/8) (10/95-06/03)

Windshield washer pump
314 870 0001
 67 12 6 934 159

Notes

Voltage [V]

 Front
 12
 Mono Pump

References

67 12 6 934 159

67 12 7 302 589



314 870 0001
67 12 6 934 159

Windshield washer pump

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01--)

314 870 0000
67 12 8 360 244

Windshield washer pump



Notes

Voltage [V]

Front
12
Mono Pump

References

67 12 8 360 244

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

100 955 0006
67 12 8 377 612

Windshield washer pump



Notes

Voltage [V]

Front
12
Mono Pump
Oval

References

67 12 8 362 154

67 12 8 377 612

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

Wiper Blade
029 350 1414
 61 62 7 118 207

Notes

Length [mm]	Rear
Length [in]	350
	14

References

61 62 7 118 207

Application info

3 (E90, E91, E92, E93) (01/05--)

Wiper Blade
029 290 1110
Notes

Length [mm]	Rear
Length [in]	290
	11

References

61 62 7 138 508


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (F30, F31) (10/11--)

Wiper Blade
029 330 1311
Notes

Length [mm]	Rear
Length [in]	330
	13


Application info

X3 (F25) (09/10--)

029 350 1412

Wiper Blade

Notes

	Rear
Length [mm]	350
Length [in]	14

Application info

5 (F10, F11) (03/10--)

029 425 1700

Wiper Blade



Notes

	Front
Length [mm]	425
Length [in]	17
Observe service information	

Application info

3 (E90, E91, E92, E93) (01/05--)

6 (F12, F13) (11/10--)

029 450 1800

Wiper Blade



Notes

	Front
Length [mm]	450
Length [in]	18
Observe service information	

Wiper Blade
029 450 1800
Application info

3 (E90, E91, E92, E93) (01/05--)
 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)
 5 (F10, F11) (03/10--)

6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (F01, F02, F03, F04) (06/08--)
 X1 (E84) (03/09--)

Wiper Blade
029 475 1900
Notes

Length [mm] Front
 475
 Length [in] 19
 Observe service information


Application info

3 (E90, E91, E92, E93) (01/05--)
 3 (F30, F31) (10/11--)

Z3 (E36/7, E36/8) (10/95-06/03)

Wiper Blade
029 500 2000
Notes

Length [mm] Front
 500
 Length [in] 20
 Observe service information


Application info

1 (E81, E82, E87, E88) (11/03--)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 X3 (E83) (01/04--)
 X3 (F25) (09/10--)

X5 (E70) (02/07--)
 X6 (E71) (05/08--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

029 530 2100

Wiper Blade



Notes

Length [mm]	Front 530
Length [in]	21
Observe service information	

Application info

3 (E36) (09/90-08/00)

Z4 (E85) (02/03--)

029 550 2200

Wiper Blade



Notes

Length [mm]	Front 550
Length [in]	22
Observe service information	

Application info

5 (E39) (11/95-05/04)
X3 (E83) (01/04--)

X5 (E53) (05/00--)

029 580 2300

Wiper Blade



Notes

Length [mm]	Front 580
Length [in]	23
Observe service information	

Application info

3 (E46) (02/98--)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

300 352 1101
35 21 1 108 634

Brake pedal pad


Application info

2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
M1 (E26) (05/79-05/83)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z8 (E52) (06/00-06/03)

312 320 0004/S
64 11 2 182 533

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
267
201
30
Kit

References

64 11 0 008 138
64 11 2 182 533
64 11 8 391 200

64 11 9 070 073
64 11 9 216 588
64 31 2 207 985

Application info

5 (E39) (11/95-05/04)

312 319 0012/S
64 11 6 921 018

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
324
173
30
Kit

References

64 11 6 921 018

Application info

7 (E65, E66) (11/01--)

Cabin air filter
312 319 0020/S
 64 11 8 391 385

Notes

	Particulate Filter Filter Insert
Length [mm]	148
Width [mm]	94
Height [mm]	11
	Kit

References

64 11 8 391 385


Application info

7 (E38) (10/94-11/01)

Cabin air filter
312 319 0001
 64 11 9 069 895

Notes

	Particulate Filter Filter Insert
Length [mm]	284
Width [mm]	164
Height [mm]	26

References

64 11 1 393 489

64 11 9 069 895


Application info

3 (E36) (09/90-08/00)

Cabin air filter
312 320 0008/S
 64 11 9 163 329


Notes

	Activated Carbon Filter Filter Insert
Length [mm]	247
Width [mm]	207
Height [mm]	27
	Kit

References

64 11 9 163 329

64 11 9 272 642


Application info

5 (F07) (10/09--)

5 (F10, F11) (03/10--)

7 (F01, F02, F03, F04) (06/08--)

312 319 0021
64 11 9 237 554

Cabin air filter

Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
245
196
40

References

64 11 9 237 554


Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)

312 320 0021
64 11 9 237 555

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
245
196
40

References

64 11 9 237 555

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33) (07/13--)

312 320 0012/S
64 11 9 272 643

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
314
163
30
Kit

References

64 11 6 921 019

64 11 9 272 643

Application info

7 (E65, E66) (11/01--)

Cabin air filter		312 319 0002 64 31 1 000 004
<p>Notes</p> <p>Particulate Filter Filter Insert</p> <p>Length [mm] 674 Width [mm] 108 Height [mm] 20</p> <p>References</p> <p>64 31 1 000 004 64 31 9 071 934 64 31 8 361 899 64 31 9 216 591</p>		

Application info		
3 (E46) (02/98--)		X3 (E83) (01/04--)

Cabin air filter		312 319 0003 64 31 1 390 836
<p>Notes</p> <p>Particulate Filter Filter Insert</p> <p>Length [mm] 326 Width [mm] 124 Height [mm] 24</p> <p>References</p> <p>64 31 1 390 836</p>		


Application info		
5 (E34) (12/87-01/97)		7 (E32) (09/86-09/94)

Cabin air filter		312 319 0006 64 31 6 915 763
<p>Notes</p> <p>Particulate Filter Filter Insert</p> <p>Length [mm] 232 Width [mm] 245 Height [mm] 32</p> <p>References</p> <p>64 11 6 915 763 64 31 6 915 763</p>		

Application info		
Z4 (E85) (02/03--) Z4 (E86) (03/06--)		Z4 (E89) (05/09--)

312 320 0006
64 31 6 915 764

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
232
245
32

References

64 11 6 915 764

64 31 6 915 764

Application info

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Z4 (E89) (05/09--)

314 319 0000/S
64 31 6 945 585

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
293
138
34
Kit

References

64 11 6 945 593

64 31 6 945 585

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 320 0000/S
64 31 6 945 586

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
293
138
34
Kit

References

64 11 6 945 594

64 31 6 945 586

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Cabin air filter
312 319 0004/S
 64 31 8 391 198

Notes

	Particulate Filter Filter Insert
Length [mm]	262
Width [mm]	198
Height [mm]	33
	Kit

References

64 31 8 391 198	64 31 9 216 589
64 31 9 069 927	


Application info

5 (E39) (11/95-05/04)


Cabin air filter
312 319 0013
 64 31 8 409 043

Notes

	Particulate Filter Filter Insert
Length [mm]	550
Width [mm]	255
Height [mm]	29

References

64 31 8 409 043	64 31 9 224 084
-----------------	-----------------


Application info

X5 (E53) (05/00--)

Cabin air filter
312 320 0013
 64 31 8 409 044

Notes

	Activated Carbon Filter Filter Insert
Length [mm]	541
Width [mm]	258
Height [mm]	30

References

64 31 8 409 044	64 31 9 224 085
64 31 9 218 706	


Application info

X5 (E53) (05/00--)

312 319 0019
64 31 9 069 925

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
330
180
40

References

64 11 8 391 914
64 11 8 391 915

64 31 9 069 925

Application info

5 (E34) (12/87-01/97)

312 319 0005/S
64 31 9 069 926

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
368
175
30
Kit

References

64 31 9 069 926

Application info

7 (E38) (10/94-11/01)

312 320 0005/S
64 31 9 070 072

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
362
181
30
Kit

References

64 11 8 390 447
64 31 9 070 072

64 31 9 272 810

Application info

7 (E38) (10/94-11/01)

Cabin air filter
312 319 0016/S
 64 31 9 071 933

Notes

	Particulate Filter Filter Insert
Length [mm]	148
Width [mm]	123
Height [mm]	25
	Kit

References

64 11 8 363 274	64 31 9 071 933
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)

Cabin air filter
312 320 0002
 64 31 9 071 935

Notes

	Activated Carbon Filter Filter Insert
Length [mm]	674
Width [mm]	108
Height [mm]	20

References

64 11 9 907 450	64 31 9 216 590
64 31 2 182 458	64 31 9 257 504
64 31 9 071 935	


Application info

3 (E46) (02/98--)

X3 (E83) (01/04--)

Cabin air filter
312 319 0015
 64 31 9 142 114

Notes

	Particulate Filter Filter Insert
Length [mm]	835
Width [mm]	160
Height [mm]	34

References

64 31 6 946 629	64 31 9 142 114
64 31 6 962 548	64 31 9 313 517
64 31 6 962 551	


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

312 320 0015
64 31 9 142 115

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
832
132
20

References

64 31 6 946 549
64 31 6 946 628

64 31 9 142 115


Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

312 320 0007/S
64 31 9 171 858

Cabin air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Activated Carbon Filter
Filter Insert
317
170
30
Kit

References

64 31 6 913 506
64 31 6 935 823

64 31 9 171 858

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

312 319 0007/S
64 31 9 174 370

Cabin air filter

Notes

Length [mm]
Width [mm]
Height [mm]

Particulate Filter
Filter Insert
328
182
30
Kit

References

64 31 6 935 822

64 31 9 174 370

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Cabin air filter
312 320 0023/S
 64 31 9 237 157

Notes

 Activated Carbon Filter
 Filter Insert
 Length [mm] 188
 Width [mm] 188
 Height [mm] 25
 Kit

 Length [mm]
 Width [mm]
 Height [mm]

References

64 31 9 237 157


Application info

X3 (F25) (09/10--)

Cabin air filter
312 319 0023/S
 64 31 9 237 158


Notes

 Particulate Filter
 Filter Insert
 Length [mm] 188
 Width [mm] 188
 Height [mm] 25
 Kit

 Length [mm]
 Width [mm]
 Height [mm]

References

64 31 9 237 158


Application info

X3 (F25) (09/10--)

Clutch pedal pad
300 352 1101
 35 21 1 108 634

Notes

Manual Transmission

References

35 21 1 108 634



300 352 1101

35 21 1 108 634

Clutch pedal pad

Application info

2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
M1 (E26) (05/79-05/83)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z8 (E52) (06/00-06/03)

319 642 1106

64 21 1 387 010

Heater hose



References

64 21 1 387 010

Application info

3 (E36) (09/90-08/00)

319 642 1114

64 21 1 387 424

Heater hose



Notes

Pre-formed

References

64 21 1 387 424

Application info

3 (E36) (09/90-08/00)

Heater hose
319 642 1119
 64 21 1 394 292

Notes

Right

References

64 21 1 387 425

64 21 1 394 292


Application info

3 (E36) (09/90-08/00)

Heater hose
319 642 1120
 64 21 1 394 293

References

64 21 1 387 423

64 21 1 394 293


Application info

3 (E36) (09/90-08/00)

Heater hose
319 642 1116
 64 21 1 394 295

Notes

for foreflow

References

64 21 1 394 295


Application info

3 (E36) (09/90-08/00)

319 642 1803
64 21 8 409 062

Heater hose



References
64 21 8 409 062

Application info
X5 (E53) (05/00--)

319 642 1804
64 21 8 409 063

Heater hose



Notes
Pre-formed

References
64 21 8 409 063

Application info
X5 (E53) (05/00--)

319 642 1805
64 21 8 409 064

Heater hose



Notes
Pre-formed
Off-set

References
64 21 8 409 064

Application info
X5 (E53) (05/00--)

Brake disc
315 521 3029

34 10 1 166 071

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52.6
Outer Diameter [mm]	325
Minimum Thickness [mm]	23.4
Centering Diameter [mm]	79
	Vented


References

34 10 1 166 071	34 11 6 855 156
34 11 6 769 305	

Application info

3 (E46) (02/98--)	Z4 (E86) (03/06--)
Z4 (E85) (02/03--)	

Brake disc 
315 521 3029/PD

34 10 1 166 071

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52.6
Outer Diameter [mm]	325
Minimum Thickness [mm]	23.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 10 1 166 071	34 11 6 855 156
34 11 6 769 305	

Application info

3 (E46) (02/98--)	Z4 (E86) (03/06--)
Z4 (E85) (02/03--)	

315 521 0012/PD
34 10 6 787 490

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	328
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation

References

34 10 6 787 490

Application info

X3 (F25) (09/10--)

315 521 3001
34 11 1 160 915

Brake disc



Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	35.2
Outer Diameter [mm]	260
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	66
	Vented

References

34 11 1 154 749	34 11 1 160 847
34 11 1 154 750	34 11 1 160 915

Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

Brake disc
315 521 3008

34 11 1 160 936

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76.4
Outer Diameter [mm]	302
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 157 503	34 11 1 159 897
34 11 1 158 040	34 11 1 160 936


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Brake disc
315 521 3006


34 11 1 161 693

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76
Outer Diameter [mm]	302
Minimum Thickness [mm]	10.4
Centering Diameter [mm]	79
	Solid

References

34 11 1 158 042	34 11 1 161 693
34 11 1 159 898	


Application info

5 (E34) (12/87-01/97)

315 521 3012
34 11 1 163 128

Brake disc



Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	12,5
Bolt Hole Circle Ø [mm]	100
Height [mm]	75
Outer Diameter [mm]	255
Minimum Thickness [mm]	11.1
Centering Diameter [mm]	63
	Solid

References

34 11 1 116 675	34 11 1 163 128
34 11 1 119 248	

Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-10/94)

315 521 3004
34 11 1 163 135

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76.3
Outer Diameter [mm]	284
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 151 655	34 11 1 163 135
34 11 1 151 656	34 11 1 163 136

Application info

5 (E28) (06/80-12/87)

Brake disc
315 521 3014

34 11 1 163 141

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	78
Outer Diameter [mm]	280
Minimum Thickness [mm]	23.4
Centering Diameter [mm]	74
	Vented

References

34 11 1 121 902	34 11 1 163 141
34 11 1 152 297	34 11 1 163 142
34 11 1 154 974	


Application info

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)

7 (E23) (05/77-08/86)

Brake disc
315 521 3020

34 11 1 164 539

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	51.6
Outer Diameter [mm]	300
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 164 539	34 11 6 794 302
34 11 6 757 526	34 11 6 855 152
34 11 6 766 224	34 11 6 864 058


Application info

 3 (E46) (02/98--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)

315 521 3020/PD
34 11 1 164 539

Brake disc 



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	22,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	51.6	
Outer Diameter [mm]	300	
Minimum Thickness [mm]	20.4	
Centering Diameter [mm]	79	
		Vented
		Chrome-(VI)- free passivation

References

34 11 1 164 539	34 11 6 794 302
34 11 6 757 526	34 11 6 855 152
34 11 6 766 224	34 11 6 864 058

Application info

3 (E46) (02/98--)
Z3 (E36/7, E36/8) (10/95-06/03)

Z4 (E85) (02/03--)

315 521 3011
34 11 1 165 455

Brake disc



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	22,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	51.6	
Outer Diameter [mm]	286	
Minimum Thickness [mm]	20.4	
Centering Diameter [mm]	79	
		Vented

References

34 11 1 160 674	34 11 1 164 921
34 11 1 162 282	34 11 1 165 455
34 11 1 162 288	34 11 6 766 239
34 11 1 164 199	34 11 6 794 301
34 11 1 164 431	34 11 6 855 153

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Brake disc 
315 521 3011/PD
 34 11 1 165 455

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22
Bolt Hole Circle Ø [mm]	120
Height [mm]	51.6
Outer Diameter [mm]	286
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 1 160 674	34 11 1 164 921
34 11 1 162 282	34 11 1 165 455
34 11 1 162 288	34 11 6 766 239
34 11 1 164 199	34 11 6 794 301
34 11 1 164 431	34 11 6 855 153

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

Brake disc
315 521 3051
 34 11 2 227 171

Notes

	Front Axle
	Left
Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52.5
Outer Diameter [mm]	315
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	79
	Vented


References

34 11 2 227 171

Counterpart

315 521 3052

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3051/PD
34 11 2 227 171

Brake disc 



Notes

	Front Axle
	Left
Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52.5
Outer Diameter [mm]	315
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 2 227 171

Counterpart

315 521 3052/PD


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3052
34 11 2 227 172

Brake disc



Notes

	Front Axle
	Right
Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52.5
Outer Diameter [mm]	315
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	79
	Vented

References

34 11 2 227 172

Counterpart

315 521 3051

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc 
315 521 3052/PD
 34 11 2 227 172

Notes

	Front Axle
	Right
Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	52,5
Outer Diameter [mm]	315
Minimum Thickness [mm]	26,4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 2 227 172

Counterpart

315 521 3051/PD

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc
315 521 3074
 34 11 3 400 151

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62,2
Outer Diameter [mm]	325
Minimum Thickness [mm]	23,4
Centering Diameter [mm]	75
	Vented


References

34 11 3 400 151

Application info

X3 (E83) (01/04--)

315 521 3074/PD
34 11 3 400 151

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	25,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62.2
Outer Diameter [mm]	325
Minimum Thickness [mm]	23.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation

References


34 11 3 400 151

Application info

X3 (E83) (01/04--)

315 521 3058
34 11 6 750 265

Brake disc



Notes

Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented

References

34 11 6 750 265

Application info

7 (E65, E66) (11/01--)

Brake disc 
315 521 3058/PD
 34 11 6 750 265

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 750 265

Application info

7 (E65, E66) (11/01--)

Brake disc
315 521 3009
 34 11 6 752 434

Notes

	Front Axle
Number of Holes	4
Brake Disc Thickness [mm]	12,7
Bolt Hole Circle Ø [mm]	100
Height [mm]	35
Outer Diameter [mm]	260
Minimum Thickness [mm]	11.1
Centering Diameter [mm]	66
	Solid


References

34 11 1 154 747

34 11 6 752 434

Application info

3 (E30) (09/82-10/94)

315 521 3060/PD
34 11 6 753 221

Brake disc 



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	30,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	77	
Outer Diameter [mm]	324	
Minimum Thickness [mm]	28.4	
Centering Diameter [mm]	79	
	Vented	
	Chrome-(VI)- free passivation	

References

34 11 6 753 221	34 11 6 864 905
34 11 6 767 269	

Application info


5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

315 521 3005

34 11 6 756 090

Brake disc



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	28,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	76	
Outer Diameter [mm]	302	
Minimum Thickness [mm]	26.4	
Centering Diameter [mm]	79	
	Vented	

References

34 11 1 155 322	34 11 1 159 896
34 11 1 157 391	34 11 6 756 090
34 11 1 158 038	

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Brake disc
315 521 3070

34 11 6 756 847

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	36,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62
Outer Diameter [mm]	356
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	75
	Vented


References

34 11 6 756 847

Application info

X5 (E53) (05/00--)

Brake disc 
315 521 3070/PD

34 11 6 756 847

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	36,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62
Outer Diameter [mm]	356
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 756 847

Application info

X5 (E53) (05/00--)

315 521 3023
34 11 6 757 746

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 159 895	34 11 6 757 746
-----------------	-----------------


Application info

5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

315 521 3023/PD
34 11 6 757 746

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 1 159 895	34 11 6 757 746
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Brake disc
315 521 3007

34 11 6 757 750

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	51.7
Outer Diameter [mm]	286
Minimum Thickness [mm]	10.5
Centering Diameter [mm]	79
	Solid


References

34 11 1 160 673 34 11 6 757 750

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc 
315 521 3007/PD

34 11 6 757 750

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	51.7
Outer Diameter [mm]	286
Minimum Thickness [mm]	10.5
Centering Diameter [mm]	79
	Solid
	Chrome-(VI)- free passivation


References

34 11 1 160 673 34 11 6 757 750

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

315 521 3015
34 11 6 757 752

Brake disc



Notes

Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	316
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 162 093	34 11 6 757 752
-----------------	-----------------

Application info

7 (E38) (10/94-11/01)

315 521 3015/PD
34 11 6 757 752

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	28,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	316
Minimum Thickness [mm]	26.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 1 162 093	34 11 6 757 752
-----------------	-----------------

Application info

7 (E38) (10/94-11/01)

Brake disc
315 521 3050
 34 11 6 757 756

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	32,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76.9
Outer Diameter [mm]	334
Minimum Thickness [mm]	30.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 161 372	34 11 6 757 756
34 11 1 164 973	


Application info

7 (E38) (10/94-11/01)

Brake disc 
315 521 3050/PD
 34 11 6 757 756

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	32,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76.9
Outer Diameter [mm]	334
Minimum Thickness [mm]	30.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 1 161 372	34 11 6 757 756
34 11 1 164 973	


Application info

7 (E38) (10/94-11/01)

315 521 3062
34 11 6 764 629

Brake disc



Notes

Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	284
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented

References

34 11 6 764 629	34 11 6 854 996
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

315 521 3062/PD
34 11 6 764 629

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	284
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 6 764 629	34 11 6 854 996
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

Brake disc
315 521 3063

34 11 6 764 641

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	292
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
Wheel Bolt Bore Ø [mm]	Vented 14.5


References

34 11 6 764 641	34 11 6 854 997
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Brake disc 
315 521 3063/PD

34 11 6 764 641

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	292
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
Wheel Bolt Bore Ø [mm]	Vented Chrome-(VI)- free passivation 14.5


References

34 11 6 764 641	34 11 6 854 997
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

315 521 3064
34 11 6 764 645

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	330
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented

References

34 11 6 764 645	34 11 6 854 999
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

315 521 3064/PD
34 11 6 764 645

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	330
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 6 764 645	34 11 6 854 999
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Brake disc
315 521 3076

34 11 6 766 107

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	36
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	374
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	79
	Vented


References

34 11 6 753 091	34 11 6 766 107
-----------------	-----------------

Application info


7 (E65, E66) (11/01--)

Brake disc 
315 521 3076/PD

34 11 6 766 107

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	36,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	374
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 753 091	34 11 6 766 107
-----------------	-----------------

Application info

7 (E65, E66) (11/01--)

315 521 3024
34 11 6 767 059

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73.8
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 165 859	34 11 6 767 059
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

315 521 3024/PD
34 11 6 767 059

Brake disc 



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73.8
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 1 165 859	34 11 6 767 059
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

Brake disc
315 521 3019

34 11 6 767 061

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76
Outer Diameter [mm]	296
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented

References

34 11 1 163 013	34 11 1 164 839
34 11 1 163 081	34 11 6 767 061


Application info

5 (E39) (11/95-05/04)

Brake disc 
315 521 3019/PD

34 11 6 767 061

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	76
Outer Diameter [mm]	296
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 1 163 013	34 11 1 164 839
34 11 1 163 081	34 11 6 767 061


Application info

5 (E39) (11/95-05/04)

315 521 3060
34 11 6 767 269

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	324
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented

References

34 11 6 753 221	34 11 6 864 905
34 11 6 767 269	

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

315 521 3082
34 11 6 767 353

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	26,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	80.9
Outer Diameter [mm]	348
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	79
	Vented

References

34 11 6 767 353

Application info

7 (E65, E66) (11/01--)

Brake disc 
315 521 0002/PD
 34 11 6 770 729

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73.1
Outer Diameter [mm]	348
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 770 729 34 11 6 855 000

Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Brake disc
315 523 3059
 34 11 6 772 669

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73.5
Outer Diameter [mm]	300
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented


References

 34 11 6 764 643 34 11 6 854 998
 34 11 6 772 669

Application info

1 (E81, E82, E87, E88) (11/03--)

Z4 (E89) (05/09--)

3 (E90, E91, E92, E93) (01/05--)

315 523 3059/PD
34 11 6 772 669

Brake disc



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	24,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	73.5	
Outer Diameter [mm]	300	
Minimum Thickness [mm]	22.4	
Centering Diameter [mm]	79	
	Vented	
	Chrome-(VI)- free passivation	

References

34 11 6 764 643	34 11 6 854 998
34 11 6 772 669	

Application info

1 (E81, E82, E87, E88) (11/03--)	Z4 (E89) (05/09--)
3 (E90, E91, E92, E93) (01/05--)	

315 521 0003/PD
34 11 6 774 875

Brake disc



Notes

Number of Holes	5	Front Axle
Brake Disc Thickness [mm]	23,9	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	73.7	
Outer Diameter [mm]	312	
Minimum Thickness [mm]	22.4	
Centering Diameter [mm]	79	
	Vented	
	Chrome-(VI)- free passivation	

References

34 11 6 774 875	34 11 6 855 006
34 11 6 792 219	

Application info

1 (F20, F21) (11/10--)	3 (F30, F31) (10/11--)
3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)

Brake disc 
315 521 0013/PD
 34 11 6 792 215

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73.3
Outer Diameter [mm]	284
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 792 215

Application info

1 (E81, E82, E87, E88) (11/03--)

1 (F20, F21) (11/10--)

Brake disc 
315 521 0014/PD
 34 11 6 792 217

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	300
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 792 217

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

315 521 0016/PD
34 11 6 792 221

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	73
Outer Diameter [mm]	330
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 6 792 221

Application info

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

315 521 0006/PD
34 11 6 793 243

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	36,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62
Outer Diameter [mm]	365
Minimum Thickness [mm]	34.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation

References

34 11 6 771 982

34 11 6 793 243

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Brake disc 
315 521 0005/PD
 34 11 6 793 244

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62
Outer Diameter [mm]	348
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 771 986	34 11 6 793 244
-----------------	-----------------

Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

Brake disc 
315 521 0004/PD
 34 11 6 793 245

Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	62
Outer Diameter [mm]	332
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 11 6 771 985	34 11 6 793 245
-----------------	-----------------

Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

315 521 3025
34 11 6 859 679

Brake disc



Notes

Number of Holes	Front Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	30,0
Height [mm]	120
Outer Diameter [mm]	62
Minimum Thickness [mm]	332
Centering Diameter [mm]	28.4
	75
	Vented
Wheel Bolt Bore Ø [mm]	16.5

References

34 11 6 750 713	34 11 6 766 036
34 11 6 756 045	34 11 6 794 300
34 11 6 765 457	34 11 6 859 679

Application info

X3 (E83) (01/04--)

X5 (E53) (05/00--)

315 521 3025/PD
34 11 6 859 679

Brake disc 



Notes

Number of Holes	Front Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	30,0
Height [mm]	120
Outer Diameter [mm]	62
Minimum Thickness [mm]	332
Centering Diameter [mm]	28.4
	75
	Vented
	Chrome-(VI)- free passivation
Wheel Bolt Bore Ø [mm]	16.5

References

34 11 6 750 713	34 11 6 766 036
34 11 6 756 045	34 11 6 794 300
34 11 6 765 457	34 11 6 859 679

Application info

X3 (E83) (01/04--)

X5 (E53) (05/00--)

Brake disc
315 521 3059
34 11 6 864 057
Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	348
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented


References


34 11 6 750 267	34 11 6 864 057
-----------------	-----------------

Application info

7 (E65, E66) (11/01--)

Brake disc 
315 521 3059/PD
34 11 6 864 057
Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	30,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81
Outer Diameter [mm]	348
Minimum Thickness [mm]	28.4
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References


34 11 6 750 267	34 11 6 864 057
-----------------	-----------------

Application info

7 (E65, E66) (11/01--)

315 521 3061
34 11 6 864 059

Brake disc



Notes

Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	310
Minimum Thickness [mm]	22
Centering Diameter [mm]	79
	Vented

References


34 11 6 764 021	34 11 6 864 059
-----------------	-----------------

Application info

5 (E60, E61) (07/03--)

315 521 3061/PD
34 11 6 864 059

Brake disc 



Notes

Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	77
Outer Diameter [mm]	310
Minimum Thickness [mm]	22
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation

References

34 11 6 764 021	34 11 6 864 059
-----------------	-----------------

Application info

5 (E60, E61) (07/03--)

Brake disc
315 523 3030
 34 20 1 166 073

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60.5
Outer Diameter [mm]	320
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	75
	Vented


References

34 20 1 166 073	34 21 6 855 157
-----------------	-----------------

Application info

3 (E46) (02/98--)

Brake disc 
315 523 3030/PD
 34 20 1 166 073

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60.5
Outer Diameter [mm]	320
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 20 1 166 073	34 21 6 855 157
-----------------	-----------------

Application info

3 (E46) (02/98--)

315 523 0015/PD
34 20 6 790 362

Brake disc 



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	20,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	71	
Outer Diameter [mm]	330	
Minimum Thickness [mm]	18.4	
Centering Diameter [mm]	75	
		Vented
		Chrome-(VI)- free passivation

References

34 20 6 790 362

Application info

X3 (F25) (09/10--)

315 523 3004
34 21 1 162 305

Brake disc



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	10,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	61	
Outer Diameter [mm]	300	
Minimum Thickness [mm]	8.4	
Centering Diameter [mm]	75	
		Solid

References

34 21 1 156 668

34 21 1 162 305

Application info

5 (E34) (12/87-01/97)

Brake disc 
315 523 3008/PD
 34 21 1 162 967

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	68
Outer Diameter [mm]	300
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 1 155 501	34 21 1 163 138
34 21 1 162 967	

Application info

7 (E32) (09/86-09/94)

Brake disc
315 523 3002
 34 21 1 162 968

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61
Outer Diameter [mm]	284
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid


References

34 21 1 121 387	34 21 1 162 968
34 21 1 152 571	34 21 1 163 140
34 21 1 153 140	

Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

315 523 3058
34 21 1 164 399

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	83
Outer Diameter [mm]	272
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid

References

34 21 1 163 845	34 21 6 794 298
34 21 1 164 399	

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

315 523 3021
34 21 1 165 211

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	19,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60
Outer Diameter [mm]	276
Minimum Thickness [mm]	17.4
Centering Diameter [mm]	75
	Vented

References

34 21 1 162 315	34 21 6 855 155
34 21 1 165 211	

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98-)

Brake disc 
315 523 3021/PD
 34 21 1 165 211

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	19,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60
Outer Diameter [mm]	276
Minimum Thickness [mm]	17.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 1 162 315	34 21 6 855 155
34 21 1 165 211	

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Brake disc
315 523 3007
 34 21 1 165 257

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67.9
Outer Diameter [mm]	300
Minimum Thickness [mm]	10.4
Centering Diameter [mm]	75
	Solid


References

34 21 1 155 499	34 21 1 165 257
34 21 1 157 360	

Application info

7 (E32) (09/86-09/94)

315 523 3006
34 21 1 165 259

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	68
Outer Diameter [mm]	300
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid

References

34 21 1 157 781	34 21 1 165 259
-----------------	-----------------

Application info

7 (E32) (09/86-09/94)

315 523 3005
34 21 1 165 457

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60
Outer Diameter [mm]	280
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid

References

34 21 1 158 936	34 21 1 165 457
34 21 1 162 289	

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Brake disc 
315 523 3005/PD
 34 21 1 165 457

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	60
Outer Diameter [mm]	280
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 1 158 936	34 21 1 165 457
34 21 1 162 289	

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Brake disc
315 523 3022
 34 21 1 165 563

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	19,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	59.7
Outer Diameter [mm]	294
Minimum Thickness [mm]	17.4
Centering Diameter [mm]	75
	Vented


References

34 21 1 165 563	34 21 6 855 154
-----------------	-----------------

Application info

3 (E46) (02/98--)

315 523 3060
34 21 1 166 127

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	67
Minimum Thickness [mm]	324
Centering Diameter [mm]	18.4
	79
	Vented

References

34 21 1 166 127

Application info

7 (E65, E66) (11/01--)

315 523 3060/PD
34 21 1 166 127

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	67
Minimum Thickness [mm]	324
Centering Diameter [mm]	18.4
	79
	Vented
	Chrome-(VI)- free passivation

References

34 21 1 166 127

Application info

7 (E65, E66) (11/01--)

Brake disc
315 523 3061
 34 21 1 166 129

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67
Outer Diameter [mm]	345
Minimum Thickness [mm]	22
Centering Diameter [mm]	79
	Vented


References

34 21 1 166 129

Application info

7 (E65, E66) (11/01--)

Brake disc 
315 523 3061/PD
 34 21 1 166 129

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67
Outer Diameter [mm]	345
Minimum Thickness [mm]	22
Centering Diameter [mm]	79
	Vented
	Chrome-(VI)- free passivation


References

34 21 1 166 129

Application info

7 (E65, E66) (11/01--)

315 523 3080
34 21 1 166 131

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67
Outer Diameter [mm]	370
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented

References

34 21 1 166 131

Application info

7 (E65, E66) (11/01--)

315 523 3072
34 21 2 227 177

Brake disc



Notes

	Rear Axle
	Left
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61
Outer Diameter [mm]	312
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented

References

34 21 2 227 177

Counterpart

315 523 3071

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc
315 523 3071

34 21 2 227 178

Notes

	Rear Axle
	Right
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61
Outer Diameter [mm]	312
Minimum Thickness [mm]	18,4
Centering Diameter [mm]	75
	Vented


References

34 21 2 227 178

Counterpart

315 523 3072

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake disc
315 523 3075

34 21 3 332 217

Notes

	Rear Axle
	5
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	79.7
Outer Diameter [mm]	320
Minimum Thickness [mm]	20,4
Centering Diameter [mm]	75
	Vented


References

34 21 3 332 217

Application info

X3 (E83) (01/04--)

315 523 3075/PD
34 21 3 332 217

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	120
Outer Diameter [mm]	79.7
Minimum Thickness [mm]	320
Centering Diameter [mm]	20.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 3 332 217

Application info

X3 (E83) (01/04--)

315 523 0014/PD
34 21 6 754 137

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	19,0
Height [mm]	120
Outer Diameter [mm]	74.7
Minimum Thickness [mm]	294
Centering Diameter [mm]	17.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 754 137
34 21 6 766 219

34 21 6 794 303

Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Brake disc
315 523 3001

34 21 6 755 407

Notes

	Rear Axle
Number of Holes	4
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	100
Height [mm]	60
Outer Diameter [mm]	258
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	62
	Solid


References

34 21 1 119 581	34 21 6 755 407
-----------------	-----------------

Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-10/94)

Brake disc
315 523 3078

34 21 6 756 849

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	80.3
Outer Diameter [mm]	324
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented


References

34 21 6 756 849

Application info

X5 (E53) (05/00--)

315 523 3078/PD
34 21 6 756 849

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	80.3
Minimum Thickness [mm]	324
Centering Diameter [mm]	18.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 756 849

Application info

X5 (E53) (05/00--)

315 523 3009
34 21 6 757 748

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	12,0
Height [mm]	120
Outer Diameter [mm]	61
Minimum Thickness [mm]	324
Centering Diameter [mm]	10.4
	75
	Solid

References

34 21 1 157 953 34 21 6 757 748
34 21 1 159 900

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Brake disc 
315 523 3009/PD
 34 21 6 757 748

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61
Outer Diameter [mm]	324
Minimum Thickness [mm]	10.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 1 157 953	34 21 6 757 748
34 21 1 159 900	

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Brake disc
315 523 3055
 34 21 6 758 552

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	81.5
Outer Diameter [mm]	272
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid


References

34 21 1 160 809	34 21 6 758 552
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

315 523 3055/PD
34 21 6 758 552

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	10,0
Height [mm]	120
Outer Diameter [mm]	81.5
Minimum Thickness [mm]	272
Centering Diameter [mm]	8.4
	75
	Solid
	Chrome-(VI)- free passivation

References

34 21 1 160 809	34 21 6 758 552
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

315 523 0007/PD
34 21 6 763 345

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	86.1
Minimum Thickness [mm]	320
Centering Diameter [mm]	18.4
	75
	Vented
	Chrome-(VI)- free passivation

References


34 21 6 763 345

Application info

5 (E60, E61) (07/03--)

Brake disc
315 523 3063
34 21 6 764 647
Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	65.5
Outer Diameter [mm]	280
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid


References

34 21 6 764 647	34 21 6 855 001
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

Brake disc 
315 523 3063/PD
34 21 6 764 647
Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	65.5
Outer Diameter [mm]	280
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 6 764 647	34 21 6 855 001
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

315 523 3064
34 21 6 764 651

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	66
Minimum Thickness [mm]	300
Centering Diameter [mm]	18.4
	75
	Vented

References

34 21 6 764 651	34 21 6 855 007
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)	3 (F30, F31) (10/11--)
3 (E90, E91, E92, E93) (01/05--)	

315 523 3064/PD
34 21 6 764 651

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	66
Minimum Thickness [mm]	300
Centering Diameter [mm]	18.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 764 651	34 21 6 855 007
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)	3 (F30, F31) (10/11--)
3 (E90, E91, E92, E93) (01/05--)	

Brake disc 
315 523 3065/PD
 34 21 6 764 653

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20
Bolt Hole Circle Ø [mm]	120
Height [mm]	66
Outer Diameter [mm]	300
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 6 764 653 34 21 6 855 008


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 X1 (E84) (03/09--)

Brake disc
315 523 3066
 34 21 6 764 655

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67
Outer Diameter [mm]	336
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	75
	Vented


References

34 21 6 764 655 34 21 6 855 004

Application info

 3 (E90, E91, E92, E93) (01/05--)
 X1 (E84) (03/09--)

315 523 3066/PD
34 21 6 764 655

Brake disc 



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	22,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	67	
Outer Diameter [mm]	336	
Minimum Thickness [mm]	20.4	
Centering Diameter [mm]	75	
	Vented	
	Chrome-(VI)- free passivation	

References

34 21 6 764 655	34 21 6 855 004
-----------------	-----------------

Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

315 523 3026
34 21 6 765 458

Brake disc



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	12,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	80	
Outer Diameter [mm]	324	
Minimum Thickness [mm]	10.4	
Centering Diameter [mm]	75	
	Solid	

References

34 21 1 164 911	34 21 6 765 458
-----------------	-----------------

Application info

X5 (E53) (05/00--)

Brake disc 
315 523 3026/PD
 34 21 6 765 458

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	12,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	80
Outer Diameter [mm]	324
Minimum Thickness [mm]	10.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 1 164 911	34 21 6 765 458
-----------------	-----------------

Application info

X5 (E53) (05/00--)

Brake disc
315 523 3067
 34 21 6 765 889

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	24,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	74
Outer Diameter [mm]	345
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	79
	Vented


References

34 21 6 765 889

Application info

7 (E65, E66) (11/01--)

315 523 3067/PD
34 21 6 765 889

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	24,0
Height [mm]	120
Outer Diameter [mm]	74
Minimum Thickness [mm]	345
Centering Diameter [mm]	22.4
	79
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 765 889

Application info

7 (E65, E66) (11/01--)

315 523 3081/PD
34 21 6 765 891

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	24,0
Height [mm]	120
Outer Diameter [mm]	71.8
Minimum Thickness [mm]	370
Centering Diameter [mm]	22.4
	79
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 765 891

Application info

7 (E65, E66) (11/01--)

Brake disc 
315 523 0013/PD
 34 21 6 766 225

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	75
Outer Diameter [mm]	280
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid
	Chrome-(VI)- free passivation


References

34 21 6 752 545	34 21 6 794 306
34 21 6 766 225	

Application info

Z4 (E85) (02/03--)

Brake disc
315 523 3018
 34 21 6 767 049

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61
Outer Diameter [mm]	298
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid


References

34 21 1 163 669	34 21 1 164 129
34 21 1 163 835	34 21 6 767 049

Application info

5 (E39) (11/95-05/04)

315 523 3018/PD
34 21 6 767 049

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	10
Height [mm]	120
Outer Diameter [mm]	61
Minimum Thickness [mm]	298
Centering Diameter [mm]	8.4
	75
	Solid
	Chrome-(VI)- free passivation

References

34 21 1 163 669	34 21 1 164 129
34 21 1 163 835	34 21 6 767 049

Application info

5 (E39) (11/95-05/04)

315 523 3012

34 21 6 767 060

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	61.3
Minimum Thickness [mm]	298
Centering Diameter [mm]	18.4
	75
	Vented

References

34 21 1 163 153	34 21 1 164 840
34 21 1 164 175	34 21 6 767 060

Application info

5 (E39) (11/95-05/04)

Brake disc 
315 523 3012/PD
 34 21 6 767 060

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61.3
Outer Diameter [mm]	298
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 1 163 153	34 21 1 164 840
34 21 1 164 175	34 21 6 767 060

Application info

5 (E39) (11/95-05/04)

Brake disc
315 523 3068
 34 21 6 769 271

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	10,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	65.5
Outer Diameter [mm]	296
Minimum Thickness [mm]	8.4
Centering Diameter [mm]	75
	Solid


References

34 21 4 031 725	34 21 6 769 271
34 21 6 764 649	

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

315 523 3068/PD
34 21 6 769 271

Brake disc 



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	10,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	65.5	
Outer Diameter [mm]	296	
Minimum Thickness [mm]	8.4	
Centering Diameter [mm]	75	
	Solid	
	Chrome-(VI)- free passivation	

References

34 21 4 031 725	34 21 6 769 271
34 21 6 764 649	

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

315 523 3062
34 21 6 772 085

Brake disc



Notes

Number of Holes	5	Rear Axle
Brake Disc Thickness [mm]	20,0	
Bolt Hole Circle Ø [mm]	120	
Height [mm]	61.2	
Outer Diameter [mm]	320	
Minimum Thickness [mm]	18.4	
Centering Diameter [mm]	75	
	Vented	

References

34 21 6 753 215	34 21 6 772 085
-----------------	-----------------

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Brake disc 
315 523 3062/PD
 34 21 6 772 085

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	61.2
Outer Diameter [mm]	320
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 6 753 215 34 21 6 772 085

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Brake disc 
315 523 3082/PD
 34 21 6 775 291

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	23,9
Bolt Hole Circle Ø [mm]	120
Height [mm]	69
Outer Diameter [mm]	370
Minimum Thickness [mm]	22.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 6 775 291

Application info

5 (F07) (10/09--)

7 (F01, F02, F03, F04) (06/08--)

315 523 0001/PD
34 21 6 778 051

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	76
Minimum Thickness [mm]	300
Centering Diameter [mm]	18.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 778 051	34 21 6 855 005
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)

315 523 0006/PD
34 21 6 778 649

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	22,0
Height [mm]	120
Outer Diameter [mm]	77
Minimum Thickness [mm]	324
Centering Diameter [mm]	20.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 778 649


Application info

1 (E81, E82, E87, E88) (11/03--)

Brake disc 
315 523 0020/PD
 34 21 6 787 931

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	22,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	67
Outer Diameter [mm]	324
Minimum Thickness [mm]	20.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 6 787 931 34 21 6 795 755

Application info

1 (E81, E82, E87, E88) (11/03--))

3 (E90, E91, E92, E93) (01/05--))

Brake disc 
315 523 0016/PD
 34 21 6 792 225

Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	11,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	66
Outer Diameter [mm]	290
Minimum Thickness [mm]	9.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References

34 21 6 792 225

Application info

1 (F20, F21) (11/10--))

315 523 0017/PD
34 21 6 792 227

Brake disc



Notes

	Front Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	66
Outer Diameter [mm]	300
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 792 227

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

315 523 0018/PD
34 21 6 792 229

Brake disc



Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	20,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	66
Outer Diameter [mm]	300
Minimum Thickness [mm]	18.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 792 229

Application info

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

315 523 0004/PD
34 21 6 793 247

Brake disc 



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	78.5
Minimum Thickness [mm]	320
Centering Diameter [mm]	18.4
	75
	Vented
	Chrome-(VI)- free passivation

References

34 21 6 771 970	34 21 6 793 247
-----------------	-----------------

Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

315 523 3065
34 21 6 864 901

Brake disc



Notes

Number of Holes	Rear Axle
Brake Disc Thickness [mm]	5
Bolt Hole Circle Ø [mm]	20,0
Height [mm]	120
Outer Diameter [mm]	66
Minimum Thickness [mm]	300
Centering Diameter [mm]	18.4
	75
	Solid

References

34 21 6 764 653	34 21 6 864 901
34 21 6 855 008	

Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	

Brake disc 
315 523 3022/PD
Notes

	Rear Axle
Number of Holes	5
Brake Disc Thickness [mm]	19,0
Bolt Hole Circle Ø [mm]	120
Height [mm]	59.7
Outer Diameter [mm]	294
Minimum Thickness [mm]	17.4
Centering Diameter [mm]	75
	Vented
	Chrome-(VI)- free passivation


References


34 21 6 855 154

Application info

3 (E46) (02/98--)

Brake pad set
025 205 8816
34 11 1 159 249
Notes

	Front Axle
	with anti-squeak plate
Brake System	ATE
Width [mm]	76.1
Height [mm]	65.3
Thickness [mm]	16.5
	prepared for wear indicator


References

34 11 1 117 002	34 11 1 158 270
34 11 1 150 524	34 11 1 159 249
34 11 1 150 527	34 11 1 159 251
34 11 1 152 655	


Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-10/94)

025 209 6820
34 11 1 159 279

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
156.3
63.7
20
prepared for wear indicator

References

34 11 1 157 039
34 11 1 157 569
34 11 1 157 813
34 11 1 158 265
34 11 1 158 267
34 11 1 159 279

34 11 1 160 450
34 11 1 160 451
34 11 1 160 458
34 11 1 160 459
34 11 1 162 535


Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z3 (E36/7, E36/8) (10/95-06/03)

025 204 3715
34 11 1 160 263

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
89.8
70.5
15
prepared for wear indicator

References

34 11 1 111 649
34 11 1 117 979

34 11 1 159 257
34 11 1 160 263

Application info

02 (E6, E10, E20) (04/66-07/77)
2000/2500 (E3, E9) (10/65-04/77)


5 (E12) (08/72-08/81)
6 (E24) (04/76-09/90)

Brake pad set
025 211 7317

34 11 1 161 347

Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 Lucas Girling
 94.6
 52
 17
 prepared for wear indicator

References

34 11 1 154 442	34 11 1 157 747
34 11 1 154 443	34 11 1 157 748
34 11 1 155 998	34 11 1 160 522
34 11 1 155 999	34 11 1 161 057
34 11 1 156 898	34 11 1 161 347
34 11 1 156 899	34 11 1 162 481

Application info

3 (E30) (09/82-10/94)


Z1 (06/88-06/91)

Brake pad set
025 206 2919

34 11 1 161 717

Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 158.4
 57
 19.1
 prepared for wear indicator

References

34 11 1 153 203	34 11 1 157 923
34 11 1 153 910	34 11 1 157 924
34 11 1 154 611	34 11 1 159 415
34 11 1 154 612	34 11 1 159 416
34 11 1 155 076	34 11 1 161 717
34 11 1 156 462	34 11 2 226 081
34 11 1 157 510	34 11 9 061 081


Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

025 233 4720
34 11 2 283 764

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
155.2
68.4
19.7
prepared for wear indicator

References

34 11 2 283 764
34 11 2 283 865
34 11 6 753 668
34 11 6 761 283
34 11 6 761 284
34 11 6 763 089
34 11 6 763 591
34 11 6 764 540

34 11 6 767 191
34 11 6 767 580
34 11 6 776 161
34 11 6 781 873
34 11 6 783 542
34 11 6 794 915
34 11 6 794 917
34 11 6 794 918


Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)
X1 (E84) (03/09--)
Z4 (E89) (05/09--)

025 231 8320
34 11 3 404 362

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
155.2
156.3
64.6
63.7
19.9
prepared for wear indicator

References

34 11 3 404 362
34 11 6 750 148
34 11 6 754 705

34 11 6 761 243
34 11 6 779 652

Application info

3 (E46) (02/98--)
X3 (E83) (01/04--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Brake pad set
025 232 8717
 34 11 6 761 244

Notes

Brake System	Front Axle with anti-squeak plate ATE
Width [mm]	150.2
Height [mm]	57.6
Thickness [mm]	17.5
	Disc Brake prepared for wear indicator

References

34 11 1 160 356	34 11 1 165 555
34 11 1 160 357	34 11 2 157 570
34 11 1 160 532	34 11 6 752 482
34 11 1 161 437	34 11 6 752 731
34 11 1 161 438	34 11 6 756 128
34 11 1 161 445	34 11 6 761 237
34 11 1 161 446	34 11 6 761 242
34 11 1 163 850	34 11 6 761 244
34 11 1 164 498	34 11 9 070 047
34 11 1 164 500	34 21 2 157 575

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

Brake pad set 
025 232 8717/PD
 34 11 6 761 244

Notes

Brake System	Front Axle with anti-squeak plate ATE Disc Brake excl. wear warning contact
--------------	---

References

34 11 1 160 356	34 11 1 165 555
34 11 1 160 357	34 11 2 157 570
34 11 1 160 532	34 11 6 752 482
34 11 1 161 437	34 11 6 752 731
34 11 1 161 438	34 11 6 756 128
34 11 1 161 445	34 11 6 761 237
34 11 1 161 446	34 11 6 761 242
34 11 1 163 850	34 11 6 761 244
34 11 1 164 498	34 11 9 070 047
34 11 1 164 500	34 21 2 157 575


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

025 214 7118
34 11 6 761 249

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
Brembo
120.3
73.6
17.7
prepared for wear indicator

References

34 11 1 162 210
34 11 1 163 921

34 11 6 761 249


Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

025 214 8619
34 11 6 761 252

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
156.3
73.3
18.9
prepared for wear indicator
excl. wear warning contact

References

34 11 1 163 307
34 11 1 165 227

34 11 2 229 031
34 11 6 761 252


Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

025 214 8619/PD
34 11 6 761 252

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
156.3
73.3
18.9
excl. wear warning contact
prepared for wear indicator

References

34 11 1 163 307
34 11 1 165 227

34 11 2 229 031
34 11 6 761 252

Brake pad set 
025 214 8619/PD
 34 11 6 761 252

Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Brake pad set
025 216 7720
 34 11 6 761 278


Notes

 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height 1 [mm]
 Height 2 [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 155.15
 156.3
 63.6
 63.7
 19.4
 prepared for wear indicator

References

 34 11 1 163 387
 34 11 1 163 953
 34 11 1 164 330
 34 11 1 164 331
 34 11 1 164 627

 34 11 1 164 629
 34 11 6 761 277
 34 11 6 761 278
 34 11 6 761 279
 34 11 6 761 280

Application info

5 (E39) (11/95-05/04)

Brake pad set 
025 216 7720/PD
 34 11 6 761 278


Notes

 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height 1 [mm]
 Height 2 [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 155.15
 156.3
 63.6
 63.7
 19.4
 prepared for wear indicator

References

 34 11 1 163 387
 34 11 1 163 953
 34 11 1 164 330
 34 11 1 164 331
 34 11 1 164 627


 34 11 1 164 629
 34 11 6 761 277
 34 11 6 761 278
 34 11 6 761 279
 34 11 6 761 280

Application info

5 (E39) (11/95-05/04)

2

025 234 4821
34 11 6 761 282

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
193
79
20.8
prepared for wear indicator

References

34 11 6 756 350


34 11 6 761 282

Application info

X5 (E53) (05/00--)

025 234 4821/PD
34 11 6 761 282

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
193
79
20.8
prepared for wear indicator

References

34 11 6 756 350


34 11 6 761 282

Application info

X5 (E53) (05/00--)

025 237 9420
34 11 6 763 618

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
155.2
154.7
63.4
19.8
excl. wear warning contact

References

34 11 6 763 617
34 11 6 763 618
34 11 6 769 100

34 11 6 771 868
34 11 6 799 166

Brake pad set
025 237 9420
 34 11 6 763 618

Application info

 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Brake pad set 
025 237 9420/PD
 34 11 6 763 618


Notes

 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 155.2
 154.7
 63.4
 19.8
 excl. wear warning contact

References

 34 11 6 763 617
 34 11 6 763 618
 34 11 6 769 100

 34 11 6 771 868
 34 11 6 799 166

Application info

 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Brake pad set
025 237 9120
 34 11 6 763 652


Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 193.2
 79.2
 20.8
 prepared for wear indicator

References

 34 11 6 763 652
 34 11 6 764 312
 34 11 6 768 287


 34 11 6 770 575
 34 11 6 774 258

Application info

 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

025 237 9120/PD
34 11 6 763 652

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
193.2
79.2
20.8
prepared for wear indicator

References

34 11 6 763 652
34 11 6 764 312
34 11 6 768 287

34 11 6 770 575
34 11 6 774 258


Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

025 239 3517
34 11 6 769 763

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height 1 [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
150.2
149.3
57.6
17.5
prepared for wear indicator

References

34 11 6 769 763

34 11 6 769 951


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

025 239 3517/PD
34 11 6 769 763

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height 1 [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
150.2
149.3
57.6
17.5
prepared for wear indicator

References

34 11 6 769 763

34 11 6 769 951

Brake pad set 
025 239 3517/PD
 34 11 6 769 763

+

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Brake pad set
025 240 9620
 34 11 6 771 972

Notes


 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 155.1
 63.9
 20.3
 prepared for wear indicator

References

34 11 6 771 972

34 11 6 777 772


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Brake pad set
025 239 1517
 34 11 6 774 050


Notes

 Brake System
 Width [mm]
 Height 1 [mm]
 Height 2 [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 Lucas Girling
 131.4
 65
 53.8
 17.4
 prepared for wear indicator

References


 34 11 6 767 143
 34 11 6 767 144
 34 11 6 771 837

 34 11 6 771 838
 34 11 6 774 050

Application info

1 (E81, E82, E87, E88) (11/03--)

025 246 9719
34 11 6 775 310

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height 1 [mm]
Height 2 [mm]
Thickness/Strength 1 [mm]
Thickness/Strength 2 [mm]

Front Axle
with anti-squeak plate
ATE
155.1
154.6
63.9
63.7
19.3
20.3
prepared for wear indicator

References

34 11 6 775 310
34 11 6 856 591

34 11 6 858 047


Application info

5 (F10, F11) (03/10--)

025 241 6120

34 11 6 776 161

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
155.1
68.3
20.3
prepared for wear indicator
excl. wear warning contact

References

34 11 6 776 161

34 11 6 783 542

Application info


3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

025 233 1320

34 11 6 780 711

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]


Front Axle
with anti-squeak plate
ATE
155.1
66.5
68.4
20.3
prepared for wear indicator

References

34 11 6 780 711

025 241 7219/PD
34 11 6 791 514

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
192.9
79
19.7
prepared for wear indicator

References

34 11 6 778 048

34 11 6 791 514


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

025 255 0618
34 11 6 850 568

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height [mm]
Thickness [mm]

Front Axle
ATE
155.7
156.7
61.6
18.2
prepared for wear indicator

References

34 11 6 850 568


Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33) (07/13--)

025 246 8820
34 11 6 850 885

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness/Strength 1 [mm]
Thickness/Strength 2 [mm]

Front Axle
with anti-squeak plate
Teves
155.2
68.4
19
20
prepared for wear indicator

References

34 11 6 775 314

34 11 6 850 885

Brake pad set
025 246 8820
 34 11 6 850 885

Application info

 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

 6 (F12, F13) (11/10--)
 7 (F01, F02, F03, F04) (06/08--)

Brake pad set
025 250 4519
 34 11 6 851 269

Notes


 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height [mm]
 Thickness/Strength 1 [mm]
 Thickness/Strength 2 [mm]

 Front Axle
 with anti-squeak plate
 ATE
 192.5
 193.3
 79.5
 20
 18.9
 prepared for wear indicator

References

 34 11 6 775 318
 34 11 6 775 322

34 11 6 851 269


Application info

 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

 6 (F12, F13) (11/10--)
 7 (F01, F02, F03, F04) (06/08--)

Brake pad set
025 241 7019
 34 11 6 852 253


Notes

 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height [mm]
 Thickness [mm]

 Front Axle
 with anti-squeak plate
 ATE
 171.1
 170.1
 76.8
 19.7
 prepared for wear indicator

References

 34 11 4 074 370
 34 11 6 778 403


 34 11 6 779 293
 34 11 6 852 253

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

025 241 7019/PD
34 11 6 852 253

Brake pad set



Notes

Brake System
Width 1 [mm]
Width 2 [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
ATE
171.1
170.1
76.8
19.7
prepared for wear indicator

References

34 11 4 074 370
34 11 6 778 403

34 11 6 779 293
34 11 6 852 253


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

025 251 9919
34 11 6 856 193

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Front Axle
with anti-squeak plate
Bosch
148.2
70
19.1
prepared for wear indicator

References

34 10 6 856 191
34 10 6 859 181
34 10 6 859 182
34 11 4 073 936

34 11 6 798 978
34 11 6 854 126
34 11 6 856 193

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)
3 (F34) (03/13--)

4 (F32, F33) (07/13--)
X3 (F25) (09/10--)

Brake pad set
025 250 1418


34 11 6 858 910

Notes

Brake System	Front Axle
Width 1 [mm]	ATE
Width 2 [mm]	155.7
Height 1 [mm]	156.7
Height 2 [mm]	57.9
Thickness [mm]	59.8
	18.2
	prepared for wear indicator

References

34 11 6 850 567	34 11 6 858 910
-----------------	-----------------


Application info

1 (F20, F21) (11/10--)

Brake pad set
025 216 4317


34 11 9 070 047

Notes

Brake System	Front Axle
Width [mm]	with anti-squeak plate
Height [mm]	ATE
Thickness [mm]	151.5
	57.4
	17.7
	prepared for wear indicator

References

34 11 1 160 356	34 11 1 161 445
34 11 1 160 357	34 11 1 161 446
34 11 1 160 532	34 11 1 163 850
34 11 1 161 437	34 11 9 070 047
34 11 1 161 438	



Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

025 206 7516
34 21 1 157 925

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
125
37.6
16.7
prepared for wear indicator

References

34 21 1 153 196
34 21 1 153 913
34 21 1 154 398
34 21 1 154 399
34 21 1 154 613
34 21 1 154 614
34 21 1 156 744
34 21 1 156 745
34 21 1 156 746
34 21 1 156 747
34 21 1 156 749

34 21 1 157 514
34 21 1 157 757
34 21 1 157 758
34 21 1 157 925
34 21 1 157 926
34 21 1 158 323
34 21 1 158 912
34 21 1 159 273
34 21 1 159 276
34 21 2 226 013


Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

025 209 9517
34 21 1 158 266

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123.2
45.3
17.3
prepared for wear indicator

References

34 21 1 157 044
34 21 1 157 334
34 21 1 157 563
34 21 1 157 814
34 21 1 158 266
34 21 1 158 270

34 21 1 160 198
34 21 1 160 199
34 21 1 162 536
34 21 2 226 092
34 21 6 761 253

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)


Brake pad set
025 237 3017
34 21 2 283 366
Notes

 Brake System
 Width 1 [mm]
 Width 2 [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 ATE
 139.5
 139.3
 67.7
 16.6
 excl. wear warning contact

References

 34 11 0 301 476
 34 11 6 763 305
 34 21 0 403 290
 34 21 2 283 366
 34 21 2 284 296

 34 21 2 284 685
 34 21 6 757 536
 34 21 6 761 286
 34 21 6 768 471

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

 7 (E65, E66) (11/01--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)

Brake pad set
025 247 0318
34 21 2 284 389
Notes


 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 TRW
 65.6
 72.6
 18
 prepared for wear indicator

References

34 21 2 284 389

34 21 6 775 346


Application info


5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

025 216 0717

34 21 6 761 238

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123.2
44.9
17.3
prepared for wear indicator

References

34 21 1 162 446
34 21 1 165 233

34 21 6 761 238

Application info


3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

025 216 0717/PD

34 21 6 761 238

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123.2
44.9
17.3
prepared for wear indicator

References

34 21 1 162 446
34 21 1 165 233

34 21 6 761 238

Application info


3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

025 219 3417

34 21 6 761 239

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123.2
44.8
17
prepared for wear indicator

References

34 21 1 160 340
34 21 1 160 533
34 21 1 161 455
34 21 1 164 499
34 21 1 164 501

34 21 1 165 235
34 21 6 750 190
34 21 6 761 239
34 21 6 761 241
34 21 6 778 168

Brake pad set
025 219 3417
 34 21 6 761 239

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 Z3 (E36/7, E36/8) (10/95-06/03)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Brake pad set
025 214 8717
 34 21 6 761 248


Notes

 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 ATE
 123.2
 59.4
 17
 prepared for wear indicator

References

 34 21 1 163 324
 34 21 1 163 326
 34 21 1 164 581
 34 21 1 164 582
 34 21 6 750 160
 34 21 6 752 632

 34 21 6 761 240
 34 21 6 761 248
 34 21 6 761 250
 34 21 6 761 251
 34 21 6 790 071

Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)
Brake pad set
025 216 9117
 34 21 6 761 281

Notes


 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 ATE
 123.2
 44.9
 17.3
 prepared for wear indicator

References

34 21 1 163 395


34 21 6 761 281


Application info

5 (E39) (11/95-05/04)

025 216 9117/PD
34 21 6 761 281

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123.2
44.9
17.3
prepared for wear indicator

References

34 21 1 163 395


34 21 6 761 281

Application info

5 (E39) (11/95-05/04)

025 234 4717
34 21 6 761 285

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
121.8
59.2
57.8
17.3
prepared for wear indicator

References

34 21 6 753 850
34 21 6 758 870


34 21 6 761 285

Application info

7 (E65, E66) (11/01--)

025 237 3217
34 21 6 763 043

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
121.8
58.3
59.1
16.9
prepared for wear indicator


References

34 21 6 763 043

34 21 6 763 044

025 235 5017
34 21 6 775 678

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123
57.9
17.3
prepared for wear indicator

References

34 21 6 769 105
34 21 6 775 678

34 21 6 791 938


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

025 235 5017/PD
34 21 6 775 678

Brake pad set 



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
ATE
123
57.9
17.3
prepared for wear indicator

References

34 21 6 769 105
34 21 6 775 678

34 21 6 791 938


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

025 212 8217
34 21 6 776 937

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]


Rear Axle
with anti-squeak plate
ATE
121.8
57.8
58
17.3
excl. wear warning contact
prepared for wear indicator

References

34 21 6 776 937

025 236 2316/PD
34 21 6 779 294

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Lucas Girling
95.3
45
51.4
17.2
prepared for wear indicator

References

34 21 6 767 145
34 21 6 767 146
34 21 6 777 240

34 21 6 779 294
34 21 6 788 183


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

025 243 1517
34 21 6 784 808

Brake pad set



Notes

Brake System
Width [mm]
Height [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Brembo
86.95
76.2
17.1
prepared for wear indicator
excl. wear warning contact

References

34 21 6 784 808

34 21 6 791 421


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

025 245 5918
34 21 6 788 275

Brake pad set



Notes

Brake System
Width [mm]
Height 1 [mm]
Height 2 [mm]
Thickness [mm]

Rear Axle
with anti-squeak plate
Lucas Girling
106
51.6
45.2
18
prepared for wear indicator

References

34 21 6 788 275



Brake pad set
025 245 5918
 34 21 6 788 275

Application info

 Z4 (E89) (05/09--)
Brake pad set
025 237 3116
 34 21 6 790 966

Notes


 Brake System
 Width [mm]
 Height [mm]
 Thickness [mm]

 Rear Axle
 ATE
 139.7
 67.9
 16.8
 excl. wear warning contact

References

34 21 6 775 342

34 21 6 790 966


Application info

 5 (F07) (10/09--)

 7 (F01, F02, F03, F04) (06/08--)
Brake pad set
025 245 6118
 34 21 6 796 741


Notes

 Brake System
 Width [mm]
 Height 1 [mm]
 Height 2 [mm]
 Thickness [mm]

 Rear Axle
 with anti-squeak plate
 TRW
 106
 62.4
 56
 18
 prepared for wear indicator

References

 34 21 6 788 284
 34 21 6 796 741


 34 21 6 798 193
 34 21 6 862 202

Application info

 5 (F10, F11) (03/10--)
 X3 (F25) (09/10--)

 Z4 (E89) (05/09--)

025 253 0717
34 21 6 850 569

Brake pad set



Notes

Brake System	Rear Axle with anti-squeak plate
Width [mm]	Teves 123.1
Height 1 [mm]	46.7
Height 2 [mm]	45.3
Thickness [mm]	17.2
	prepared for wear indicator

References

34 20 6 799 809	34 21 6 850 569
-----------------	-----------------

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

100 698 0008

34 11 1 157 041

Guide bolt, brake caliper



Notes

Brake System	Front Axle
Alternative Repair Kit	ATE 014 698 0006/S

References

34 11 1 153 200	34 11 1 158 200
34 11 1 157 041	

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
6 (E24) (04/76-09/90)
6 (E63, E64) (01/04--)
7 (E23) (05/77-08/86)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)
8 (E31) (04/90-12/99)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Guide sleeve kit, brake caliper

314 698 0006
 34 11 1 157 038

Notes

 Front Axle
 Rear Axle

References

34 11 1 153 195

34 11 1 157 038



Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E24) (04/76-09/90)
 6 (E63, E64) (01/04--)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
 7 (E65, E66) (11/01--)
 8 (E31) (04/90-12/99)
 X3 (E83) (01/04--)
 X5 (E53) (05/00--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z8 (E52) (06/00-06/03)

Brake drum

315 523 3056
 34 21 1 158 556

Notes

Rear Axle

 Number of Holes 4
 Inner Br. Drum Diam. [mm] 229
 Br. Drum outer diameter [mm] 269.5
 Max.skimmed drum measure [mm] 229.5
 Bolt Hole Circle Ø [mm] 100
 Total Br. Drum Height [mm] 58.5
 Inner Brake Drum Height [mm] 46.5

References

34 21 1 158 556



Application info

3 (E30) (09/82-10/94)

315 523 3079
34 21 1 159 486

Brake drum



Notes

	Rear Axle
Number of Holes	5
Inner Br. Drum Diam. [mm]	229
Br. Drum outer diameter [mm]	270
Max.skimmed drum measure [mm]	229.5
Bolt Hole Circle Ø [mm]	120
Total Br. Drum Height [mm]	59
Inner Brake Drum Height [mm]	47

References

34 21 1 159 486

Application info

3 (E36) (09/90-08/00)

314 906 4201

34 21 9 064 270

Brake shoe kit



Notes

	Rear Axle
Width [mm]	42
Diameter [mm]	229
	for vehicles without ABS
	without spring
	with lever

References

34 21 9 064 270

Application info

3 (E30) (09/82-10/94)

314 906 8101

34 21 9 067 127

Brake shoe kit



Notes

	Rear Axle
Width [mm]	42
Diameter [mm]	229
	without spring
	with lever

References

34 21 9 067 127

Brake shoe kit
314 906 8101
 34 21 9 067 127

Application info
 3 (E36) (09/90-08/00)

Brake shoe set, parking brake
314 115 9402
 34 41 1 159 467

Notes

Width [mm]	Rear Axle
Diameter [mm]	25
	160
	without spring

References

34 41 1 118 053	34 41 1 159 467
34 41 1 157 823	


Application info

2000/2500 (E3, E9) (10/65-04/77)	5 (E12) (08/72-08/81)
3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
3 (E30) (09/82-10/94)	7 (E23) (05/77-08/86)

Brake shoe set, parking brake
314 042 0005
 34 41 6 761 289

Notes

Width [mm]	Rear Axle
Diameter [mm]	25
	160
	without spring

References

34 41 1 160 729	34 41 6 761 289
34 41 1 160 924	


Application info

3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
Z1 (06/88-06/91)	

314 042 0006
34 41 6 761 290

Brake shoe set, parking brake



Notes

Width [mm]	Rear Axle
Diameter [mm]	20
	160
	without spring

References

34 41 1 163 244	34 41 6 755 273
34 41 1 163 255	34 41 6 761 290
34 41 1 165 968	34 41 6 761 291

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 042 0006/S
34 41 6 761 290

Brake shoe set, parking brake



Notes

Width [mm]	Rear Axle
Diameter [mm]	20
	160
	with spring

References

34 41 1 163 244	34 41 6 755 273
34 41 1 163 255	34 41 6 761 290
34 41 1 165 968	34 41 6 761 291

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 042 0007
34 41 6 761 292

Brake shoe set, parking brake



Notes

Width [mm]	Rear Axle
Diameter [mm]	20
	185
	without spring

References

34 41 1 163 988	34 41 6 761 292
-----------------	-----------------

Brake shoe set, parking brake
314 042 0007
 34 41 6 761 292

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)

 3 (E90, E91, E92, E93) (01/05--)
 5 (E39) (11/95-05/04)

Brake shoe set, parking brake
314 042 0007/S
 34 41 6 761 292

Notes

	Rear Axle
Width [mm]	20
Diameter [mm]	185 with spring

References

34 41 1 163 988	34 41 6 761 292
-----------------	-----------------


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)

 3 (E90, E91, E92, E93) (01/05--)
 5 (E39) (11/95-05/04)

Brake shoe set, parking brake
314 042 0008
 34 41 6 761 293

Notes

	Rear Axle
Width [mm]	30
Diameter [mm]	185 without spring

References

34 41 0 393 646	34 41 6 756 538
34 41 1 156 962	34 41 6 761 293
34 41 1 165 546	34 41 6 780 041
34 41 1 165 962	34 41 6 790 186


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)

 X5 (E53) (05/00--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

314 115 9401
34 41 6 761 294

Brake shoe set, parking brake



Notes

Width [mm]
Diameter [mm]

Rear Axle
25
180
without spring

References

34 41 1 159 468

34 41 6 761 294

Application info

3 (E36) (09/90-08/00)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
Z3 (E36/7, E36/8) (10/95-06/03)

300 343 2112
34 30 1 163 080

Brake hose



Notes

Required quantity
Length [mm]
Outer Thread [mm]
Inner Thread [mm]

Rear Axle
at brake caliper
2
275
M10x1
M10x1

References

34 30 1 163 080

Application info

7 (E38) (10/94-11/01)

300 343 2113
34 30 1 163 155

Brake hose



Notes

Required quantity
Length [mm]
Outer Thread [mm]
Inner Thread [mm]

Front Axle
2
355
M10x1
M10x1

References

34 30 1 163 155

Brake hose
300 343 2113

34 30 1 163 155

Application info

7 (E38) (10/94-11/01)

Brake hose
300 343 2118

34 30 1 165 174

Notes

 Required quantity
 Length [mm]
 Outer Thread [mm]
 Inner Thread [mm]

 Rear Axle
 2
 455
 M10x1
 M10x1

References

34 30 1 165 174


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Brake hose
300 343 2114

34 30 1 165 190

Notes

 Required quantity
 Length [mm]
 Outer Thread [mm]
 Inner Thread [mm]

 Rear Axle
 2
 323
 M10x1
 M10x1

References

34 30 1 165 190


Application info

5 (E39) (11/95-05/04)

300 343 2109
34 30 1 165 249

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	410
Inner Thread [mm]	M10x1
	M10x1

References


34 30 1 165 249

Application info

5 (E39) (11/95-05/04)

314 525 0006/S
34 30 1 165 765

Brake hose



Notes

Required quantity	Rear Axle
	Left
	1
	with hollow screw
Length [mm]	570
Port Type	Banjo fitting
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1
	with seal

References

34 30 1 165 765

Counterpart

314 525 0000/S

Application info

X5 (E53) (05/00--)

Brake hose
314 525 0000/S
 34 30 1 165 766

Notes


Required quantity	Rear Axle Right 1 with hollow screw
Length [mm]	570
Port Type	Banjo fitting
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1 with seal

References

34 30 1 165 766

Counterpart

314 525 0006/S


Application info

X5 (E53) (05/00--)

Brake hose
300 343 2121
 34 30 1 166 118

Notes

Required quantity	Front Axle 2
Length [mm]	510
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 30 1 166 118


Application info

X5 (E53) (05/00--)

Brake hose
314 525 0001
 34 30 1 166 248

Notes

Required quantity	Rear Axle 2
Length [mm]	300
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 30 1 165 075

34 30 1 166 248



314 525 0001
34 30 1 166 248

Brake hose

Application info
5 (E39) (11/95-05/04)

314 525 0003
34 30 3 411 443

Brake hose



Notes

Required quantity
Length [mm]
Outer Thread [mm]
Inner Thread [mm]

Front Axle
2
550
M10x1
M10x1

References

34 30 3 411 443

Application info
X3 (E83) (01/04--)

314 525 0004
34 30 3 411 444

Brake hose



Notes

Required quantity
Length [mm]
Outer Thread [mm]
Inner Thread [mm]

Rear Axle
2
540
M10x1
M10x1

References

34 30 3 411 444

Application info
X3 (E83) (01/04--)


Brake hose
300 525 0006
 34 30 6 762 838

Notes

Required quantity	Rear Axle
Length [mm]	2
Inner Thread 1 [mm]	205
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 30 6 762 838	34 30 6 798 523
34 30 6 789 433	


Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	

Brake hose
300 525 0004
 34 30 6 767 458

Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	480
Inner Thread [mm]	M10x1
	M10x1

References

34 30 6 767 458


Application info

1 (E81, E82, E87, E88) (11/03--)	3 (E90, E91, E92, E93) (01/05--)
----------------------------------	----------------------------------

Brake hose
300 525 0007
 34 30 6 768 851

Notes

Required quantity	Rear Axle
Length [mm]	2
Outer Thread [mm]	265
Inner Thread [mm]	M10x1
	M10x1

References

34 30 6 762 837	34 30 6 789 431
34 30 6 768 851	34 30 6 792 253


Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	

314 525 0009
34 30 6 771 690

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	470
Inner Thread [mm]	M10x1
	M10x1

References

34 30 6 771 690

Application info

3 (E90, E91, E92, E93) (01/05--)

300 525 0005
34 30 6 771 720

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	550
Inner Thread [mm]	M10x1
	M10x1

References

34 30 6 767 458 34 30 6 790 550
34 30 6 771 720

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

314 525 0014
34 30 6 776 293

Brake hose



Notes

Required quantity	Rear Axle
Length [mm]	at brake caliper
Outer Thread [mm]	2
Inner Thread [mm]	462
	M10x1
	M10x1

References

34 30 6 776 293 34 30 6 788 437

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 525 0017
34 30 6 799 424

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	580
Inner Thread [mm]	M10x1
	M10x1

References

34 30 6 799 424

Application info

X1 (E84) (03/09--)

300 343 2108
34 32 1 159 524

Brake hose



Notes

Required quantity	Rear Axle
Length [mm]	2
Inner Thread 1 [mm]	225
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 32 1 159 524

Application info

3 (E36) (09/90-08/00)

300 343 2107
34 32 1 159 717

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	453
Inner Thread [mm]	M10x1
	M10x1

References

34 32 1 159 717

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Brake hose
300 343 2106

34 32 1 159 878

Notes

Required quantity	Rear Axle
Length [mm]	2
Inner Thread 1 [mm]	200
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 32 1 113 183	34 32 1 159 878
-----------------	-----------------


Application info

02 (E6, E10, E20) (04/66-07/77)	5 (E28) (06/80-12/87)
2000/2500 (E3, E9) (10/65-04/77)	5 (E34) (12/87-01/97)
3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
3 (E30) (09/82-10/94)	7 (E23) (05/77-08/86)
3 (E36) (09/90-08/00)	7 (E32) (09/86-09/94)
5 (E12) (08/72-08/81)	

Brake hose
300 343 2103

34 32 1 159 879

Notes

Required quantity	Front Axle
Length [mm]	2
Inner Thread 1 [mm]	315
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 32 1 113 184	34 32 1 159 879
34 32 1 115 694	


Application info

3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
5 (E12) (08/72-08/81)	7 (E23) (05/77-08/86)

Brake hose
300 343 2100

34 32 1 159 881

Notes

Required quantity	Rear Axle
Length [mm]	2
Outer Thread [mm]	225
Inner Thread [mm]	M10x1
	M10x1

References

34 32 1 108 134	34 32 1 159 881
34 32 1 115 697	34 32 4 051 524
34 32 1 153 107	



300 343 2100
34 32 1 159 881

Brake hose

Application info

2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

300 343 2104
34 32 1 159 889

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	448
Inner Thread [mm]	M10x1
	M10x1

References

34 32 1 159 889

Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

300 343 2102
34 32 1 159 890

Brake hose



Notes

Required quantity	2
Length [mm]	300
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 32 1 154 327	34 32 1 159 890
34 32 1 154 904	

Application info

3 (E30) (09/82-10/94)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01--)

Brake hose
300 343 2105

34 32 1 159 891

Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	420
Inner Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 32 1 156 157	34 32 1 159 891
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Brake hose
314 525 0008

34 32 1 162 477

Notes

Required quantity	1
Length [mm]	100
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 32 1 162 477


Application info

5 (E34) (12/87-01/97)

Brake hose
314 525 0007

34 32 1 162 479

Notes

Required quantity	1
Length [mm]	100
Outer Thread [mm]	M12x1
Inner Thread [mm]	M12x1

References

34 32 1 162 479


Application info

5 (E34) (12/87-01/97)

300 343 2111
34 32 1 162 612

Brake hose



Notes

Required quantity	1
Length [mm]	100
Inner Thread 1 [mm]	M10x1
Inner Thread 2 [mm]	M10x1

References

34 32 1 162 612

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

300 343 2110
34 32 1 162 616

Brake hose



Notes

Required quantity	1
Length [mm]	100
Inner Thread 1 [mm]	M12x1
Inner Thread 2 [mm]	M12x1

References

34 32 1 162 616

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

300 525 0011
34 32 1 163 759

Brake hose



Notes

	Rear Axle inner
Required quantity	2
Length [mm]	220
Inner Thread 1 [mm]	M10x1
Inner Thread 2 [mm]	M10x1

References

34 32 1 163 759

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Brake hose
100 525 0012

34 32 2 227 489

Notes

Required quantity	Rear Axle
Length [mm]	212
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 32 2 227 489


Application info

8 (E31) (04/90-12/99)

Brake hose
300 525 0003

34 32 2 228 295

Notes

Required quantity	Rear Axle
Length [mm]	355
Outer Thread [mm]	M10x1
Inner Thread [mm]	M10x1

References

34 32 2 228 295


Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Brake hose
300 525 0008

34 32 6 753 610

Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	555
Inner Thread [mm]	M10x1
	M10x1

References

34 32 6 753 610


Application info

7 (E65, E66) (11/01--)

314 525 0005
34 32 6 757 744

Brake hose



Notes

Required quantity	Rear Axle
Length [mm]	2
Outer Thread [mm]	207
Inner Thread [mm]	M10x1
	M10x1

References

34 32 6 757 744

Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

300 343 2117
34 32 6 766 966

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	450
Inner Thread [mm]	M10x1
	M10x1

References

34 32 1 165 587

34 32 6 766 966

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

300 525 0002
34 32 6 767 390

Brake hose



Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	580
Inner Thread [mm]	M10x1
	M10x1

References

34 32 6 760 909

34 32 6 767 390

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Brake hose
314 525 0015
 34 32 6 768 124

Notes

Required quantity	Front Axle
Length [mm]	2
Outer Thread [mm]	520
Inner Thread [mm]	M10x1
	M10x1

References

34 32 6 768 124


Application info

5 (E60, E61) (07/03--)

Brake hose
314 525 0018
 34 32 6 776 867

Notes

Required quantity	Rear Axle Left
Length [mm]	1
Inner Thread 1 [mm]	228
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 32 6 776 867	34 32 6 788 439
-----------------	-----------------

Counterpart

314 525 0019


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Brake hose
314 525 0019
 34 32 6 853 746

Notes

Required quantity	Rear Axle Right
Length [mm]	1
Inner Thread 1 [mm]	270
Inner Thread 2 [mm]	M10x1
	M10x1

References

34 32 6 776 868	34 32 6 853 746
34 32 6 788 438	

Counterpart

314 525 0018



314 525 0019
34 32 6 853 746

Brake hose

Application info
X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 525 0010
34 51 1 090 565

Brake hose



Notes

Required quantity
Length [mm]
Inner Thread 1 [mm]
Inner Thread 2 [mm]

Front Axle
1
145
M10x1
M10x1

References

34 51 1 090 565

Application info
3 (E36) (09/90-08/00)

314 154 0001
34 21 1 154 236

Wheel cylinder



Notes

Diameter [mm]

Rear Axle
20.64
Grey Cast Iron

References

34 21 1 154 236

Application info
3 (E30) (09/82-10/94)

Wheel cylinder

314 159 0000
34 21 1 159 569

Notes

Diameter [mm]

Rear Axle
23.81
Grey Cast Iron

References

34 21 1 159 569



Application info

3 (E36) (09/90-08/00)

2

300 261 2190/S

26 12 1 225 152

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
30

References

26 12 1 225 152

Parts list

300 261 2100
014 098 9017

Drive shaft support
Driveshaft bearing

Application info

3 (E30) (09/82-10/94)

300 261 2103/S

26 12 1 226 657

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
35

References

26 12 1 226 442

26 12 1 226 657

Parts list

300 261 2103

Drive shaft support

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 261 2191

26 12 1 226 723

Drive shaft support



Notes

Inner Diameter [mm]

Centre
without ball bearing
55

References

26 12 1 226 723

Application info

3 (E30) (09/82-10/94)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Drive shaft support
300 261 2191/S
 26 12 1 226 723

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 30

References

26 12 1 226 723

Parts list

 300 261 2191
 014 098 9017

 Drive shaft support
 Driveshaft bearing

Application info

 3 (E30) (09/82-10/94)
 5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Drive shaft support
300 261 2104
 26 12 1 226 731

Notes

Inner Diameter [mm]

 Centre
 without ball bearing
 55

References

26 12 1 226 731


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 Z3 (E36/7, E36/8) (10/95-06/03)

Drive shaft support
300 261 2194/S
 26 12 1 226 731

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 30

References

26 12 1 226 731

Parts list

 300 261 2104
 014 098 9017

 Drive shaft support
 Driveshaft bearing


300 261 2194/S

26 12 1 226 731

Drive shaft support

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
Z3 (E36/7, E36/8) (10/95-06/03)

300 261 2106

26 12 1 227 660

Drive shaft support



Notes

Inner Diameter [mm]

Centre
without ball bearing
55

References

26 12 1 227 660

Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

300 261 2196/S

26 12 1 227 660

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
30

References

26 12 1 227 660

Parts list

300 261 2106
014 098 9017

Drive shaft support
Driveshaft bearing

Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

Drive shaft support
300 261 2110

26 12 1 227 997

Notes

Inner Diameter [mm]

 Centre
 without ball bearing
 55

References

26 12 1 227 997


Application info

7 (E38) (10/94-11/01)

Drive shaft support
300 261 2110/S

26 12 1 227 997

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 35

References

26 12 1 227 997

Parts list

300 261 2110

Drive shaft support


Application info

7 (E38) (10/94-11/01)

Drive shaft support
300 261 2108

26 12 1 229 089

Notes

Inner Diameter [mm]

 Centre
 without ball bearing
 55

References

26 12 1 229 089


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 261 2198/S

26 12 1 229 089

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
30

References

26 12 1 229 089

Parts list

300 261 2108
014 098 9017

Drive shaft support
Driveshaft bearing

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 261 2115

26 12 1 229 242

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
30

References

26 12 1 229 242

Parts list

014 098 9017

Driveshaft bearing

Application info

5 (E39) (11/95-05/04)

300 261 2911/S

26 12 1 229 317

Drive shaft support



Notes

Inner Diameter [mm]

Rear
with ball bearing
30

References

26 12 1 229 317

Parts list

014 098 9017

Driveshaft bearing

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Drive shaft support
300 261 2121/S

26 12 1 229 431

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 35
 Aluminium

References

26 12 1 229 431

Application info

5 (E39) (11/95-05/04)

Drive shaft support
300 261 2112/S

26 12 1 229 726

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 30

References

26 12 1 229 726

26 12 7 507 740

Parts list

014 098 9017

Driveshaft bearing


Application info

X5 (E53) (05/00--)

Drive shaft support
300 261 2117

26 12 2 282 496

Notes

Inner Diameter [mm]

 Centre
 with ball bearing
 35

References

26 12 2 282 496

26 12 7 506 783

26 12 7 501 258

Application info

3 (E46) (02/98--)

300 261 2700

26 12 7 501 257

Drive shaft support



Notes

Inner Diameter [mm]

Centre
without ball bearing
55
Aluminium

References

26 12 1 229 492

26 12 7 501 257

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

Z4 (E85) (02/03--)

300 261 2790/S

26 12 7 501 257

Drive shaft support



Notes

Inner Diameter [mm]

Centre
with ball bearing
30
Aluminium

References

26 12 1 229 492

26 12 7 501 257

Parts list

300 261 2700
014 098 9017

Drive shaft support
Driveshaft bearing

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

Z4 (E85) (02/03--)

300 261 2113

26 12 7 558 745

Drive shaft support

Notes

Inner Diameter [mm]

Centre
with ball bearing
30
Aluminium

References

26 12 7 558 745



314 316 7501

31 60 7 507 403

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
128
27
96
Thermoplast

References

31 60 7 507 403

31 60 7 565 315

Application info

3 (E46) (02/98--)

X5 (E53) (05/00--)

314 495 0012

31 60 7 544 433

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle
Transmission End
122
25
83
Thermoplast

References

31 60 7 544 433

31 60 7 570 270

Application info

3 (E90, E91, E92, E93) (01/05--)

5 (E60, E61) (07/03--)

300 332 1102

33 21 1 229 209

Boot kit, C.V. joint



Notes

Full Set

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
80
25
107.5
Elastomer

References

33 21 1 229 209

Parts list

300 332 1102/SK

Boot kit, C.V. joint



Boot kit, C.V. joint
300 332 1102
 33 21 1 229 209

Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Boot kit, C.V. joint
300 332 1102/SK
 33 21 1 229 209

Notes

Slim Set

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Transmission End
 80
 25
 107.5
 Elastomer

References

33 21 1 229 209


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Boot kit, C.V. joint
300 332 1103
 33 21 1 229 213

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Wheel Side
 69
 25
 57
 Elastomer

References

33 21 1 229 213


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

314 495 0004

33 21 1 229 372

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
105
22
94
Elastomer

References

33 21 1 229 372

Application info

5 (E39) (11/95-05/04)

314 495 0005

33 21 1 229 373

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Wheel Side
77
23
45
Elastomer

References

33 21 1 229 373

Application info

5 (E39) (11/95-05/04)

300 332 1104

33 21 1 229 375

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
104
22
100
Elastomer

References

33 21 1 229 375

Application info

5 (E39) (11/95-05/04)

Boot kit, C.V. joint
314 495 0008

33 21 1 229 378

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Transmission End
 80
 25
 107.5
 Elastomer

References

33 21 1 229 378


Application info

5 (E39) (11/95-05/04)

Boot kit, C.V. joint
314 495 0006

33 21 1 229 379

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Wheel Side
 69
 25
 57
 Elastomer

References

33 21 1 229 379


Application info

5 (E39) (11/95-05/04)

Boot kit, C.V. joint
314 495 0002

33 21 1 229 589

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Transmission End
 103
 31
 94
 Elastomer

References

33 21 1 229 589

33 21 7 529 920


Application info

3 (E46) (02/98--)

314 495 0003

33 21 1 229 590

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Wheel Side
76
30
44
Elastomer

References

33 21 1 229 590

Application info

3 (E46) (02/98--)

300 332 1105

33 21 1 229 593

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
105
30
100
Elastomer

References

33 21 1 229 593

Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

300 332 1101

33 21 1 229 594

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Wheel Side
76
31
51
Elastomer

References

33 21 1 229 594

Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

300 332 0701

33 21 7 572 446

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Wheel Side
Transmission End
78
33
54
Elastomer

References

33 20 7 518 902

33 21 7 572 446

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

300 332 1901

33 21 9 067 810

Boot kit, C.V. joint



Notes

Full Set

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Wheel Side
75
23
52
Elastomer

References

33 21 1 225 541

33 21 9 067 810

Parts list

300 332 1901/SK

Boot kit, C.V. joint

Application info

3 (E30) (09/82-10/94)

300 332 1901/SK

33 21 9 067 810

Boot kit, C.V. joint



Notes

Slim Set

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Wheel Side
75
23
52
Elastomer

References

33 21 1 225 541

33 21 9 067 810

Boot kit, C.V. joint
300 332 1901/SK

33 21 9 067 810

Application info

3 (E30) (09/82-10/94)

Boot kit, C.V. joint
300 332 1902

33 21 9 067 815

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Wheel Side
 120
 26
 107.5
 Elastomer

References

 33 21 1 229 221
 33 21 1 229 376

33 21 9 067 815


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E39) (11/95-05/04)

 X5 (E53) (05/00--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)

Boot kit, C.V. joint
300 332 1903

33 21 9 067 817

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle
 Wheel Side
 75
 23
 52
 Elastomer

References

33 21 1 227 602

33 21 9 067 817


Application info

3 (E36) (09/90-08/00)

300 332 1904
33 21 9 067 818

Boot kit, C.V. joint



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
104
22
100
Elastomer

References

33 21 1 229 205
33 21 9 067 818

33 21 9 067 899

Application info

3 (E36) (09/90-08/00)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
X5 (E53) (05/00--)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

314 495 0001
33 21 9 067 819

Boot kit, C.V. joint



Notes

Full Set

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle
Transmission End
105
22
94
Elastomer

References

33 21 9 067 819

Parts list

314 495 0001/SK

Boot kit, C.V. joint

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Boot kit, C.V. joint
300 332 1905

33 21 9 067 906

Notes

Full Set

 Rear Axle
 Wheel Side
 Transmission End
 120
 26
 107.5
 Elastomer

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

References

33 21 1 209 551

33 21 9 067 906

Parts list

300 332 1905/SK

Boot kit, C.V. joint


Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)

Boot kit, C.V. joint
300 332 1905/SK

33 21 9 067 906

Notes

Slim Set

 Rear Axle
 Wheel Side
 Transmission End
 120
 26
 107.5
 Elastomer

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

References

33 21 1 209 551

33 21 9 067 906


Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)

314 498 0005

31 60 7 565 313*

C.V. joint kit



Notes

External Teeth, wheel side
Internal Teeth, wheel side
Outer Diameter [mm]
Seal Diameter [mm]

Wheel Side
30
27
98
65
without ABS ring
CV Joint

References

31 60 7 505 005
31 60 7 505 006
31 60 7 561 341

31 60 7 561 342
31 60 7 565 313*
31 60 7 565 314

Application info

X5 (E53) (05/00--)

300 261 1003

26 11 1 106 113

Joint, propeller shaft



Notes

Number of Holes
Bolt Hole Circle Ø [mm]
Diameter [mm]

Front
8
76
105
Disc Joint
without add-on material
Piece

References

26 11 1 106 113

Application info

02 (E6, E10, E20) (04/66-07/77)
3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)

314 261 1101

26 11 1 107 832

Joint, propeller shaft



Notes

Number of Holes
Bolt Hole Circle Ø [mm]
Diameter [mm]

6
96
121
Disc Joint
without add-on material
Piece

References

26 11 1 107 832



Joint, propeller shaft
314 261 1101

26 11 1 107 832

Application info

 02 (E6, E10, E20) (04/66-07/77)
 2000/2500 (E3, E9) (10/65-04/77)
 5 (E12) (08/72-08/81)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Joint, propeller shaft
314 152 0001

26 11 1 225 624

Notes

Number of Holes	6
Bolt Hole Circle Ø [mm]	78
Diameter [mm]	110
	Disc Joint
	without add-on material
	Piece

References

26 11 1 204 294	26 11 1 225 624
26 11 1 207 785	


Application info

 02 (E6, E10, E20) (04/66-07/77)
 1 (E81, E82, E87, E88) (11/03--)
 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--))

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 5 (E60, E61) (07/03--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--))

Joint, propeller shaft
314 152 0002

26 11 1 227 410

Notes

	Front
Number of Holes	6
Bolt Hole Circle Ø [mm]	78
Diameter [mm]	110
	Disc Joint
	without add-on material
	Piece

References

26 11 1 227 410


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--))

314 152 0003

26 11 1 227 869

Joint, propeller shaft



Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	78
	110
	Disc Joint
	without add-on material
	Piece

References

26 11 1 227 869

Application info

3 (E36) (09/90-08/00)

5 (E39) (11/95-05/04)

314 152 0004

26 11 1 229 065

Joint, propeller shaft



Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	105
Thickness [mm]	140
	14
	Disc Joint
	without add-on material
	Piece

References

26 11 1 227 690

26 11 1 229 065

Application info

3 (E46) (02/98--)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 Z8 (E52) (06/00-06/03)

314 152 0005

26 11 1 229 360

Joint, propeller shaft



Notes

Number of Holes	6
Bolt Hole Circle Ø [mm]	96
Diameter [mm]	120
Thickness [mm]	27.5
	Disc Joint
	without add-on material
	Piece

References

26 11 1 227 717
 26 11 1 229 080

26 11 1 229 360

Joint, propeller shaft
314 152 0005

26 11 1 229 360

+ Application info

3 (E46) (02/98--)	X3 (E83) (01/04--)
5 (E34) (12/87-01/97)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	X5 (E70) (02/07--)
7 (E32) (09/86-09/94)	X6 (E71) (05/08--)
7 (E38) (10/94-11/01)	

Joint, propeller shaft
314 152 0013

26 11 2 226 527

Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	96
	135
	Disc Joint
	without add-on material
	Piece

References

26 11 2 226 527


Application info

3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E46) (02/98--)	Z4 (E85) (02/03--)
5 (E34) (12/87-01/97)	Z4 (E86) (03/06--)

Joint, propeller shaft
314 152 0007

26 11 7 503 159

Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	78
	110
	Disc Joint
	without add-on material
	Piece

References

26 11 7 503 159


Application info

X5 (E53) (05/00--)	X6 (E71) (05/08--)
X5 (E70) (02/07--)	

314 152 0008

26 11 7 511 454

Joint, propeller shaft



Notes

Number of Holes	6
Bolt Hole Circle Ø [mm]	96
Diameter [mm]	135
	Disc Joint without add-on material Piece

References

26 11 1 209 168	26 11 7 511 454
26 11 1 227 420	

Application info

- | | |
|----------------------------------|---------------------------------|
| 1 (E81, E82, E87, E88) (11/03--) | 7 (E32) (09/86-09/94) |
| 1 (F20, F21) (11/10--) | 7 (E38) (10/94-11/01) |
| 3 (E30) (09/82-10/94) | X5 (E53) (05/00--) |
| 3 (E36) (09/90-08/00) | X5 (E70) (02/07--) |
| 3 (E46) (02/98--) | Z3 (E36/7, E36/8) (10/95-06/03) |
| 3 (E90, E91, E92, E93) (01/05--) | Z4 (E85) (02/03--) |
| 5 (E34) (12/87-01/97) | Z4 (E86) (03/06--) |
| 5 (E39) (11/95-05/04) | |

314 261 1104

26 11 7 518 304

Joint, propeller shaft



Notes

Length [mm]	64
Outer Diameter [mm]	24
	Universal Joint

References

26 11 1 105 398	26 11 7 518 304
-----------------	-----------------

Application info

- | | |
|----------------------------------|-----------------------|
| 02 (E6, E10, E20) (04/66-07/77) | 5 (E28) (06/80-12/87) |
| 1600 GT Coupe (10/67-05/69) | 5 (E34) (12/87-01/97) |
| 2000/2500 (E3, E9) (10/65-04/77) | 6 (E24) (04/76-09/90) |
| 3 (E30) (09/82-10/94) | 7 (E23) (05/77-08/86) |
| 5 (E12) (08/72-08/81) | |

Joint, propeller shaft
314 152 1011

26 11 7 522 027

Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	96
	132
	Disc Joint
	without add-on material
	Piece

References

26 11 7 522 027


Application info

 5 (E60, E61) (07/03--)
 5 (F10, F11) (03/10--)

6 (E63, E64) (01/04--)

Joint, propeller shaft
314 152 1010

26 11 7 527 392

Notes

Number of Holes	Rear
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	96
	125
	Disc Joint
	without add-on material
	Piece

References

26 11 7 527 392


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

5 (F10, F11) (03/10--)

Joint, propeller shaft
314 152 0012

26 11 7 542 238

Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	110
	155
	Disc Joint
	Two-tier
	without add-on material
	Piece

References

26 11 7 542 238



3

+

314 152 0012

26 11 7 542 238

Joint, propeller shaft

Application info

1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)

314 152 1006

26 11 7 572 664

Joint, propeller shaft



Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	110
	155
	Disc Joint
	without add-on material
	Piece

References

26 11 1 229 754	26 11 7 572 664
-----------------	-----------------

Application info

3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)

314 152 1009

26 11 7 573 276

Joint, propeller shaft



Notes

Number of Holes	Front
Bolt Hole Circle Ø [mm]	6
Diameter [mm]	105
	140
	Disc Joint
	without add-on material
	Piece

References

26 11 7 512 619	26 11 7 573 276
-----------------	-----------------

Application info

3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)

A/T oil pan
300 325 0002

24 11 7 624 192

Notes

Number of mounting bores
 with filter
 with seal
 13

References

24 11 7 604 960
 24 11 7 613 253
 24 11 7 624 192
 24 11 8 612 901


Application info

1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)
 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)
 6 (F12, F13) (11/10--)

7 (F01, F02, F03, F04) (06/08--)
 X1 (E84) (03/09--)
 X3 (F25) (09/10--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)

A/T oil pan
300 325 0000

24 15 2 333 903

Notes

Number of mounting bores
 with filter
 with seal
 24

References

24 11 0 403 404
 24 11 7 519 359
 24 11 7 522 923
 24 11 7 571 227
 24 15 2 333 903


Application info

3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)
 X5 (E70) (02/07--)

A/T oil pan
300 325 0001


24 15 2 333 907

Notes

Number of mounting bores
 with filter
 with seal
 24

References

24 11 7 536 387
 24 11 7 571 217
 24 15 2 333 907



300 325 0001

24 15 2 333 907

A/T oil pan

Application info

- 1 (E81, E82, E87, E88) (11/03--)
- 3 (E90, E91, E92, E93) (01/05--)
- 5 (E60, E61) (07/03--)
- 6 (E63, E64) (01/04--)
- 7 (E65, E66) (11/01--)

- X3 (E83) (01/04--)
- X5 (E70) (02/07--)
- X6 (E71) (05/08--)
- Z4 (E85) (02/03--)
- Z4 (E86) (03/06--)

300 251 1102

25 11 1 204 422

Bracket, shift linkage



Notes

Manual Transmission

References

25 11 1 204 422

Application info

- 3 (E21) (06/75-03/84)
- 3 (E30) (09/82-10/94)
- 5 (E12) (08/72-08/81)

- 5 (E28) (06/80-12/87)
- 6 (E24) (04/76-09/90)
- 7 (E23) (05/77-08/86)

300 251 1100

25 11 1 208 580

Bushing, gear lever



Notes

Manual Transmission

References

25 11 1 202 649

25 11 1 208 580

Application info

- 3 (E21) (06/75-03/84)
- 3 (E30) (09/82-10/94)
- 5 (E12) (08/72-08/81)

- 5 (E28) (06/80-12/87)
- 6 (E24) (04/76-09/90)
- 7 (E23) (05/77-08/86)

Bushing, gear lever

300 251 1101

25 11 7 519 669

Notes

 Length [mm] 26
 Manual Transmission

References

 25 11 1 220 577 25 11 1 222 039
 25 11 1 220 832 25 11 7 519 669


Application info

3 (E30) (09/82-10/94)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	6 (E24) (04/76-09/90)
3 (E46) (02/98--)	7 (E23) (05/77-08/86)
5 (E28) (06/80-12/87)	7 (E32) (09/86-09/94)
5 (E34) (12/87-01/97)	Z1 (06/88-06/91)

Hydraulic filter kit, A/T

300 241 1106/S

24 11 1 218 899


Notes

 with fastening material
 with seal
 Kit

References

24 11 1 218 899

Parts list

 314 139 0004 A/T oil pan gasket
 300 241 1106 Hydraulic filter, A/T


Application info

3 (E36) (09/90-08/00)	5 (E34) (12/87-01/97)
3 (E46) (02/98--)	Z3 (E36/7, E36/8) (10/95-06/03)

Hydraulic filter kit, A/T

300 137 0002

24 11 7 543 550

Notes

Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 6-speed
Transmission Type	6HP26
	6HP32
	with seal
	Kit

References

24 11 7 543 550

Parts list

 314 139 0003 A/T oil pan gasket
 314 316 0001 Hydraulic filter, A/T


300 137 0002

24 11 7 543 550

Hydraulic filter kit, A/T

Application info

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)

X5 (E53) (05/00--)

314 137 0002

24 11 7 557 069

Hydraulic filter kit, A/T



Notes

Manufacturer Restriction

Transmission Type

Number of mounting bores

with fastening material
gasket: rubber/metal
Automatic Transmission, 5-speed
5L40E
with seal
Kit
20

References

24 11 7 507 790
24 11 7 510 011

24 11 7 533 700
24 11 7 557 069

Parts list

314 139 0001

A/T oil pan gasket


Application info

X5 (E53) (05/00--)

300 241 1701

24 11 7 557 070

Hydraulic filter kit, A/T



Notes

Manufacturer Restriction

Transmission Type

Number of mounting bores

with fastening material
gasket: rubber/metal
Automatic Transmission, 5-speed
5L40E
with seal
Kit
20

References

24 11 1 423 604
24 11 7 508 517
24 11 7 510 012

24 11 7 533 699
24 11 7 557 070

Parts list

314 139 0001

A/T oil pan gasket

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

X3 (E83) (01/04--)
Z3 (E36/7, E36/8) (10/95-06/03)

Hydraulic filter kit, A/T
314 137 0003/S

24 11 7 557 071

Notes

Manufacturer Restriction	with fastening material GM
Transmission Type	Automatic Transmission, 5-speed 5L40E with seal
Number of mounting bores	Kit 20

References

24 11 1 423 605	24 11 7 533 657
24 11 7 507 643	24 11 7 557 071
24 11 7 510 010	

Parts list

314 139 0001	A/T oil pan gasket
314 137 0003	Hydraulic filter, A/T


Application info

3 (E46) (02/98--)	X3 (E83) (01/04--)
5 (E39) (11/95-05/04)	

Hydraulic filter kit, A/T
314 137 0005/S

24 11 7 593 565

Notes

Manufacturer Restriction	GM
Transmission Type	Automatic Transmission, 6-speed 6L45R
Transmission Type	6L45E with seal Kit

References

24 11 7 581 604	24 11 7 593 565
-----------------	-----------------

Parts list

314 137 0005	Hydraulic filter, A/T
--------------	-----------------------


Application info

3 (E90, E91, E92, E93) (01/05--)	X3 (E83) (01/04--)
----------------------------------	--------------------

300 243 3101/S

24 31 1 218 550



Hydraulic filter kit, A/T

Notes

Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 4-speed
Transmission Type	4HP22
Transmission Type	4HP24
	with seal
	Kit

References

24 31 1 218 550	24 34 1 215 544
-----------------	-----------------

Parts list

300 241 1107	A/T oil pan gasket
300 243 3101	Hydraulic filter, A/T


Application info

3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

300 243 1102/S

24 31 1 218 571



Notes

Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 4-speed
Transmission Type	4HP22
Transmission Type	4HP24
	with seal
	Kit

References

24 31 1 218 204	24 31 1 218 571
-----------------	-----------------

Parts list

300 243 1102	Hydraulic filter, A/T
--------------	-----------------------


Application info

5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 243 4104/S

24 34 1 422 419



Notes

Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 5-speed
Transmission Type	5HP30
	with seal
	Kit

References

24 34 1 421 200	24 34 1 422 419
-----------------	-----------------

Parts list

300 243 4104	Hydraulic filter, A/T
--------------	-----------------------

Hydraulic filter kit, A/T
300 243 4104/S

24 34 1 422 419

Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Hydraulic filter kit, A/T
300 243 4105/S

24 34 1 422 513

Notes


Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 5-speed 5HP18 with seal Kit

References

24 34 1 219 156	24 34 1 422 513
24 34 1 219 631	

Parts list

300 243 4105	Hydraulic filter, A/T
--------------	-----------------------


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

Hydraulic filter kit, A/T
314 137 0001

24 34 1 422 673

Notes

Manufacturer Restriction	ZF
Transmission Type	Automatic Transmission, 5-speed 5HP24 FLA with seal Kit
Number of mounting bores	22

References

24 34 1 422 673

Parts list

314 139 0002	A/T oil pan gasket
300 243 4107	Hydraulic filter, A/T


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 8 (E31) (04/90-12/99)
 X5 (E53) (05/00-)

300 243 4108/S

24 34 1 423 376

Hydraulic filter kit, A/T



Notes

Manufacturer Restriction

ZF

Transmission Type

Automatic Transmission, 5-speed
5HP19
with seal
Kit

References

24 34 1 423 376

Parts list

314 139 0005

A/T oil pan gasket

100 325 0005

Hydraulic filter, A/T

Application info

3 (E46) (02/98--)

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Z4 (E85) (02/03--)

300 241 1106

24 11 1 218 899

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

24 11 1 218 899

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)


5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 316 0001

24 11 7 543 550

Hydraulic filter, A/T



Notes

Transmission Type

Automatic Transmission, 6-speed

Transmission Type

6HP26

6HP32

without gasket / seal

Piece

References

24 11 7 543 550



Hydraulic filter, A/T
314 316 0001

24 11 7 543 550

Application info

 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)

X5 (E53) (05/00--)

Hydraulic filter, A/T
314 137 0003

24 11 7 557 071

Notes

 Transmission Type
 Transmission Type

 Automatic Transmission, 5-speed
 5L40E
 5L50E
 without gasket / seal
 Piece

References

 24 11 1 423 605
 24 11 7 507 643
 24 11 7 510 010

 24 11 7 533 657
 24 11 7 557 071

Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

X3 (E83) (01/04--)

Hydraulic filter, A/T
314 137 0005

24 11 7 593 565

Notes

 Transmission Type
 Transmission Type

 Automatic Transmission, 6-speed
 6L45R
 6L45E
 without gasket / seal
 Piece

References

24 11 7 581 604

24 11 7 593 565


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 X1 (E84) (03/09--)
 X3 (E83) (01/04--)

300 243 1102

24 31 1 218 571

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

24 31 1 218 204

24 31 1 218 571

Application info


5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 243 4104

24 34 1 422 419

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

24 34 1 421 200

24 34 1 422 419

Application info


5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

300 243 4105

24 34 1 422 513

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

24 34 1 219 156
24 34 1 219 631

24 34 1 422 513



Hydraulic filter, A/T
300 243 4105
 24 34 1 422 513

Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

Hydraulic filter, A/T
300 243 4107
 24 34 1 422 673

Notes

 without gasket / seal
 Piece

References

24 34 1 422 673


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 8 (E31) (04/90-12/99)
 X5 (E53) (05/00-)

Hydraulic filter, A/T
300 243 4106
 24 34 1 423 109

Notes

 without gasket / seal
 Piece

References

24 34 1 423 109


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)

100 325 0005

24 34 1 423 376

Hydraulic filter, A/T



Notes

without gasket / seal
Piece

References

24 34 1 423 376

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z4 (E85) (02/03--)

300 237 1113

22 31 3 421 301

Mount, automatic transmission



Notes

Right
Rubber-metal Bearing

References

22 31 3 400 343

22 31 3 421 301

Application info

X3 (E83) (01/04--)

300 221 1137

22 31 3 451 444

Mount, automatic transmission



Notes

Rear
Rubber-metal Bearing

References

22 31 3 451 444

Application info

X3 (E83) (01/04--)

Mount, automatic transmission
300 223 1601

22 31 6 754 088

Notes

 Front
 Rubber-metal Bearing

References

22 31 6 751 760

22 31 6 754 088


Application info

X5 (E53) (05/00--)

Mount, automatic transmission
300 221 1142

22 31 6 770 289

Notes

 Centre
 Rubber-metal Bearing

References

22 31 6 770 289


Application info

5 (E60, E61) (07/03--)

5 (F07) (10/09--)

5 (F10, F11) (03/10--)

6 (E63, E64) (01/04--)

6 (F12, F13) (11/10--)

7 (F01, F02, F03, F04) (06/08--)

Mount, automatic transmission
300 223 1602

22 31 6 771 130

Notes

Thread Size	Left and right
Height [mm]	M8x1,25
Outer Diameter [mm]	34
Outer Diameter [mm]	50
Outer Diameter [mm]	46
	Rubber-metal Bearing

References

22 31 6 771 130

22 32 1 092 897



300 223 1602

22 31 6 771 130

Mount, automatic transmission

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)

300 223 1101

22 31 6 771 221

Mount, automatic transmission



Notes

Length [mm]
Thread Size
Outer Diameter [mm]
Outer Diameter [mm]

Left and right
69.5
M8x1,25
36
50
Rubber-metal Bearing

References

22 31 1 094 916
22 31 6 771 221

23 71 1 130 205
23 71 1 131 664

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 221 1144

22 31 6 773 125

Mount, automatic transmission



Notes

Transmission End
for transfer gear
Rubber-metal Bearing

References

22 31 6 750 858
22 31 6 773 125

22 31 6 773 693

Application info

3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
5 (F07) (10/09--)

7 (F01, F02, F03, F04) (06/08--)
X1 (E84) (03/09--)
X3 (E83) (01/04--)

Mount, automatic transmission
300 223 1600

22 31 6 799 330

Notes

Thread Size	Front
Height [mm]	M8x1,25
Outer Diameter [mm]	33.5
Outer Diameter [mm]	50
Outer Diameter [mm]	46.5
	Rubber-metal Bearing

References

22 31 6 753 316	22 31 6 799 330
22 31 6 771 220	23 70 1 138 517


Application info

1 (E81, E82, E87, E88) (11/03--)	3 (E90, E91, E92, E93) (01/05--)
3 (E46) (02/98--)	5 (E39) (11/95-05/04)

Mount, automatic transmission
300 237 1101

22 31 6 799 331

Notes

Thread Size	Left and right
Height [mm]	M8x1,25
Outer Diameter [mm]	34
Outer Diameter [mm]	50
Outer Diameter [mm]	36
	Rubber-metal Bearing

References

22 31 6 771 219	23 71 1 137 817
22 31 6 799 331	


Application info

1 (E81, E82, E87, E88) (11/03--)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E46) (02/98--)	Z4 (E85) (02/03--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E86) (03/06--)

Mount, automatic transmission
300 223 1603

22 31 6 799 411

Notes

 Left and right
 Rubber-metal Bearing

References

22 31 6 799 411



300 223 1603

22 31 6 799 411

Mount, automatic transmission

Application info

1 (E81, E82, E87, E88) (11/03--)

300 223 1604

22 31 6 799 845

Mount, automatic transmission



Notes

Left and right
Rubber-metal Bearing

References

22 31 6 799 845

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 237 0100

23 70 1 141 614

Mount, automatic transmission



Notes

Length [mm]	Left and right
Thread Size	69,5
Width [mm]	M8x1,25
Outer Diameter [mm]	34
Outer Diameter [mm]	36
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 70 1 141 532	23 71 1 133 487
23 70 1 141 614	24 71 1 134 740

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

Mount, automatic transmission
300 237 1104

23 71 1 175 939

Notes

Length [mm]	68
Thread Size	M8x1,25
Width [mm]	33
Outer Diameter [mm]	39
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 71 1 175 939


Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Mount, automatic transmission
300 237 1105


23 71 1 176 041

Notes

Length [mm]	73
Thread Size	M8x1,25
Width [mm]	38.5
Outer Diameter [mm]	40
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 71 1 176 041


Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Mount, automatic transmission
300 247 0102

24 70 1 138 427

Notes

Rear
Left
Rubber-metal Bearing

References

24 70 1 138 427


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 0101

24 70 1 138 428

Mount, automatic transmission



Notes

Rear
Right
Rubber-metal Bearing

References

24 70 1 138 428

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 0104

24 70 1 138 435

Mount, automatic transmission



Notes

Width [mm]
Outer Diameter [mm]
Outer Diameter [mm]

Front
34
48
36
Rubber-metal Bearing

References

24 70 1 138 435

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 247 1102

24 71 1 128 372

Mount, automatic transmission



Notes

Left and right
Rubber-metal Bearing

References

24 71 1 128 372

Application info

3 (E30) (09/82-10/94)

3

Mount, automatic transmission
300 247 1100

24 71 1 131 663

Notes

Length [mm]	Left and right
Thread Size	79
Width [mm]	M8x1,25
Outer Diameter [mm]	43
Outer Diameter [mm]	38
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

24 71 1 130 188	24 71 1 131 663
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)
7 (E32) (09/86-09/94)	

Mount, differential
300 331 7104

33 17 1 126 951

Notes

 Rear
 Rubber-metal Bearing

References

33 17 1 103 842	33 17 1 126 951
33 17 1 121 908	


Application info

2000/2500 (E3, E9) (10/65-04/77)	5 (E28) (06/80-12/87)
5 (E12) (08/72-08/81)	6 (E24) (04/76-09/90)

Mount, differential
300 331 7105

33 17 1 129 786

Notes

 Rear
 Rubber-metal Bearing

References

33 17 1 129 783	33 17 1 129 786
-----------------	-----------------


Application info

5 (E28) (06/80-12/87)	6 (E24) (04/76-09/90)
-----------------------	-----------------------

300 331 7110

33 17 1 135 242

Mount, differential



Notes

Rear Axle Middle
Rubber-metal Bearing

References

33 17 1 135 242

Application info

3 (E30) (09/82-10/94)

300 333 1106

33 31 1 132 251

Mount, differential



Notes

Rear
Rubber-metal Bearing

References

33 31 1 132 251

33 31 1 132 257

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 237 1113

22 31 3 421 301

Mount, manual transmission



Notes

Right
Rubber-metal Bearing

References

22 31 3 400 343

22 31 3 421 301

Application info

X3 (E83) (01/04--)

Mount, manual transmission
300 223 1601
 22 31 6 754 088

Notes

 Front
 Rubber-metal Bearing

References

22 31 6 751 760 22 31 6 754 088


Application info

X5 (E53) (05/00--)

Mount, manual transmission
300 221 1142
 22 31 6 770 289

Notes

 Centre
 Rubber-metal Bearing

References

22 31 6 770 289


Application info

 5 (E60, E61) (07/03--)
 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

 6 (E63, E64) (01/04--)
 6 (F12, F13) (11/10--)
 7 (F01, F02, F03, F04) (06/08--)

Mount, manual transmission
300 223 1101
 22 31 6 771 221

Notes

	Left and right
Length [mm]	69,5
Thread Size	M8x1,25
Outer Diameter [mm]	36
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

 22 31 1 094 916 23 71 1 130 205
 22 31 6 771 221 23 71 1 131 664


300 223 1101

22 31 6 771 221

Mount, manual transmission

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 221 1144

22 31 6 773 125

Mount, manual transmission



Notes

Transmission End
for transfer gear
Rubber-metal Bearing

References

22 31 6 750 858
22 31 6 773 125

22 31 6 773 693

Application info

3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
5 (F07) (10/09--)

7 (F01, F02, F03, F04) (06/08--)
X1 (E84) (03/09--)
X3 (E83) (01/04--)

300 223 1600

22 31 6 799 330

Mount, manual transmission



Notes

Thread Size
Height [mm]
Outer Diameter [mm]
Outer Diameter [mm]

Front
M8x1,25
33.5
50
46.5
Rubber-metal Bearing

References

22 31 6 753 316
22 31 6 771 220

22 31 6 799 330
23 70 1 138 517

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)

3 (E90, E91, E92, E93) (01/05--)
5 (E39) (11/95-05/04)

Mount, manual transmission
300 237 1101

22 31 6 799 331

Notes

Thread Size	Left and right
Height [mm]	M8x1,25
Outer Diameter [mm]	34
Outer Diameter [mm]	50
Outer Diameter [mm]	36
	Rubber-metal Bearing

References

22 31 6 771 219	23 71 1 137 817
22 31 6 799 331	


Application info

1 (E81, E82, E87, E88) (11/03--)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E46) (02/98--)	Z4 (E85) (02/03--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E86) (03/06--)

Mount, manual transmission
300 223 1604

22 31 6 799 845

Notes

 Left and right
 Rubber-metal Bearing

References

22 31 6 799 845


Application info

1 (E81, E82, E87, E88) (11/03--)	Z4 (E86) (03/06--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E89) (05/09--)
Z4 (E85) (02/03--)	

Mount, manual transmission
300 237 0100

23 70 1 141 614

Notes

Length [mm]	Left and right
Thread Size	69,5
Width [mm]	M8x1,25
Outer Diameter [mm]	34
Outer Diameter [mm]	36
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 70 1 141 532	23 71 1 133 487
23 70 1 141 614	24 71 1 134 740



300 237 0100

23 70 1 141 614

Mount, manual transmission

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

300 237 1104

23 71 1 175 939

Mount, manual transmission



Notes

Length [mm]	68
Thread Size	M8x1,25
Width [mm]	33
Outer Diameter [mm]	39
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 71 1 175 939

Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

300 237 1105

23 71 1 176 041

Mount, manual transmission



Notes

Length [mm]	73
Thread Size	M8x1,25
Width [mm]	38.5
Outer Diameter [mm]	40
Outer Diameter [mm]	50
	Rubber-metal Bearing

References

23 71 1 176 041

Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Mount, manual transmission
300 247 0102


24 70 1 138 427

Notes

 Rear
 Left
 Rubber-metal Bearing

References

24 70 1 138 427


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, manual transmission
300 247 0101

24 70 1 138 428

Notes

 Rear
 Right
 Rubber-metal Bearing

References

24 70 1 138 428


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, manual transmission
300 247 0104

24 70 1 138 435

Notes

	Front
Width [mm]	34
Outer Diameter [mm]	36
Outer Diameter [mm]	48
	Rubber-metal Bearing

References

24 70 1 138 435


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 135 0006

24 11 7 543 550



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

ZF

Transmission Type
Transmission Type

Automatic Transmission, 6-speed
6HP26 X
6HP32 (HSL 015+016)
with accessories
Kit

References

24 11 7 543 550

Parts list

300 137 0002

Hydraulic filter kit, A/T


Application info

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)

X5 (E70) (02/07--)
X6 (E71) (05/08--)

300 135 0301

24 11 7 557 069



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

GM

Transmission Type
Transmission Type
Transmission Type

Automatic Transmission, 5-speed
A5S390R
A5S360R
5L40E
with accessories
Kit

References

24 11 7 557 069

Parts list

314 137 0002

Hydraulic filter kit, A/T

Application info

X5 (E53) (05/00--)

Parts kit, automatic transm. oil change
300 135 0302

24 11 7 557 070

Notes

Manufacturer Restriction	GM
Transmission Type	Automatic Transmission, 5-speed
Transmission Type	A5S390R
Transmission Type	A5S360R
Transmission Type	5L40E
	with accessories
	Kit

References

24 11 7 557 070

Parts list

300 241 1701	Hydraulic filter kit, A/T
--------------	---------------------------


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Parts kit, automatic transm. oil change
300 135 0303

24 11 7 557 071

Notes

Manufacturer Restriction	GM
Transmission Type	Automatic Transmission, 5-speed
Transmission Type	A5S360R
Transmission Type	A5S390R
Transmission Type	A4S200R
Transmission Type	5L40E
	with accessories
	Kit

References

24 11 7 557 071	24 15 2 333 825
-----------------	-----------------

Parts list

314 137 0003/S	Hydraulic filter kit, A/T
----------------	---------------------------


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

X3 (E83) (01/04--)

300 135 0304

24 11 7 593 565



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

GM

Transmission Type

Automatic Transmission, 6-speed

Transmission Type

6L45R

Transmission Type

6L45E

GA6L45R

with accessories

Kit

References

24 11 7 593 565

Parts list

314 137 0005/S

Hydraulic filter kit, A/T

Application info

1 (E81, E82, E87, E88) (11/03--)

X1 (E84) (03/09--)

3 (E90, E91, E92, E93) (01/05--)

X3 (E83) (01/04--)

300 135 0007

24 11 8 612 901



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

ZF

Transmission Type

Automatic Transmission, 8-speed

Transmission Type

8HP45

8HP70

Plastic

with accessories

Kit

References

24 11 7 624 192

24 11 8 612 901

Application info

1 (F20, F21) (11/10--)

7 (F01, F02, F03, F04) (06/08--)

3 (F30, F31) (10/11--)

X1 (E84) (03/09--)

3 (F34) (03/13--)

X3 (F25) (09/10--)

4 (F32, F33) (07/13--)

X5 (E70) (02/07--)

5 (F07) (10/09--)

X6 (E71) (05/08--)

5 (F10, F11) (03/10--)

Z4 (E89) (05/09--)

6 (F12, F13) (11/10--)

Parts kit, automatic transm. oil change
300 135 0005

24 15 2 333 903

Notes

Manufacturer Restriction	ZF Automatic Transmission, 6-speed
Transmission Type	6HP26
Transmission Type	6HP26 X
Transmission Type	6HP28
Transmission Type	6HP28 X
Transmission Type	6HP32
Transmission Type	Plastic with accessories Kit

References

24 15 2 333 903


Application info

 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)

 7 (F01, F02, F03, F04) (06/08--)
 X3 (E83) (01/04--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)

Parts kit, automatic transm. oil change
300 135 0004

24 15 2 333 907

Notes

Manufacturer Restriction	ZF Automatic Transmission, 6-speed
Transmission Type	6HP19
Transmission Type	6HP19 X
Transmission Type	6HP21
Transmission Type	6HP21 X
Transmission Type	Plastic with accessories Kit

References

24 15 2 333 907


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)
 7 (F01, F02, F03, F04) (06/08--)
 X1 (E84) (03/09--)

 X3 (E83) (01/04--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z4 (E89) (05/09--)

300 135 0002

24 34 1 422 673



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

ZF

Transmission Type

Automatic Transmission, 5-speed
5HP24
with accessories
Kit

References

24 34 1 422 673

Parts list

314 137 0001

Hydraulic filter kit, A/T

Application info


5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

300 135 0001

24 34 1 423 376



Parts kit, automatic transm. oil change

Notes

Manufacturer Restriction

ZF

Transmission Type

Automatic Transmission, 5-speed
5HP19
with accessories
Kit

References

24 34 1 423 376

Parts list

300 243 4108/S

Hydraulic filter kit, A/T

Application info

3 (E46) (02/98--)

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Z4 (E85) (02/03--)

314 899 0001
34 52 1 163 027

ABS wheel sensor



Notes

Resistance [Ohm]	Front Axle left and right
Required quantity	1000
Number of Poles	2
Operating Voltage	3
Cable Length [mm]	12
	650
	for vehicles with ABS
	Inductive Sensor

References

34 52 1 163 027	34 52 1 165 519
34 52 1 163 188	

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 800 0041
34 52 1 164 643

ABS wheel sensor

Notes

Resistance [Ohm]	Rear Axle left and right
Required quantity	1015
Number of Poles	2
Operating Voltage	2
Cable Length [mm]	12
	405
	Inductive Sensor

References

34 52 1 164 643

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 899 0022
34 52 1 164 651

ABS wheel sensor



Notes

Resistance [Ohm]	Front Axle left and right
Required quantity	1000
Number of Poles	2
Operating Voltage	3
Cable Length [mm]	12
	550
	for vehicles with ABS
	Passive sensor

References

34 52 1 164 651	34 52 1 165 609
-----------------	-----------------



ABS wheel sensor
314 899 0022
 34 52 1 164 651

Application info

3 (E46) (02/98--)

ABS wheel sensor
314 899 0048
 34 52 1 164 652

Notes

 Resistance [Ohm]
 Required quantity
 Number of Poles
 Operating Voltage
 Cable Length [mm]

 Rear Axle left and right
 1100
 2
 2
 12
 955
 for vehicles with ABS
 Inductive Sensor

References

34 52 1 164 652

Application info

3 (E46) (02/98--)

ABS wheel sensor
314 899 0035
 34 52 1 182 076

Notes

 Required quantity
 Number of Poles
 Operating Voltage
 Cable Length [mm]

 Front Axle left and right
 2
 2
 12
 607
 for vehicles with ABS
 Hall Sensor

References

34 52 1 182 076

Application info

7 (E38) (10/94-11/01)

314 899 0036
34 52 1 182 077

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
945
for vehicles with ABS
Hall Sensor

References

34 52 1 182 077

Application info

7 (E38) (10/94-11/01)

314 899 0030
34 52 1 182 159

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Front Axle left and right
2
2
12
580
for vehicles with ABS
Active sensor

References

34 52 1 182 159

Application info

5 (E39) (11/95-05/04)

314 899 0039
34 52 1 182 160

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
780
for vehicles with ABS
Active sensor

References

34 52 1 182 160

Application info

5 (E39) (11/95-05/04)

ABS wheel sensor
314 899 0063

34 52 3 420 330

Notes

Resistance [Ohm]	Front Axle left and right
Required quantity	1150
Number of Poles	2
Operating Voltage	2
Cable Length [mm]	12
	835
	for vehicles with ABS
	for vehicles with electronic drive
	dynamics control
	Inductive Sensor


References

34 52 3 405 906	34 52 3 420 330
-----------------	-----------------

Application info

X3 (E83) (01/04--)

ABS wheel sensor
314 899 0066

34 52 3 420 331

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	2
Cable Length [mm]	12
	674
	for vehicles with ABS
	for vehicles with electronic drive
	dynamics control
	Hall Sensor


References

34 52 3 405 907	34 52 3 420 331
-----------------	-----------------

Application info

X3 (E83) (01/04--)

4

314 899 0050
34 52 6 752 682

ABS wheel sensor



Notes

Required quantity	Front Axle Right
Number of Poles	1
Operating Voltage	2
Cable Length [mm]	12
	550
	for vehicles with ABS
	Hall Sensor

References

34 52 6 752 682	34 52 6 792 896
-----------------	-----------------

Counterpart

314 899 0049

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

314 899 0051
34 52 6 752 683

ABS wheel sensor



Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	2
Cable Length [mm]	12
	965
	for vehicles with ABS
	Active sensor

References

34 52 6 752 683

Application info

3 (E46) (02/98--)

314 899 0061
34 52 6 756 373

ABS wheel sensor



Notes

Required quantity	Front Axle left and right
Number of Poles	2
Operating Voltage	2
Cable Length [mm]	12
	550
	Hall Sensor

References

34 52 0 025 721	34 52 6 756 373
34 52 1 165 532	



ABS wheel sensor
314 899 0061
 34 52 6 756 373

Application info
 7 (E38) (10/94-11/01)

ABS wheel sensor
314 899 0046
 34 52 6 756 374

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	1030
	for vehicles with ABS
	Hall Sensor

References

34 52 0 025 722	34 52 6 756 374
34 52 1 165 533	


Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

ABS wheel sensor
314 899 0024
 34 52 6 756 375

Notes

Required quantity	Front Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	525
	for vehicles with ABS
	Hall Sensor

References

34 52 0 025 723	34 52 6 756 375
34 52 1 165 534	


Application info

5 (E39) (11/95-05/04)

314 899 0027
34 52 6 756 376

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
785
for vehicles with ABS
Hall Sensor

References

34 52 0 025 724
34 52 1 165 535

34 52 6 756 376

Application info

5 (E39) (11/95-05/04)

314 899 0047
34 52 6 756 377

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
935
for vehicles with ABS
Hall Sensor

References

34 52 0 025 720
34 52 1 165 536

34 52 6 756 377

Application info

5 (E39) (11/95-05/04)

314 899 0056
34 52 6 756 379

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Front Axle left and right
2
2
12
640
for vehicles with ABS
Hall Sensor

References

34 52 6 752 016

34 52 6 756 379

Application info

X5 (E53) (05/00--)

ABS wheel sensor
314 899 0060
 34 52 6 756 380

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	665

for vehicles with ABS
Hall Sensor

References

34 52 0 025 726	34 52 6 756 573
34 52 6 756 380	


Application info

X5 (E53) (05/00--)

ABS wheel sensor
314 899 0033
 34 52 6 762 465

Notes

Required quantity	Front Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	660

for vehicles with ABS
for vehicles with DSC
Hall Sensor

References

34 52 6 762 465


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

ABS wheel sensor
314 899 0034
 34 52 6 762 466

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	855

for vehicles with ABS
for vehicles with DSC
Hall Sensor

References

34 52 6 762 466



314 899 0034
34 52 6 762 466

ABS wheel sensor

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 899 0068
34 52 6 771 701

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
930
for vehicles with ABS
for vehicles with DSC
Hall Sensor

References

34 52 6 760 047

34 52 6 771 701

Application info

5 (E60, E61) (07/03--)

314 899 0031
34 52 6 771 702

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Front Axle left and right
2
2
12
680
for vehicles with ABS
for vehicles with DSC
Active sensor

References

34 52 6 771 702

Application info

5 (E60, E61) (07/03--)

ABS wheel sensor
314 899 0032
 34 52 6 771 703

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	750
	for vehicles with ABS
	for vehicles with DSC
	Hall Sensor

References

34 52 6 771 703


Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

ABS wheel sensor
314 899 0064
 34 52 6 771 705

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	635
	for vehicles with ABS
	for vehicles with DSC
	Hall Sensor

References

34 52 6 760 534

34 52 6 771 705


Application info

X5 (E53) (05/00--)

ABS wheel sensor
314 899 0059
 34 52 6 771 709

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	920
	for vehicles with ABS
	for vehicles with DSC
	Hall Sensor

References

34 52 6 761 651

34 52 6 761 801

34 52 6 771 709



4

+

314 899 0059
34 52 6 771 709

ABS wheel sensor

Application info
7 (E65, E66) (11/01--)

314 899 0045
34 52 6 785 020

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Front Axle left and right
2
2
12
582
for vehicles with DSC
Hall Sensor

References

34 52 6 760 424

34 52 6 785 020

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 899 0062
34 52 6 785 021

ABS wheel sensor



Notes

Required quantity
Number of Poles
Operating Voltage
Cable Length [mm]

Rear Axle left and right
2
2
12
850
for vehicles with DSC
Hall Sensor

References

34 52 6 760 425

34 52 6 785 021

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

ABS wheel sensor
314 899 0065
 34 52 6 785 022

Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	875
	for vehicles with ABS
	for vehicles with DSC
	Hall Sensor

References

34 52 6 762 476	34 52 6 785 022
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

ABS wheel sensor
314 899 0049
 34 52 6 792 897

Notes

Required quantity	Front Axle Left
Number of Poles	1
Operating Voltage	12
Cable Length [mm]	515
	for vehicles with ABS
	Hall Sensor

References

34 52 6 752 681	34 52 6 792 897
-----------------	-----------------

Counterpart

314 899 0050


Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

ABS wheel sensor
314 899 0002
Notes

Required quantity	Rear Axle left and right
Number of Poles	2
Operating Voltage	12
Cable Length [mm]	780
	for vehicles with ABS
	Active sensor

References

34 52 1 181 126	34 52 1 182 063
34 52 1 181 971	34 52 1 182 067



314 899 0002

ABS wheel sensor

Application info

3 (E36) (09/90-08/00)

300 343 5163

34 35 1 163 066

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
545
Disc Brake

References

34 35 1 163 066

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

300 343 5116

34 35 1 163 207

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
1110
Disc Brake

References

34 35 1 163 207

Application info

5 (E39) (11/95-05/04)

300 343 5120
34 35 1 165 580



Wear sensor

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	715
	Disc Brake

References

34 35 1 165 580

Application info

X5 (E53) (05/00--)

300 343 5101
34 35 1 179 820



Wear sensor

Notes

Required quantity	1
Warning Contact Length [mm]	220
	Disc Brake

References

34 11 2 225 107	34 35 1 180 432
34 35 1 179 820	34 35 1 180 781

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

300 343 5107
34 35 1 181 338



Wear sensor

Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	776
	Disc Brake

References

34 35 1 181 337	34 35 1 181 338
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Wear sensor
300 343 5103

34 35 1 181 342

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	790
	Disc Brake

References

34 35 1 181 342	34 35 1 181 344
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)

Wear sensor
300 343 5104

34 35 1 181 802

Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	315
	Disc Brake

References

34 35 1 181 802


Application info

5 (E34) (12/87-01/97)

Wear sensor
300 343 5110

34 35 1 182 064

Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	570
	Disc Brake

References

34 35 1 182 064


Application info

7 (E38) (10/94-11/01)

4

300 343 5112
34 35 1 182 065

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
620
Disc Brake

References

34 35 1 182 065

Application info

7 (E38) (10/94-11/01)

300 343 5108
34 35 1 182 533

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
840
Disc Brake

References

34 35 1 182 533

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 343 5113
34 35 2 229 018

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
840
Disc Brake

References

34 35 1 163 065

34 35 2 229 018

Application info

5 (E39) (11/95-05/04)

Wear sensor
314 352 0000
 34 35 2 229 780

Notes

 Required quantity
 Warning Contact Length [mm]

 Rear Axle
 1
 1355
 Disc Brake

References

34 35 2 229 780


Application info

3 (E46) (02/98--)

Wear sensor
314 527 0007
 34 35 2 282 935

Notes

 Required quantity
 Warning Contact Length [mm]

 Front Axle
 Right
 1
 692
 Disc Brake

References

34 35 2 282 935


Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Wear sensor
314 353 0000
 34 35 3 411 756

Notes

 Required quantity
 Warning Contact Length [mm]

 Front Axle
 1
 740
 Disc Brake

References

34 35 3 411 756



Application info

X3 (E83) (01/04--)

4

314 353 0002
34 35 3 411 757

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
1055
Disc Brake

References

34 35 3 411 757

Application info

X3 (E83) (01/04--)

314 527 0008
34 35 3 414 662

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
Left
1
745
Disc Brake

References

34 35 3 414 662

Application info

X3 (E83) (01/04--)

300 343 5117
34 35 6 751 311

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
650
Disc Brake

References

34 35 6 751 311

Application info

3 (E46) (02/98--)

Wear sensor
314 356 0002
 34 35 6 757 896

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	1145
	Disc Brake

References

34 35 6 757 896


Application info

Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Wear sensor
314 356 0005
 34 35 6 762 252

Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	635
	Disc Brake

References

34 35 6 762 252

34 35 6 789 439


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Wear sensor
314 356 0006
 34 35 6 762 253

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	1093
	Disc Brake

References

34 35 6 762 253

34 35 6 789 445


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 527 0019
34 35 6 775 850

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle Left
1
1060
Disc Brake

References

34 35 6 775 850

Counterpart

314 527 0022

Application info

5 (F07) (10/09--)

7 (F01, F02, F03, F04) (06/08--)

314 527 0022
34 35 6 775 858

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
1045
Disc Brake

References

34 35 6 775 858

Counterpart

314 527 0019

Application info

7 (F01, F02, F03, F04) (06/08--)

300 343 0000
34 35 6 776 421

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
670
Disc Brake

References

34 35 6 759 917
34 35 6 764 298
34 35 6 768 595

34 35 6 776 421
34 35 6 789 492

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

314 527 0006
34 35 6 789 440

Wear sensor



Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	690
	Disc Brake

References

34 35 6 777 649	34 35 6 789 440
34 35 6 779 619	

Application info

1 (E81, E82, E87, E88) (11/03--)	3 (E90, E91, E92, E93) (01/05--)
----------------------------------	----------------------------------

314 356 0007
34 35 6 789 441

Wear sensor



Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	850
	Disc Brake

References

34 35 6 764 851	34 35 6 789 441
34 35 6 777 650	

Application info

3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)
----------------------------------	--------------------

300 343 0002
34 35 6 789 494

Wear sensor



Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	883
	Disc Brake

References

34 35 6 763 667	34 35 6 776 423
34 35 6 768 597	34 35 6 789 494

Application info

5 (E60, E61) (07/03--)

Wear sensor
314 527 0003

34 35 6 789 501

Notes

	Front Axle
	Left
Required quantity	1
Warning Contact Length [mm]	905
	Disc Brake

References

34 35 6 772 008	34 35 6 789 501
-----------------	-----------------


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Wear sensor
314 527 0004

34 35 6 789 502

Notes

	Front Axle
	1
Required quantity	898
Warning Contact Length [mm]	Disc Brake

References

34 35 6 773 008	34 35 6 789 502
-----------------	-----------------


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Wear sensor
314 527 0001

34 35 6 789 505

Notes

	Rear Axle
	1
Required quantity	965
Warning Contact Length [mm]	Disc Brake

References

34 35 6 771 766	34 35 6 789 505
34 35 6 780 699	


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 527 0031
34 35 6 790 341

Wear sensor

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	1130
	Disc Brake

References

34 35 6 790 341

Application info

X1 (E84) (03/09--)

314 527 0016
34 35 6 791 958

Wear sensor



Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	1087
	Disc Brake

References

34 35 6 791 958

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

314 527 0025
34 35 6 791 960

Wear sensor



Notes

Required quantity	Rear Axle
Length [mm]	1
	1065
	Disc Brake

References

34 35 6 791 960

Application info

7 (F01, F02, F03, F04) (06/08--)

Wear sensor
314 527 0017

34 35 6 791 961

Notes

 Required quantity
 Warning Contact Length [mm]

 Rear Axle
 1
 1054
 Disc Brake

References

34 35 6 791 961


Application info

5 (F07) (10/09--)

Wear sensor
314 527 0015

34 35 6 791 962

Notes

 Required quantity
 Warning Contact Length [mm]

 Rear Axle left and right
 1
 915
 Disc Brake

References

34 35 6 791 962


Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

Wear sensor
314 527 0029

34 35 6 791 963

Notes

 Required quantity
 Warning Contact Length [mm]

 Rear Axle
 1
 1110
 Disc Brake

References

34 35 6 791 963

Application info

5 (F10, F11) (03/10--)

4

314 527 0020
34 35 6 792 289

Wear sensor

Notes

Required quantity
Warning Contact Length [mm]

Front Axle Left
1
675
Disc Brake

References

34 35 6 792 289

Counterpart

314 527 0021

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

314 527 0021
34 35 6 792 292

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Rear Axle
1
1045
Disc Brake

References

34 35 6 792 292

Counterpart

314 527 0020

Application info

1 (F20, F21) (11/10--)

3 (F30, F31) (10/11--)

3 (F34) (03/13--)

4 (F32, F33) (07/13--)

314 527 0011
34 35 6 792 559

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
650
Disc Brake

References

34 35 6 792 559

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Wear sensor
314 527 0027
 34 35 6 792 560

Notes

 Required quantity
 Warning Contact Length [mm]

 Front Axle
 1
 723
 Disc Brake

References

34 35 6 792 560


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Wear sensor
314 527 0028
 34 35 6 792 561

Notes

 Required quantity
 Warning Contact Length [mm]

 Front Axle
 1
 867
 Disc Brake

References

34 35 6 792 561

Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Wear sensor
314 527 0012
 34 35 6 792 564

Notes

 Required quantity
 Warning Contact Length [mm]

 Rear Axle
 1
 1107
 Disc Brake

References

34 35 6 792 564


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 527 0024
34 35 6 792 565

Wear sensor



Notes

Required quantity
Length [mm]

Rear Axle
1
1141
Disc Brake

References

34 35 6 792 565

Application info

X1 (E84) (03/09--)

314 527 0009
34 35 6 792 567

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
938
Disc Brake

References

34 35 6 792 567

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 527 0013
34 35 6 792 568

Wear sensor



Notes

Required quantity
Warning Contact Length [mm]

Front Axle
1
974
Disc Brake

References

34 35 6 792 568

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Wear sensor
314 527 0010
 34 35 6 792 571

Notes

Required quantity	Rear Axle
Warning Contact Length [mm]	1
	1002
	Disc Brake

References

34 35 6 792 571	34 35 6 854 168
-----------------	-----------------


Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

Wear sensor
314 527 0026
 34 35 7 836 795

Notes

Required quantity	Front Axle
Warning Contact Length [mm]	1
	611
	Disc Brake

References

34 35 7 836 795


Application info

Z4 (E85) (02/03--)	Z4 (E86) (03/06--)
--------------------	--------------------

Crank position sensor
314 899 0004
 12 14 1 247 259

Notes

Resistance [Ohm]	550
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	865
	Inductive Sensor

References

12 14 1 247 259


Application info

3 (E36) (09/90-08/00)

314 899 0037
12 14 1 703 277

Crank position sensor



Notes

Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	710
	Hall Sensor

References

12 14 1 703 277

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

314 899 0052
12 14 1 709 616

Crank position sensor



Notes

	without cable
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	33
	Hall Sensor
	with holder
Connecting Angle [Degree]	90

References

12 14 1 709 616

12 14 1 744 492

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 899 0005
12 14 1 720 852

Crank position sensor



Notes

Resistance [Ohm]	550
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	660
	Inductive Sensor

References

12 14 1 713 007

12 14 1 720 852

Crank position sensor
314 899 0005
 12 14 1 720 852

Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

 5 (E34) (12/87-01/97)
 Z1 (06/88-06/91)

Crank position sensor
314 899 0007
 12 14 1 720 853

Notes

Resistance [Ohm]	690
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	510
	Inductive Sensor

References

12 14 1 714 763	12 14 1 720 853
-----------------	-----------------


Application info

 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)

Crank position sensor
314 899 0041
 12 14 1 720 854

Notes

Resistance [Ohm]	540
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	725
	Inductive Sensor

References

12 14 1 715 030	12 14 1 720 854
-----------------	-----------------


Application info

3 (E30) (09/82-10/94)

5 (E34) (12/87-01/97)

314 899 8003
12 14 1 726 066

Crank position sensor



Notes

Resistance [Ohm]	550
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	725
	Inductive Sensor

References

12 14 1 726 066

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 899 0040
12 14 1 730 027

Crank position sensor



Notes

Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	720
	Active sensor

References

12 14 1 730 027

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 899 0023
12 14 1 731 887

Crank position sensor



Notes

Resistance [Ohm]	550
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	24
Cable Length [mm]	500
	Inductive Sensor

References

12 14 1 731 887

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Crank position sensor

314 899 0053
 13 62 7 809 334

Notes

Number of Poles	with fastening material
Operating Voltage	3
Cable Length [mm]	12
	165
	Active sensor

References

13 62 7 787 192	13 62 7 809 334
-----------------	-----------------



Application info

1 (E81, E82, E87, E88) (11/03--)	7 (E65, E66) (11/01--)
3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	X5 (E53) (05/00--)
5 (E60, E61) (07/03--)	X5 (E70) (02/07--)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Glow plug

014 020 1039
 12 12 1 288 161

Notes

Voltage [V]	11
Port Type	M5
Fitting Depth [mm]	24.5
Cone Pitch	63
Overall Length [mm]	71
Thread Size	M12 x 1,25
Diameter [mm]	6.1
Spanner Size	12
	Pencil-type Glow Plug
Rated current [A]	16

References

12 12 1 286 059	12 23 1 288 245
12 12 1 288 161	



Application info

3 (E30) (09/82-10/94)	5 (E28) (06/80-12/87)
-----------------------	-----------------------

300 022 0163
12 23 2 241 387

Glow plug



Notes

Voltage [V]	11
Port Type	M5
Fitting Depth [mm]	25
Cone Pitch	63
Overall Length [mm]	71
Thread Size	M12 x 1,25
Diameter [mm]	6.1
Spanner Size	12
Rated current [A]	Pencil-type Glow Plug 16

References

12 23 2 241 387	12 23 2 241 389
-----------------	-----------------

Application info

3 (E30) (09/82-10/94)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	7 (E38) (10/94-11/01)
5 (E34) (12/87-01/97)	

314 860 0001
12 23 7 786 869

Glow plug



Notes

Voltage [V]	5
Port Type	Ø 4 mm
Fitting Depth [mm]	33
Cone Pitch	63
Overall Length [mm]	106.5
Thread Size	M10 x 1
Diameter [mm]	5.1
Spanner Size	10
Rated current [A]	Pencil-type Glow Plug after-glow capable 8.5

References

12 23 7 786 869

Application info

1 (E81, E82, E87, E88) (11/03--)	7 (E65, E66) (11/01--)
3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	X5 (E53) (05/00--)
5 (E60, E61) (07/03--)	X5 (E70) (02/07--)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)

Glow plug
314 860 0002

12 23 7 788 957

Notes

Voltage [V]	5
Port Type	Ø 4 mm
Fitting Depth [mm]	28.6
Cone Pitch	63
Overall Length [mm]	133.5
Thread Size	M10 x 1
Diameter [mm]	5
Spanner Size	10
	Pencil-type Glow Plug after-glow capable
Rated current [A]	8.5

References

12 23 7 788 957


Application info

7 (E65, E66) (11/01--)

Glow plug
314 023 0000
Notes

Voltage [V]	11
Port Type	Ø 4 mm
Fitting Depth [mm]	33
Cone Pitch	63
Overall Length [mm]	107
Thread Size	M10 x 1
Diameter [mm]	5
Spanner Size	10
	Pencil-type Glow Plug after-glow capable
Rated current [A]	15

References

12 23 2 248 059


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)

314 139 0000
12 13 1 317 232



Ignition coil

Notes

Required quantity	for vehicles without distributor
Required quantity	4
Required quantity	6
Required quantity	8
Number of Poles	3
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

12 13 1 317 232	12 13 1 729 842
12 13 1 317 585	12 13 1 730 765
12 13 1 402 440	12 13 1 730 766
12 13 1 402 713	12 13 1 731 884
12 13 1 404 102	12 13 1 734 468
12 13 1 703 359	12 13 1 748 394
12 13 1 720 166	12 13 1 748 395
12 13 1 726 177	12 13 1 777 666
12 13 1 726 178	12 13 7 599 218
12 13 1 727 108	12 13 9 066 468

Application info

3 (E36) (09/90-08/00)

7 (E38) (10/94-11/01)

314 131 0000
12 13 1 404 309



Ignition coil

Notes

Required quantity	for vehicles without distributor
Required quantity	6
Required quantity	8
Required quantity	12
Number of Poles	3
Operating Voltage	12
	Coupling Type SAE
	incl. spark plug connector
	for fully electronic ignition (FI)

References

12 13 1 404 309	12 13 1 748 017
12 13 1 703 227	12 13 1 748 018
12 13 1 703 228	12 13 9 067 830
12 13 1 703 825	

Parts list

314 131 0001	Ignition coil
314 862 0000	Spark plug connector

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)

Ignition coil

314 131 0001
 12 13 1 404 309*

Notes

Required quantity	for vehicles without distributor
Required quantity	6
Required quantity	8
Required quantity	12
Number of Poles	3
Operating Voltage	12
	Coupling Type SAE
	without spark plug connector
	for fully electronic ignition (FI)

References

12 13 1 404 309*	12 13 1 748 017*
12 13 1 703 227*	12 13 1 748 018*
12 13 1 703 228*	12 13 9 067 830*
12 13 1 703 825*	



Application info

3 (E36) (09/90-08/00)	8 (E31) (04/90-12/99)
3 (E46) (02/98--)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	Z3 (E36/7, E36/8) (10/95-06/03)
7 (E38) (10/94-11/01)	Z8 (E52) (06/00-06/03)

Ignition coil

314 885 0000
 12 13 1 712 219

Notes

Required quantity	for vehicles without distributor
Required quantity	4
Required quantity	6
Required quantity	8
Required quantity	12
Number of Poles	3
Operating Voltage	12
	for fully electronic ignition (FI)

References

12 13 1 712 219	12 13 7 551 260
12 13 1 712 223	



Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	X5 (E70) (02/07--)
5 (E60, E61) (07/03--)	Z3 (E36/7, E36/8) (10/95-06/03)
6 (E63, E64) (01/04--)	Z4 (E85) (02/03--)
7 (E65, E66) (11/01--)	

314 885 0001
12 13 7 562 744

Ignition coil

Notes

Required quantity	4
Required quantity	6
Required quantity	8
Required quantity	12
Number of Poles	3
Operating Voltage	12
	Coupling Type SAE

References

12 13 7 551 049	12 13 7 594 936
12 13 7 562 744	12 13 7 594 937
12 13 7 571 643	

Application info

1 (E81, E82, E87, E88) (11/03--)	7 (F01, F02, F03, F04) (06/08--)
3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)
5 (E60, E61) (07/03--)	X3 (E83) (01/04--)
5 (F07) (10/09--)	X3 (F25) (09/10--)
5 (F10, F11) (03/10--)	X5 (E70) (02/07--)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)
6 (F12, F13) (11/10--)	Z4 (E85) (02/03--)
7 (E65, E66) (11/01--)	Z4 (E86) (03/06--)

100 900 0000
11 76 1 277 565

Lambda probe



Notes

Cable Length [mm]	890
	Unheated
	Regulating Probe

References

11 76 1 277 565

Application info

3 (E30) (09/82-10/94)	5 (E28) (06/80-12/87)
-----------------------	-----------------------

Relay, fuel pump
314 830 0002
 61 36 1 729 004

Notes

Number of Poles	5
Length [mm]	27
Port Type	5x 6,3x0,8 mm
Operating Voltage	8 - 16
Protection Type (IP Code)	IP54
Width [mm]	27
Height [mm]	26.5
	Lock
	White
Rated current [A]	30

References

12 36 1 729 005	61 36 1 729 004
12 63 1 711 266	

Application info

3 (E36) (09/90-08/00)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Sender unit, coolant temperature
314 126 0000
 12 62 1 747 281

Notes

Number of Poles	2
Switch Point [°C]	-40
Switch Point [°C]	150
Thread Size	M14 x 1,5
Spanner Size	19
	Black

References

12 62 1 710 535	12 62 1 747 281
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Sender unit, coolant temperature
100 919 0013
 13 62 1 288 158

Notes

Number of Poles	2
Switch Point [°C]	-40
Switch Point [°C]	150
Thread Size	M14 x 1,5
	White

References

12 62 1 288 158	13 62 1 288 158
-----------------	-----------------



100 919 0013
13 62 1 288 158

Sender unit, coolant temperature

Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

314 136 2101
13 62 1 357 414

Sender unit, coolant temperature



Notes

Number of Poles	2
Thread Size	M12 x 1,5
Spanner Size	19
	White

References

13 62 1 357 414

Application info

3 (E30) (09/82-10/94)
5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

314 136 2103
13 62 1 433 076

Sender unit, coolant temperature



Notes

Number of Poles	2
Switch Point [°C]	-40
Switch Point [°C]	150
Thread Size	M12 x 1,5
Spanner Size	22
	Black

References

13 62 1 433 076

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Sender unit, coolant temperature
314 810 0001
 13 62 1 703 993

Notes

Number of Poles	4
Switch Point [°C]	-40
Switch Point [°C]	150
Thread Size	M12 x 1,5
Spanner Size	22
	Black

References

13 62 1 703 993


Application info

 3 (E36) (09/90-08/00)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01--)

 8 (E31) (04/90-12/99)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z8 (E52) (06/00-06/03)

Sender unit, coolant temperature
314 136 2102
 13 62 1 709 966

Notes

Number of Poles	2
Thread Size	M12 x 1,5
Spanner Size	19
	NTC Sensor
	Black

References

13 62 1 284 397 13 62 1 709 966


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)
 Z1 (06/88-06/91)

Sensor, camshaft position
314 899 0010
 12 14 1 703 221

Notes

Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	27.5
Cable Length [mm]	420
	Hall Sensor

References

12 14 1 703 221



314 899 0010

12 14 1 703 221

Sensor, camshaft position

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

314 899 0069

12 14 1 740 959

Sensor, camshaft position



Notes

Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	28
Cable Length [mm]	410
	Hall Sensor

References

12 14 1 740 959	12 14 1 748 400
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 899 0044

12 14 1 742 185

Sensor, camshaft position



Notes

Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	21
Cable Length [mm]	305
	Hall Sensor

References

12 14 1 742 185

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Sensor, camshaft position
314 899 0055
 12 14 1 743 072

Notes

Number of Poles	3
Operating Voltage	12
Cable Length [mm]	600
	Hall Sensor

References

12 14 1 743 072


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Sensor, camshaft position
314 899 0029
 12 14 7 506 273

Notes

	without cable
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	28
	Hall Sensor with seal

References

12 14 1 435 351	12 14 7 506 273
12 14 1 438 082	12 14 7 518 628


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--

 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--

Sensor, camshaft position
314 899 0038
 12 14 7 539 165

Notes

	Intake side
Number of Poles	3
Operating Voltage	12
Fitting Depth [mm]	28
Cable Length [mm]	415
	Active sensor with seal

References

12 14 7 539 165



314 899 0038

12 14 7 539 165

Sensor, camshaft position

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 800 0037

13 62 7 792 256

Sensor, camshaft position



Notes

Number of Poles
Operating Voltage
Fitting Depth [mm]

with seal
without cable
3
12
24
Hall Sensor
Black

References

13 62 7 792 256

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E70) (02/07--)
X6 (E71) (05/08--)

314 800 0038

13 62 7 794 646

Sensor, camshaft position



Notes

Number of Poles
Operating Voltage
Fitting Depth [mm]

with seal
without cable
3
12
28
Hall Sensor
Black
Grey

References

13 62 7 794 646

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)

Sensor, coolant level
314 899 0042
 17 13 7 553 919

Notes

Number of Poles without cable
 2
 Length [mm] 87
 Reed Contact
 Passive sensor

References

17 11 7 506 601 17 13 7 524 812
 17 13 0 409 622 17 13 7 553 919


Application info

1 (E81, E82, E87, E88) (11/03--)	7 (E65, E66) (11/01--)
3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	X5 (E53) (05/00--)
5 (E39) (11/95-05/04)	X5 (E70) (02/07--)
5 (E60, E61) (07/03--)	Z4 (E85) (02/03--)
6 (E63, E64) (01/04--)	Z4 (E86) (03/06--)
7 (E38) (10/94-11/01)	Z8 (E52) (06/00-06/03)

Sensor, coolant level
314 800 9018
 61 31 1 384 739

Notes

Number of Poles 2
 Length [mm] 95

References

61 31 1 384 739


Application info

3 (E30) (09/82-10/94)	5 (E34) (12/87-01/97)
3 (E36) (09/90-08/00)	

Sensor, coolant level
314 899 0043
 61 31 8 360 876

Notes

Number of Poles without cable
 2
 Length [mm] 87
 Reed Contact
 Passive sensor
 Black

References

61 31 8 360 876



314 899 0043
61 31 8 360 876

Sensor, coolant level

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
Z8 (E52) (06/00-06/03)

314 899 0025
12 61 7 508 002

Sensor, engine oil level



Notes

Number of Poles 3
with seal
with holder

References

12 61 7 508 002

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 862 0000
12 13 1 404 309*

Spark plug connector



Notes

Length [mm] 93
only in connection with 314 131 0001
Coupling Type SAE
Coupling Type M4
Interference Suppression
Resistance [kOhm] 2

References

12 13 1 404 309* 12 13 1 748 017*
12 13 1 703 227* 12 13 1 748 018*
12 13 1 703 228* 12 13 9 067 830*
12 13 1 703 825* 12 13 9 067 831
12 13 1 740 477

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)


Temperature switch, radiator fan
314 810 0000
 61 31 8 360 857

Notes

Number of Poles	3
Switch Point [°C]	104-91
Thread Size	M14 x 1,5
Spanner Size	22,00
	Black

References

61 31 8 360 857


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Temperature switch, radiator fan
314 800 0021
 61 31 8 376 440

Notes

Number of Poles	3
Switch Point [°C]	88-80
Thread Size	M14 x 1,5
Spanner Size	24
	Grey

References

61 31 8 376 440


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Voltage regulator
014 731 1090
 12 31 1 710 732

Notes

Voltage [V]	14.1
Support plate diameter [mm]	32

References

12 31 1 710 732


Application info

 2000/2500 (E3, E9) (10/65-04/77)
 3 (E21) (06/75-03/84)
 5 (E12) (08/72-08/81)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

014 731 1021

12 31 1 726 022



Voltage regulator

Notes

Voltage [V]	14.1
Support plate diameter [mm]	without resistance 28

References

12 31 1 172 002	12 31 1 726 022
12 31 1 271 664	12 32 1 279 548
12 31 1 722 755	12 32 1 711 399

Application info

3 (E30) (09/82-10/94)	6 (E24) (04/76-09/90)
3 (E36) (09/90-08/00)	7 (E23) (05/77-08/86)
5 (E28) (06/80-12/87)	7 (E32) (09/86-09/94)
5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)

014 731 1023

12 31 1 726 022



Voltage regulator

Notes

Voltage [V]	14.1
Support plate diameter [mm]	with resistance 28

References


12 31 1 172 002	12 31 1 726 022
12 31 1 271 664	12 32 1 279 548
12 31 1 722 755	12 32 1 711 399

Application info

3 (E30) (09/82-10/94)	6 (E24) (04/76-09/90)
3 (E36) (09/90-08/00)	7 (E23) (05/77-08/86)
5 (E12) (08/72-08/81)	7 (E32) (09/86-09/94)
5 (E28) (06/80-12/87)	8 (E31) (04/90-12/99)
5 (E34) (12/87-01/97)	Z1 (06/88-06/91)

314 800 9019

61 31 8 360 417



Brake light switch

Notes

Number of Poles	4
	Manual (foot operated)
	Directional Contact
	Black

Observe the vehicle manufacturer specifications

References

61 31 8 360 417

Brake light switch

314 800 9019
 61 31 8 360 417


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)
 Z3 (E36/7, E36/8) (10/95-06/03)

Brake light switch

314 613 1801
 61 31 8 360 420

Notes


Number of Poles

 2
 Manual (foot operated)
 Opener

Observe the vehicle manufacturer specifications

References

61 31 8 360 420



Application info

3 (E30) (09/82-10/94)

Column switch

314 850 0001
 61 31 8 363 662

Notes

Number of Poles

 for vehicles with controllable wipe intervals
 10
 with indicator function
 with light dimmer function
 with headlight flasher
 with park light function
 Black

References

61 31 8 363 662



Application info

 3 (E46) (02/98--)
 X3 (E83) (01/04--)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

314 850 0003
61 31 8 363 664

Column switch

Notes

Voltage [V]
Number of Poles

for vehicles with controllable wipe intervals
12
6
with wipe-wash function
with wipe interval function
Black

References

61 31 8 363 664

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 850 0000
61 31 8 363 668

Column switch



Notes

Number of Poles

for vehicles with on-board computer
4
with indicator function
with board computer function
with light dimmer function
Black

References

61 31 8 363 668

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
X3 (E83) (01/04--)

X5 (E53) (05/00--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 850 0002
61 31 8 363 669

Column switch

Notes

Voltage [V]
Number of Poles

for vehicles with controllable wipe intervals
12
9
with wipe-wash function
with wipe interval function
with rear wipe-wash function
Black

References

61 31 8 363 669



Column switch

314 850 0002
 61 31 8 363 669


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04--)
 X5 (E53) (05/00--)

Control unit, heating/ventilation

314 880 0000
 64 11 6 923 204

Notes

Number of Poles	for vehicles with air conditioning
Operating Voltage	5
	12

References

64 11 6 920 365	64 11 8 364 173
64 11 6 923 204	64 11 8 377 579
64 11 6 929 486	64 11 8 385 549
64 11 6 931 680	



Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04--)
 X5 (E53) (05/00--)

Heater fan motor

314 236 0008
 64 11 8 372 493

Notes

	for vehicles with automatic climate control
	for left-/right-hand traffic
Voltage [V]	12
Diameter [mm]	147
Rated Power [W]	200

References

64 11 8 372 493



Application info

5 (E39) (11/95-05/04)

4

314 613 1303
61 31 1 387 916

Switch, window lifter



Notes

Voltage [V]
Number of Poles

Rear
for vehicles with electric window
lifts
12
4
Black

References

61 31 1 387 916

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 613 1304
61 31 1 393 361

Switch, window lifter



Notes

Voltage [V]
Number of Poles

Rear
for vehicles with electric window
lifts
12
5
Blue

References

61 31 1 393 361

Application info

3 (E36) (09/90-08/00)

314 899 0070
67 11 1 387 726

Vacuum element



Notes

Number of Poles

6
Electric
for vehicles with central locking

References

67 11 1 387 606
67 11 1 387 726

67 11 8 353 012

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Vacuum element
314 899 0072
 67 11 1 393 999


Notes

 Rear
 Electric

References

 67 11 1 387 607
 67 11 1 393 999

67 11 8 353 011


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Vacuum element
314 899 0071
 67 11 8 352 165

Notes

Electric

References

67 11 8 352 165


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Back up light switch
314 613 1101
 23 14 1 354 071

Notes

 Number of Poles
 Thread Size
 Spanner Size

 2
 M12 x 1,5
 19
 Lock

References

 23 14 1 135 071
 23 14 1 352 153

 23 14 1 354 071
 61 31 1 352 153


314 613 1101
23 14 1 354 071

Back up light switch

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)

314 231 4101
23 14 7 524 811

Back up light switch



Notes

Number of Poles 2
Thread Size M12 x 1,5
Spanner Size 19
Lock
Push control

References

23 14 1 221 706
23 14 1 434 584
23 14 7 506 637
23 14 7 524 811

Application info

1 (E81, E82, E87, E88) (11/03--)
1 (F20, F21) (11/10--)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
3 (F30, F31) (10/11--)
3 (F34) (03/13--)
4 (F32, F33) (07/13--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
5 (F10, F11) (03/10--)

6 (E63, E64) (01/04--)
6 (F12, F13) (11/10--)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
X1 (E84) (03/09--)
X3 (E83) (01/04--)
X3 (F25) (09/10--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

100 953 0012
61 31 1 371 907

Relay, hazard lights



Notes

for vehicles without towbar
Number of Poles 3
Length [mm] 30
Port Type 3x 6,3 mm
Operating Voltage 12
Width [mm] 30
Height [mm] 30
Rated Power [W] 2x21
Rated Power [W] 5
Lock

References

61 31 1 366 727
61 31 1 371 907

Relay, hazard lights
100 953 0012
 61 31 1 371 907

Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Sensor xenon light (headlight leveling)
314 899 0073
 37 14 6 784 696

Notes

 Number of Poles
 Operating Voltage

 Front Axle
 for vehicles with headlamp leveling (electric)
 6
 12
 Slider

References

 37 14 0 141 444
 37 14 1 093 697
 37 14 1 093 699

 37 14 6 778 811
 37 14 6 784 696

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

 7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01--)
 X5 (E53) (05/00--)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)

314 009 0001

11 28 1 440 378

Tension roller, ribbed belt



Notes

Height [mm]	26
Outer Diameter [mm]	70
Inner Diameter [mm]	15

References

11 28 1 440 378

Application info

1 (E81, E82, E87, E88) (11/03--)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

3 (E90, E91, E92, E93) (01/05--)
 X3 (E83) (01/04--)
 Z4 (E85) (02/03--)

314 112 0006

11 28 1 704 500

Tension roller, ribbed belt



Notes

Height [mm]	28
Outer Diameter [mm]	70
Inner Diameter [mm]	9

References

11 28 1 704 500

Application info

5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

314 112 0004

11 28 1 731 838

Tension roller, ribbed belt



Notes

Height [mm]	28
Outer Diameter [mm]	80
Inner Diameter [mm]	9

References

11 28 1 731 838



Tension roller, ribbed belt
314 112 0004
 11 28 1 731 838

Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Tension roller, ribbed belt
314 112 0001
 11 28 1 748 130

Notes

 Height [mm] 25
 Outer Diameter [mm] 80
 Inner Diameter [mm] 10

References

 11 28 1 726 181 11 28 1 748 130
 11 28 1 738 061 11 28 7 841 228
 11 28 1 738 605

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

Tension roller, ribbed belt
314 112 0000
 11 28 1 748 131

Notes

 Height [mm] 25
 Outer Diameter [mm] 70
 Inner Diameter [mm] 10

References

11 28 1 726 343 11 28 1 748 131


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

314 112 0005

11 28 2 245 166

Tension roller, ribbed belt



Notes

Height [mm]	24
Outer Diameter [mm]	80
Inner Diameter [mm]	8

References

11 28 2 245 166

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

314 112 0003

11 28 1 731 220

Tensioner pulley, ribbed belt



Notes

Height [mm]	28
Outer Diameter [mm]	70
Inner Diameter [mm]	8

References

11 28 1 731 220

Application info

5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 112 0002

11 28 2 245 087

Tensioner pulley, ribbed belt



Notes

Height [mm]	21
Outer Diameter [mm]	80

References

11 28 2 245 087

5

+

Tensioner pulley, ribbed belt
314 112 0002
 11 28 2 245 087

Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Timing belt roller
314 113 1113
 11 31 1 708 806

Notes

 Height [mm] 25
 Outer Diameter [mm] 32

References

11 31 1 708 806 11 31 1 709 646


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Timing belt roller
314 113 1112
 11 31 1 721 264

Notes

 Height [mm] 21
 Outer Diameter [mm] 50
 Inner Diameter [mm] 8

References

 11 31 1 721 259 11 31 1 727 141
 11 31 1 721 264

Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

314 238 0002

11 51 1 436 590

Water pump pulley



Notes

Number of Ribs 6
Diameter [mm] 122
Plastic

References

11 51 1 436 590

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 238 0001

11 51 1 730 554

Water pump pulley



Notes

Number of Ribs 6
Diameter [mm] 132
Plastic

References

11 51 1 730 554

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

317 215 1000

21 21 1 223 086

Clutch disc



Notes

Diameter [mm] 215

References

21 21 1 203 694
21 21 1 205 289
21 21 1 206 189
21 21 1 206 190
21 21 1 208 699
21 21 1 209 167
21 21 1 223 083

21 21 1 223 084
21 21 1 223 086
21 21 1 223 087
21 21 1 223 575
21 21 1 225 784
21 21 1 225 788



Clutch disc
317 215 1000
 21 21 1 223 086

Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)


Clutch disc
317 228 1000
 21 21 1 223 097

Notes

Diameter [mm] 228

References

21 21 0 670 024	21 21 1 223 136
21 21 0 670 025	21 21 1 223 137
21 21 1 203 149	21 21 1 223 174
21 21 1 203 696	21 21 1 223 175
21 21 1 203 996	21 21 1 223 671
21 21 1 204 034	21 21 1 225 046
21 21 1 207 321	21 21 1 225 215
21 21 1 207 540	21 21 1 225 562
21 21 1 207 545	21 21 1 225 563
21 21 1 207 546	21 21 1 225 653
21 21 1 223 041	21 21 1 225 781
21 21 1 223 052	21 21 1 225 782
21 21 1 223 097	21 21 1 225 936
21 21 1 223 098	


Application info

3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)

Breather hose, expansion tank
319 171 1102
 17 11 1 427 156

References

17 11 1 427 156


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

314 238 0000

17 11 1 712 788

Breather screw/-valve, radiator



Notes

Length 1 [mm]	10
Length 2 [mm]	17.5
Thread Size	M9x1

References

17 11 0 141 325	17 12 7 515 488
17 11 1 712 788	

Application info

- | | |
|----------------------------------|---------------------------------|
| 1 (E81, E82, E87, E88) (11/03--) | 7 (E38) (10/94-11/01) |
| 3 (E30) (09/82-10/94) | 8 (E31) (04/90-12/99) |
| 3 (E36) (09/90-08/00) | X3 (E83) (01/04--) |
| 3 (E46) (02/98--) | X5 (E53) (05/00--) |
| 3 (E90, E91, E92, E93) (01/05--) | Z3 (E36/7, E36/8) (10/95-06/03) |
| 5 (E34) (12/87-01/97) | Z4 (E85) (02/03--) |
| 5 (E39) (11/95-05/04) | Z8 (E52) (06/00-06/03) |

314 226 0010

11 53 1 247 122

Coolant flange



Notes

Left
Plastic
without gasket / seal

References

11 53 1 247 122

Application info

- | | |
|-----------------------|-----------------------|
| 3 (E36) (09/90-08/00) | 5 (E34) (12/87-01/97) |
|-----------------------|-----------------------|

314 226 0002

11 53 1 708 808

Coolant flange



Notes

Nominal Size [mm]	20
	Plastic
	without gasket / seal

References

11 53 1 708 808



Coolant flange
314 226 0002
 11 53 1 708 808

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0009
 11 53 1 709 232

Notes

 Lower
 Plastic
 without gasket / seal

References

11 53 1 709 232


Application info

3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0003
 11 53 1 714 738

Notes

 Plastic
 without gasket / seal

References

11 53 1 714 738


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

5

314 226 0008

11 53 1 722 531

Coolant flange



Notes

Plastic
with seal

References

11 53 1 722 531

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 226 0011

11 53 1 739 208

Coolant flange



Notes

Cylinder Head
Plastic
without gasket / seal

References

11 53 1 739 208

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

300 115 3102

11 53 1 740 478

Coolant flange



Notes

Plastic
without gasket / seal

References

11 53 1 740 478

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

5

Coolant flange
314 226 0004
 11 53 1 743 199

Notes

 Left
 Plastic
 without gasket / seal

References

11 53 1 743 199


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0005
 11 53 1 743 329

Notes

 Seal Diameter [mm] 20
 Plastic
 without gasket / seal

References

11 53 1 743 329


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

Coolant flange
314 226 0006
 11 53 1 743 679

Notes

 Cylinder Head
 Plastic
 without gasket / seal

References

11 53 1 743 679



5

+

314 226 0006

11 53 1 743 679

Coolant flange

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 226 0007

11 53 7 560 130

Coolant flange



Notes

Plastic
without gasket / seal

References

11 53 7 505 055

11 53 7 560 130

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)

X3 (E83) (01/04--)
Z4 (E85) (02/03--)

314 223 0003

17 10 7 514 964

Expansion tank



References

17 10 7 514 964

Application info

X5 (E53) (05/00--)

Z3 (E36/7, E36/8) (10/95-06/03)

Expansion tank
314 223 0002
 17 11 1 436 381

References
 17 11 1 436 381

Application info
 5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Expansion tank
314 171 0000
 17 11 1 712 196

References
 17 11 1 712 196

Application info
 7 (E32) (09/86-09/94)

Expansion tank
300 171 1104
 17 11 1 712 835

References
 17 11 1 712 835

Application info
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 Z3 (E36/7, E36/8) (10/95-06/03)

5

300 171 1103

17 11 1 723 520

Expansion tank



References

17 11 1 723 520

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

314 171 0001

17 11 1 741 167

Expansion tank



References

17 11 1 741 167

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
Z8 (E52) (06/00-06/03)

314 223 0000

17 11 7 573 751

Expansion tank



Notes

Front

References

17 11 7 573 751
17 11 7 573 781

17 13 7 787 039



Expansion tank
314 223 0000
 17 11 7 573 751

Application info

 3 (E46) (02/98--)
 X3 (E83) (01/04--

 X5 (E53) (05/00--)
 Z4 (E85) (02/03--

Expansion tank
314 223 0001
 17 11 7 573 780

References

17 11 7 573 780

17 13 7 787 040


Application info

3 (E46) (02/98--

X5 (E53) (05/00--

Expansion tank
314 223 0007
 17 13 7 501 959

References

17 13 7 501 959


Application info

X5 (E53) (05/00--

5

314 223 0005

17 13 7 542 986

Expansion tank



References

17 13 7 519 219

17 13 7 542 986

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

314 223 0008

17 13 7 552 546

Expansion tank

References

17 13 7 552 546

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 223 0004

17 13 7 607 482

Expansion tank



References

17 13 7 519 368

17 13 7 543 026

17 13 7 567 462

17 13 7 607 482

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Z4 (E89) (05/09--)

Expansion tank
314 223 0009
 17 13 7 647 284

References

17 13 7 601 950 17 13 7 647 284


Application info

5 (F10, F11) (03/10--)

7 (F01, F02, F03, F04) (06/08--)

Expansion tank
314 223 0006
 17 13 8 600 275

References

17 13 7 543 003 17 13 8 600 275


Application info

7 (E65, E66) (11/01--)

Expansion tank cap
314 800 9004
 17 11 1 742 231

Notes

 Diameter [mm] 56
 Pressure [bar] 2
 Black

References

17 11 1 742 231



5

+

314 800 9004

17 11 1 742 231

Expansion tank cap

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
8 (E31) (04/90-12/99)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z8 (E52) (06/00-06/03)

314 800 9005

17 11 1 742 232

Expansion tank cap



Notes

Diameter [mm] 65
Pressure [bar] 1.4
Black

References

17 11 1 719 167 17 11 4 379 048
17 11 1 742 232

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)

300 115 0002

11 52 1 712 058

Fan blade



Notes

Diameter [mm] 420
Number of Wings 11

References

11 52 1 712 058

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)

Fan blade
300 115 0005
 11 52 1 712 110

Notes

 Diameter [mm] 460
 Number of Wings 11

References

11 52 1 712 110


Application info

 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Fan blade
300 115 0003
 11 52 1 719 267

Notes

 Diameter [mm] 400
 Number of Wings 8

References

 11 52 1 278 716 11 52 1 719 040
 11 52 1 284 681 11 52 1 719 267

Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)

Fan blade
300 115 0004
 11 52 1 723 363

Notes

 Diameter [mm] 410
 Number of Wings 11

References

 11 52 1 719 265 11 52 1 723 573
 11 52 1 723 363


5

+

300 115 0004

11 52 1 723 363

Fan blade

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
6 (E24) (04/76-09/90)
Z1 (06/88-06/91)
Z3 (E36/7, E36/8) (10/95-06/03)

314 115 2106

11 52 2 243 303

Fan blade



Notes

Diameter [mm] 420
Number of Wings 7

References

11 52 2 243 303

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
X5 (E53) (05/00--)

300 115 0006

17 41 7 504 732

Fan blade



Notes

Diameter [mm] 470
Number of Wings 9

References

17 41 7 504 732

Application info

7 (E65, E66) (11/01--)

X5 (E53) (05/00--)

Fan clutch
314 115 2101
 11 52 1 723 918

Notes

Diameter [mm] 138

References

11 52 1 271 416	11 52 1 723 027
11 52 1 287 829	11 52 1 723 918
11 52 1 289 120	11 52 1 723 919
11 52 1 466 000	11 52 1 723 920
11 52 1 706 619	11 52 1 723 921
11 52 1 719 042	11 52 1 740 962
11 52 1 719 266	11 52 9 055 969


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)

 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)

Fan clutch
314 115 2201
 11 52 2 245 498

References

11 52 2 241 290	11 52 2 245 195
11 52 2 243 304	11 52 2 245 496
11 52 2 244 413	11 52 2 245 498


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Fan clutch
314 115 2203
 11 52 2 246 042

References

11 52 2 246 042



314 115 2203

11 52 2 246 042

Fan clutch

+

Application info


3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 115 2204

11 52 2 249 216

Fan clutch



References

11 52 2 249 216

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X5 (E53) (05/00--)

5

314 115 2105

11 52 7 502 804

Fan clutch



Notes

Temperature Range [°C] 92

References

11 52 1 723 829	11 52 7 500 339
11 52 1 737 489	11 52 7 502 804
11 52 1 745 134	

Application info

5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

Fan clutch
314 115 2701
 11 52 7 505 302

Notes

Diameter [mm] 160

References

 11 52 1 709 499 11 52 1 740 963
 11 52 1 719 269 11 52 7 505 302

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

Radiator cap
314 238 0003
Notes

Pressure [bar] 2

References

17 13 7 516 004


Application info

 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

 7 (F01, F02, F03, F04) (06/08--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)

Radiator fan motor
314 236 0010
 17 11 7 590 699

Notes

 Voltage [V] 12
 Diameter [mm] 490
 Rated Power [W] 400

References

17 11 7 590 699 17 42 7 523 259



314 236 0010

17 11 7 590 699

Radiator fan motor

+

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

319 222 0011

11 53 1 247 203

Radiator hose



Notes

Lower
from engine to engine cooler

References

11 53 1 247 203

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

5

319 115 3213

11 53 1 247 398

Radiator hose



References

11 53 1 247 398

11 53 1 247 915

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 115 3100
 11 53 1 265 448

Notes

from thermostat to waterpump

References

11 53 1 265 448


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)

Radiator hose
319 115 3112
 11 53 1 266 459

Notes

Length [mm] 230

References

11 53 1 250 387 11 53 1 266 459


Application info

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

Radiator hose
319 115 3105
 11 53 1 279 895

Notes

 Lower
 for vehicles with air conditioning

References

11 53 1 279 895


5
+

319 115 3105

11 53 1 279 895

Radiator hose

+

Application info

3 (E30) (09/82-10/94)

319 115 3109

11 53 1 287 651

Radiator hose



Notes

from thermostat to radiator

References

11 53 1 287 651

Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)

5

319 115 3106

11 53 1 287 999

Radiator hose



Notes

from expansion tank to engine cooler

References

11 53 1 286 307

11 53 1 287 999

Application info

5 (E12) (08/72-08/81)

5 (E28) (06/80-12/87)

Radiator hose
319 115 3129

11 53 1 289 257

Notes

from engine cooler to expansion tank

References

 11 53 1 278 924
 11 53 1 286 915

 11 53 1 287 924
 11 53 1 289 257

Application info

3 (E30) (09/82-10/94)

Radiator hose
319 222 0019

11 53 1 705 223

Notes

 Upper
 from engine to engine cooler

References

11 53 1 705 223


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3190

11 53 1 708 499

Notes

 Upper
 from engine to engine cooler

References

 11 53 1 433 340
 11 53 1 708 499

11 53 1 720 722


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

319 115 3180

11 53 1 711 002

Radiator hose



Notes

for backflow
from expansion tank to engine
cooler and water pipe

References

11 53 1 711 002

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3134

11 53 1 713 221

Radiator hose



Notes

Lower
from radiator to intermediate piece

References

11 53 1 713 221

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3183

11 53 1 718 982

Radiator hose



Notes

Inner Diameter [mm] 45

References

11 53 1 718 982

Application info

3 (E30) (09/82-10/94)
5 (E34) (12/87-01/97)

Z1 (06/88-06/91)

5

Radiator hose
319 115 3138
 11 53 1 720 524

Notes

 for backflow
 from engine to heating radiator

References

11 53 1 720 524


Application info

5 (E34) (12/87-01/97)

Radiator hose
319 115 3139
 11 53 1 720 678

Notes

 Upper
 from engine to engine cooler

References

11 53 1 720 678

11 53 2 483 283


Application info

5 (E34) (12/87-01/97)

Radiator hose
319 115 3146
 11 53 1 720 720

Notes

 Upper
 from engine to engine cooler

References

11 53 1 720 720


Application info

3 (E36) (09/90-08/00)

5

319 115 3000

11 53 1 721 708

Radiator hose



Notes

Upper

References

11 53 1 721 708

Application info

3 (E36) (09/90-08/00)

319 115 3184

11 53 1 721 711

Radiator hose



Notes

Lower
from coolant regulator housing to
intake manifold

References

11 53 1 721 711

Application info

3 (E36) (09/90-08/00)

319 115 3141

11 53 1 722 215

Radiator hose



Notes

Upper
from radiator to intermediate piece

References

11 53 1 722 215

Application info

5 (E34) (12/87-01/97)

5

Radiator hose
319 115 3142
 11 53 1 722 218

Notes

Upper

References

11 53 1 718 997

11 53 1 722 218


Application info

3 (E30) (09/82-10/94)

Radiator hose
319 115 3185
 11 53 1 722 682

Notes

 Upper
 from radiator to intermediate piece

References

11 53 1 718 917

11 53 1 722 682


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Radiator hose
319 115 3187
 11 53 1 722 852

Notes

 Length [mm] 470
 Outer Diameter [mm] 42
 Inner Diameter [mm] 39
 from engine to engine cooler

References

11 53 1 722 852


Application info

5 (E34) (12/87-01/97)

5

319 115 3143

11 53 1 726 344

Radiator hose



Notes

Lower
from engine to engine cooler

References

11 53 1 726 344

Application info

3 (E36) (09/90-08/00)

319 115 3204

11 53 1 727 448

Radiator hose



Notes

Upper

References

11 53 1 727 448

Application info

3 (E36) (09/90-08/00)

319 222 0018

11 53 1 727 638

Radiator hose



Notes

from connecting pipe to engine

References

11 53 1 727 638

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

Radiator hose
319 115 3210
 11 53 1 730 351

Notes

from expansion tank to water pipe

References

11 53 1 730 351


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 115 3189
 11 53 1 730 928

Notes

 Lower
 from engine to engine cooler

References

11 53 1 730 928


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 222 0012
 11 53 1 734 455

Notes

Lower

References

11 53 1 727 449

11 53 1 734 455


Application info

3 (E36) (09/90-08/00)

319 115 3211

11 53 1 738 053

Radiator hose



Notes

from distributor to water pipe and cylinder head

References

11 53 1 738 053

Application info

3 (E36) (09/90-08/00)

319 115 3188

11 53 1 738 054

Radiator hose



Notes

Lower for backflow

References

11 53 1 726 506

11 53 1 738 054

Application info

5 (E34) (12/87-01/97)

319 222 0008

11 53 1 738 055

Radiator hose



Notes

Lower from heating cooler to engine

References

11 53 1 730 286

11 53 1 738 055

Application info

3 (E36) (09/90-08/00)

5

Radiator hose
319 115 3199

11 53 1 740 481

Notes

 Lower
 from engine to engine cooler

References

11 53 1 740 481


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3198

11 53 1 740 832

Notes

 Upper
 from engine to engine cooler

References

11 53 1 740 832


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 115 3002

11 53 1 741 404

References

11 53 1 741 404

11 53 1 747 845


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

319 115 3206

11 53 1 741 405

Radiator hose



Notes

Upper
from engine cooler to water pump

References

11 53 1 731 319
11 53 1 741 312

11 53 1 741 405

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3168

11 53 1 741 407

Radiator hose



Notes

Lower
from engine cooler to water pump

References

11 53 1 741 407

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

319 115 3215

11 53 1 741 408

Radiator hose



Notes

from engine cooler to water pump

References

11 53 1 741 408

Application info

7 (E38) (10/94-11/01)

5

Radiator hose
319 115 3214
 11 53 1 741 409

Notes

Upper

References

11 53 1 741 409


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Radiator hose
319 222 0010
 11 53 1 743 192

Notes

from engine to engine cooler

References

11 53 1 743 192


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 115 3197
 11 53 1 745 595

Notes

 Upper
 from engine cooler to water pump

References

11 53 1 745 595


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

5

319 222 0020

11 53 7 500 733

Radiator hose



Notes

Upper

References

11 53 7 500 733

Application info

X5 (E53) (05/00--)

319 135 4103

13 54 1 703 865

Radiator hose



Notes

Upper

References

13 54 1 703 865

Application info

3 (E36) (09/90-08/00)

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Z3 (E36/7, E36/8) (10/95-06/03)

319 135 4107

13 54 1 735 173

Radiator hose



Notes

from engine to thermostat

References

13 54 1 735 173

Application info

3 (E36) (09/90-08/00)

5

Radiator hose
319 135 4108

13 54 1 735 174

Notes

from thermostat to radiator

References

13 54 1 735 174


Application info

3 (E36) (09/90-08/00)

Radiator hose
319 171 1103

17 11 1 723 521

Notes

from expansion tank to engine cooler

References

17 11 1 723 521


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Radiator hose
319 222 0023

17 12 7 519 256

Notes

 Upper Left
 for foreflow
 from thermostat to radiator

References

17 12 7 519 256

Application info

5 (E60, E61) (07/03--)

5

319 222 0021

17 12 7 520 668

Radiator hose



Notes

Upper Left
EPDM (ethylene propylene diene
Monomer (M-class) rubber)
for foreflow

References

17 12 7 507 748

17 12 7 520 668

Application info

3 (E46) (02/98--)

319 222 0022

17 12 7 531 581

Radiator hose

Notes

Lower

References

17 12 7 531 581

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

319 222 0024

17 12 7 531 769

Radiator hose

Notes

Lower

References

17 12 7 531 769

Application info

3 (E90, E91, E92, E93) (01/05--)

5

Radiator hose
319 222 0025
 17 12 7 564 480

Notes

 Lower
 from engine to thermostat

References

17 12 7 564 480

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

Radiator hose
319 222 0026
Notes

 Upper
 for foreflow

References

17 12 7 540 127

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

Support, cooling fan
300 171 1101
 17 11 1 712 660

Notes

Front and Rear

References

17 11 1 712 660


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

5

028 271 0005

11 53 1 713 040

Thermostat



Notes

Opening Temperature [°C] 71
with seal

References

11 53 1 710 953 11 53 1 713 040
11 53 1 710 954

Application info

- | | |
|-----------------------|-----------------------|
| 3 (E30) (09/82-10/94) | 5 (E34) (12/87-01/97) |
| 3 (E36) (09/90-08/00) | 6 (E24) (04/76-09/90) |
| 3 (E46) (02/98--) | 7 (E23) (05/77-08/86) |
| 5 (E12) (08/72-08/81) | 7 (E32) (09/86-09/94) |
| 5 (E28) (06/80-12/87) | Z1 (06/88-06/91) |

028 280 0004

11 53 1 713 040

Thermostat



Notes

Opening Temperature [°C] 80
with seal

References

11 53 1 710 953 11 53 1 713 040
11 53 1 710 954

Application info

- | | |
|-----------------------|-----------------------|
| 3 (E30) (09/82-10/94) | 6 (E24) (04/76-09/90) |
| 3 (E36) (09/90-08/00) | 7 (E23) (05/77-08/86) |
| 5 (E12) (08/72-08/81) | 7 (E32) (09/86-09/94) |
| 5 (E28) (06/80-12/87) | Z1 (06/88-06/91) |
| 5 (E34) (12/87-01/97) | |

5

Thermostat

028 295 0001
 11 53 1 739 755

Notes

Opening Temperature [°C] 95
 Synthetic Material Housing
 with seal

References

11 53 1 247 125 11 53 1 739 755
 11 53 1 432 881



Application info

3 (E36) (09/90-08/00) Z3 (E36/7, E36/8) (10/95-06/03)
 5 (E34) (12/87-01/97)

Thermostat

028 271 0004
 11 53 7 511 580

Notes

Opening Temperature [°C] 71
 with seal

References

11 53 1 571 083 11 53 1 733 803
 11 53 1 712 043 11 53 1 743 528
 11 53 1 721 002 11 53 1 743 542
 11 53 1 721 003 11 53 7 511 083
 11 53 1 721 004 11 53 7 511 580



Application info

3 (E30) (09/82-10/94) 5 (E34) (12/87-01/97)
 3 (E36) (09/90-08/00) Z3 (E36/7, E36/8) (10/95-06/03)

Thermostat

028 275 0003
 11 53 7 511 580

Notes

Opening Temperature [°C] 75
 with seal

References

11 53 1 571 083 11 53 1 733 803
 11 53 1 712 043 11 53 1 743 528
 11 53 1 721 002 11 53 1 743 542
 11 53 1 721 003 11 53 7 511 083
 11 53 1 721 004 11 53 7 511 580



028 275 0003

11 53 7 511 580

Thermostat

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

028 288 0000

11 53 7 511 580

Thermostat



Notes

Opening Temperature [°C] 88
with seal

References

11 53 1 571 083	11 53 1 733 803
11 53 1 712 043	11 53 1 743 528
11 53 1 721 002	11 53 1 743 542
11 53 1 721 003	11 53 7 511 083
11 53 1 721 004	11 53 7 511 580

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

028 292 0005

11 53 7 511 580

Thermostat



Notes

Opening Temperature [°C] 92
with seal

References

11 53 1 571 083	11 53 1 733 803
11 53 1 712 043	11 53 1 743 528
11 53 1 721 002	11 53 1 743 542
11 53 1 721 003	11 53 7 511 083
11 53 1 721 004	11 53 7 511 580

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

Thermostat
028 265 0003
Notes

 Opening Temperature [°C] 65
 with seal

References

11 53 1 571 083	11 53 1 733 803
11 53 1 712 043	11 53 1 743 528
11 53 1 721 002	11 53 1 743 542
11 53 1 721 003	11 53 7 511 083
11 53 1 721 004	


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Thermostat housing
328 228 0001

11 53 1 720 173

Notes

with seal

References

11 53 1 720 173


Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)

Water pump
313 011 2100

11 51 0 007 039

Notes

with seal

References

11 51 0 007 039	11 51 1 734 269
11 51 1 727 123	


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

313 011 3100

11 51 0 007 042

Water pump



Notes

with seal

References

11 51 0 007 042
11 51 1 704 600
11 51 1 731 680

11 51 1 736 146
11 51 1 741 001
11 51 1 742 498

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

313 011 3300

11 51 0 007 043

Water pump



Notes

with seal

References

11 51 0 007 043
11 51 1 736 203

11 51 1 741 002
11 51 1 742 517

Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

313 011 4300

11 51 0 393 336

Water pump



Notes

with seal

References

11 51 0 393 336

11 51 1 713 266

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)

Water pump
313 011 3400

11 51 0 393 338

Notes

with seal

References

 11 51 0 393 338
 11 51 1 721 872
 11 51 1 727 468

 11 51 1 734 595
 11 51 1 734 602

Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Water pump
313 011 1300

11 51 0 393 339

Notes

with seal

References

 11 51 0 393 339
 11 51 1 704 702

11 51 1 741 980


Application info

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

Water pump
313 011 1100

11 51 0 393 340

Notes

with seal

References

 11 51 0 393 340
 11 51 1 742 598

11 51 1 742 647



5

+

313 011 1100

11 51 0 393 340

Water pump

+

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

313 011 0000

11 51 0 393 730

Water pump



Notes

Number of Ribs 5
with seal
for v-ribbed belt use

References

11 51 0 393 730 11 51 7 786 736
11 51 7 785 015

Application info

3 (E46) (02/98--)


5 (E39) (11/95-05/04)

5

313 011 1200

11 51 0 393 731

Water pump



Notes

Number of Ribs 5
with seal
for v-ribbed belt use

References

11 51 0 393 731 11 51 2 247 552
11 51 2 246 961

Application info

3 (E46) (02/98--)

Water pump
313 220 0007
 11 51 1 406 650

Notes

with seal

References

 11 51 1 401 284
 11 51 1 402 427

11 51 1 406 650


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Water pump
313 220 0005
 11 51 7 511 221

Notes

with seal

References

11 51 7 511 220

11 51 7 511 221


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)
 X3 (E83) (01/04--)
 Z4 (E85) (02/03--)
Water pump
313 011 2001
 11 51 7 527 799

Notes

with seal

References

 11 51 1 433 712
 11 51 1 433 828
 11 51 1 437 648
 11 51 1 722 536
 11 51 1 730 414
 11 51 1 740 241

 11 51 1 744 243
 11 51 7 503 884
 11 51 7 504 040
 11 51 7 527 799
 11 51 7 527 910
 11 53 1 433 828


313 011 2001

11 51 7 527 799

Water pump

Application info

3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

7 (E38) (10/94-11/01)
 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)
 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

313 220 0004

11 51 7 786 192

Water pump



Notes

Number of Ribs 5
with seal
for v-ribbed belt use

References

11 51 2 248 996 11 51 2 354 057
 11 51 2 354 055 11 51 7 786 192

Application info

3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
 X5 (E53) (05/00--)

313 220 0011

11 51 7 789 411

Water pump



Notes

Number of Ribs 7
with seal
for v-ribbed belt use

References

11 51 7 789 411

Application info

7 (E65, E66) (11/01--)

5

Water pump

313 220 0001
 11 51 7 805 808

Notes

Number of Ribs 6
 with seal
 for v-ribbed belt use

References

11 51 7 788 305 11 51 7 791 833
 11 51 7 790 322 11 51 7 805 808



Application info

1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)

5 (E60, E61) (07/03--)
 X3 (E83) (01/04--)

Water pump

313 220 0006
 11 51 7 805 810

Notes

Number of Ribs 6
 with seal
 for v-ribbed belt use

References

11 51 7 790 135 11 51 7 801 609
 11 51 7 791 834 11 51 7 805 810



Application info

1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

X3 (E83) (01/04--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)

Water pump

313 220 0009
 11 51 7 806 349

Notes

Number of Ribs 6
 with seal
 for v-ribbed belt use

References

11 51 7 788 306 11 51 7 806 349
 11 51 7 794 247



313 220 0009
11 51 7 806 349

Water pump

Application info

3 (E46) (02/98--)
7 (E65, E66) (11/01--)

X5 (E53) (05/00--)

313 220 0012
11 51 7 807 311

Water pump



Notes

Number of Ribs

6
with seal
for v-ribbed belt use

References

11 51 7 807 311

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)

X1 (E84) (03/09--)
X3 (E83) (01/04--)

313 220 0016
11 51 7 823 429

Water pump

Notes

Number of Ribs

6
with seal
for v-ribbed belt use

References

11 51 7 823 429

Application info

3 (E90, E91, E92, E93) (01/05--)

Water pump
313 011 3800
 11 51 9 069 529

Notes

with seal

References

11 51 0 032 679	11 51 2 245 745
11 51 2 243 003	11 51 2 246 128
11 51 2 244 333	11 51 9 068 606
11 51 2 245 687	11 51 9 069 529


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

Water pump
313 011 1900
 11 51 9 070 752

Notes

with seal

References

11 51 1 258 147	11 51 1 259 660
11 51 1 258 701	11 51 9 070 749
11 51 1 258 933	11 51 9 070 752


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)

Water pump
313 011 2700
 11 51 9 070 755

Notes

with seal

References

11 51 1 274 583	11 51 1 711 477
11 51 1 274 584	11 51 1 721 477
11 51 1 286 355	11 51 9 070 755
11 51 1 286 358	


Application info

3 (E30) (09/82-10/94)

5

313 011 2300

11 51 9 070 757

Water pump



Notes

with seal

References

11 51 1 251 230
11 51 1 253 143
11 51 1 263 934
11 51 1 266 096

11 51 1 705 236
11 51 1 705 273
11 51 9 070 756
11 51 9 070 757

Application info

2000/2500 (E3, E9) (10/65-04/77)
5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

313 011 2600

11 51 9 070 759

Water pump



Notes

with seal

References

11 51 1 719 836
11 51 1 720 609

11 51 9 070 758
11 51 9 070 759

Application info

3 (E30) (09/82-10/94)
5 (E34) (12/87-01/97)

Z1 (06/88-06/91)

313 011 2400

11 51 9 070 761

Water pump



Notes

with seal

References

11 51 1 271 436
11 51 1 272 613
11 51 1 286 417
11 51 1 707 190
11 51 1 707 191
11 51 1 707 192
11 51 1 707 193

11 51 1 720 881
11 51 1 720 883
11 51 1 720 892
11 51 1 720 893
11 51 9 061 160
11 51 9 070 761



Water pump
313 011 2400
 11 51 9 070 761

+

Application info

 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

Water pump
313 011 2900
 11 51 9 070 763

Notes

with seal

References

 11 51 1 715 292
 11 51 1 721 337

11 51 9 070 763


Application info

3 (E30) (09/82-10/94)

5 (E34) (12/87-01/97)

Water pump
313 011 2500
 11 51 9 071 562

Notes

with seal

References

 11 51 1 271 435
 11 51 1 272 616
 11 51 1 706 564
 11 51 1 706 588

 11 51 1 706 624
 11 51 1 711 492
 11 51 9 058 996
 11 51 9 071 562

Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)

5 (E28) (06/80-12/87)

5

313 011 4200

11 51 9 071 564

Water pump



Notes

with seal

References

11 51 2 242 176
11 51 2 242 677

11 51 9 071 564

Application info

5 (E34) (12/87-01/97)

313 011 2201

11 51 9 570 765

Water pump



Notes

with seal

References

11 51 1 284 247
11 51 1 284 580
11 51 1 285 510
11 51 1 287 580

11 51 2 241 641
11 51 2 242 675
11 51 9 070 764
11 51 9 570 765

Application info

3 (E30) (09/82-10/94)

014 036 0010

11 15 1 703 775

Breather hose



References

11 15 1 703 775

Application info

3 (E36) (09/90-08/00)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
Z3 (E36/7, E36/8) (10/95-06/03)

Breather hose
319 036 0001
 11 15 1 739 557

References
 11 15 1 739 557

Application info
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Breather hose
319 036 0002
 11 15 1 743 386

References
 11 15 1 743 386

Application info
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Breather hose
014 036 0011
 11 15 7 532 649

Notes

Lower Left

References
 11 15 1 437 641

11 15 7 532 649



014 036 0011

11 15 7 532 649

Breather hose

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

014 036 0012

11 61 1 432 559

Breather hose



Notes

Left Front

References

11 61 1 432 559

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

359 203 0014

11 61 7 504 536

Breather hose



References

11 61 7 504 536

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

Breather valve
314 040 0000
 11 12 7 547 058

References

11 12 7 547 058


Application info

 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)

 X5 (E53) (05/00--)
 X5 (E70) (02/07--)

Breather valve
314 036 0008
 11 15 1 703 484

References

11 15 1 703 484


Application info

 3 (E36) (09/90-08/00)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)

Breather valve
314 036 0005
 11 15 7 501 567

References

11 15 1 247 133

11 15 7 501 567



5

+

314 036 0005

11 15 7 501 567

Breather valve

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

314 036 0000

11 61 7 501 566

Breather valve



References

11 61 7 501 566

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)

014 049 0008

18 21 1 245 113

Muffler bracket



Notes

Front Silencer
End Silencer

References

18 21 1 245 113

Application info

2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)
5 (E12) (08/72-08/81)

6 (E24) (04/76-09/90)
M1 (E26) (05/79-05/83)

Air filter
312 137 2004
 13 71 1 247 465

Notes

	Filter Insert
Length [mm]	256
Width [mm]	150
Height [mm]	57

References

13 71 1 247 465	13 72 1 715 880
13 72 1 247 842	13 72 1 715 881
13 72 1 287 681	13 72 1 734 682
13 72 1 707 050	


Application info

3 (E30) (09/82-10/94)	7 (E32) (09/86-09/94)
3 (E36) (09/90-08/00)	8 (E31) (04/90-12/99)
5 (E28) (06/80-12/87)	Z1 (06/88-06/91)
5 (E34) (12/87-01/97)	

Air filter
312 137 1001
 13 71 2 246 416

Notes

	Filter Insert
Length [mm]	580
Width [mm]	165
Height [mm]	42

References

13 71 2 243 783	13 71 2 246 416
-----------------	-----------------


Application info

3 (E36) (09/90-08/00)	5 (E39) (11/95-05/04)
5 (E34) (12/87-01/97)	7 (E38) (10/94-11/01)

Air filter
312 321 0000
 13 71 2 246 997

Notes

	Filter Insert
Height [mm]	380
Outer Diameter [mm]	155
Inner Diameter [mm]	108

References

13 71 2 246 997



312 321 0000

13 71 2 246 997

Air filter

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
X3 (E83) (01/04--)

312 321 0001

13 71 2 247 444

Air filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
498
145
108.5

References

13 71 2 247 444

Application info

3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
X5 (E70) (02/07--)
X6 (E71) (05/08--)

312 321 0022

13 71 3 419 934

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
252
166
46

References

13 71 3 419 934

Application info

X3 (E83) (01/04--)

Air filter
312 321 0023
 13 71 3 428 558

Notes

	Filter Insert
Length [mm]	676
Width [mm]	134
Height [mm]	48

References

13 71 3 428 558


Application info

X3 (E83) (01/04--)

Air filter
312 321 0002
 13 71 7 503 141

Notes

	Filter Insert
Height [mm]	97
Outer Diameter [mm]	171
Inner Diameter [mm]	69

References

13 71 7 503 141


Application info

3 (E46) (02/98--)

Air filter
312 321 0005
 13 71 7 505 007

Notes

	Filter Insert
Length [mm]	294.5
Width [mm]	183
Height [mm]	63

References

13 71 7 256 008	13 71 7 526 008
13 71 7 505 007	


Application info

7 (E65, E66) (11/01--)

312 321 0011

13 71 7 509 544

Air filter



Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	85.2
Inner Diameter [mm]	187.5
	69.8

References

13 71 7 509 544

Application info

3 (E46) (02/98--)

312 321 0008

13 71 7 521 023

Air filter



Notes

Length [mm]	Filter Insert
Width 1 [mm]	312
Width [mm]	186.5
Height [mm]	274.5
	42

References

13 71 7 521 023

13 71 7 521 037

Application info


5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

312 321 0003

13 71 7 521 033

Air filter



Notes

Length [mm]	Filter Insert
Width [mm]	294
Height [mm]	230
	46

References

13 71 7 521 033

13 71 7 521 038

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Air filter
312 321 0016
 13 71 7 524 412

Notes

	Filter Insert
Height [mm]	197
Outer Diameter [mm]	143
Inner Diameter [mm]	69

References

13 71 7 524 412


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Air filter
312 321 0004
 13 71 7 532 754

Notes

	Filter Insert
Height [mm]	200
Outer Diameter [mm]	143
Inner Diameter [mm]	78.8

References

13 71 7 532 754


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Air filter
312 321 0020
 13 71 7 536 006

Notes

	Filter Insert
Height [mm]	173.6
Outer Diameter [mm]	176
Inner Diameter [mm]	80

References

13 71 7 536 006


Application info

1 (E81, E82, E87, E88) (11/03--)


3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

312 321 0007

13 71 7 542 294

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
267.8
250.2
50

References

13 71 7 542 294


Application info

3 (E90, E91, E92, E93) (01/05--)

312 321 0006

13 71 7 542 545

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
285
227
47

References

13 71 7 542 545

Application info


X3 (E83) (01/04--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

312 321 0024

13 71 7 548 888

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
355
243
38

References

13 71 7 548 888

Application info

X5 (E70) (02/07--)

5


Air filter
312 321 0028
 13 71 7 548 897

Notes

	Filter Insert
Length [mm]	295
Width 1 [mm]	75
Width [mm]	230
Height [mm]	38

References

13 71 7 548 897


Application info

X5 (E70) (02/07--)

Air filter
312 321 0029
 13 71 7 548 898

Notes

	Filter Insert
Length [mm]	295
Width 1 [mm]	75
Width [mm]	230
Height [mm]	38

References

13 71 7 548 898


Application info

X5 (E70) (02/07--)


Air filter
312 321 0021
 13 71 7 571 355

Notes

	Filter Insert
Length [mm]	276.5
Width [mm]	261.5
Height [mm]	35.2

References

13 71 7 571 355



5

+

312 321 0021

13 71 7 571 355

Air filter

Application info


5 (F07) (10/09--)
5 (F10, F11) (03/10--)
6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

X3 (F25) (09/10--)
X5 (E70) (02/07--)
X6 (E71) (05/08--)

312 321 0026

13 71 7 582 908

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
272
252
51

References

13 71 7 582 908

Application info

Z4 (E89) (05/09--)

312 321 0017

13 71 7 793 647

Air filter



Notes

Length [mm]
Width 1 [mm]
Width [mm]
Height [mm]

Filter Insert
312.6
170.4
273.1
47

References

13 71 7 793 647

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

Air filter
312 321 0013
 13 71 7 797 465

Notes

	Filter Insert
Length [mm]	300
Width [mm]	234
Height [mm]	70

References

13 71 7 797 465


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Air filter
312 321 0033
 13 71 7 800 151

Notes

	Filter Insert
Length [mm]	505
Width 1 [mm]	229
Width 2 [mm]	145
Height [mm]	44.8

References

13 71 7 800 151


Application info

 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

7 (F01, F02, F03, F04) (06/08--)

Air filter
312 321 0035
 13 71 7 811 026

Notes

	Filter Insert
Length [mm]	348
Width [mm]	269
Height 1 [mm]	93
Height 2 [mm]	22

References

13 71 7 811 026



312 321 0035

13 71 7 811 026

Air filter

Application info


X3 (F25) (09/10--)
X5 (E70) (02/07--)

X6 (E71) (05/08--)

312 321 0037

13 71 8 511 668

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
230
204
70

References

13 71 8 511 668


Application info

1 (F20, F21) (11/10--)

312 137 2008

13 72 1 247 404

Air filter



Notes

Length [mm]
Width [mm]
Height [mm]

Filter Insert
236
235
42

References

13 71 1 247 405
13 72 1 247 404

13 72 1 247 405

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)


Air filter
312 132 2015
 13 72 1 247 637

Notes

	Filter Insert
Length [mm]	233
Width [mm]	236
Height [mm]	50

References

13 72 1 247 637


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Air filter
312 137 2011
 13 72 1 702 907

Notes

	Filter Insert
Length [mm]	290
Width [mm]	150
Height [mm]	58

References

13 72 1 702 907

13 72 1 742 201


Application info

7 (E38) (10/94-11/01)

X5 (E53) (05/00-)

Air filter
312 137 2003
 13 72 1 707 021

Notes

	Filter Insert
Length [mm]	381
Width [mm]	150
Height [mm]	58

References

13 72 1 707 021

13 72 1 714 952


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

5

312 137 2010

13 72 1 726 916

Air filter



Notes

	Filter Insert
Length [mm]	327
Width [mm]	150
Height [mm]	58

References

13 72 1 311 880	13 72 1 726 916
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)

312 137 2005

13 72 1 730 946

Air filter



Notes

	Filter Insert
Length [mm]	243
Width [mm]	178
Height [mm]	57.5

References

13 72 1 730 946	13 72 1 738 462
-----------------	-----------------

Application info

3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

312 132 2007

13 72 1 736 675

Air filter



Notes

	Filter Insert
Length [mm]	256
Width [mm]	212
Height [mm]	58

References

13 71 1 736 675	13 72 1 736 562
13 72 1 433 933	13 72 1 736 675
13 72 1 702 158	13 72 1 747 280
13 72 1 733 562	



Air filter
312 132 2007
 13 72 1 736 675

Application info
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

 8 (E31) (04/90-12/99)
 X5 (E53) (05/00--)
 Z8 (E52) (06/00-06/03)

Air filter
312 137 2012
 13 72 1 744 869


Notes

 Length [mm]
 Width [mm]
 Height [mm]

 Filter Insert
 243
 178
 57.5

References

13 72 1 744 869


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 X3 (E83) (01/04--)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
Air filter
312 321 0027
 13 72 7 834 714

Notes

 Length [mm]
 Width [mm]
 Height [mm]

 Filter Insert
 257
 229
 57

References

13 72 7 834 714

Counterpart

312 321 0036


Application info


5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

312 321 0036

13 72 7 834 715

Air filter



Notes

Length [mm]	Filter Insert
Width [mm]	257
Height [mm]	229
	57

References

13 72 7 834 715

Counterpart

312 321 0027

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

312 321 0034

13 72 7 838 804

Air filter



Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	224
	161.2

References

13 72 7 838 804

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

014 910 1000

16 11 1 106 487

Cap, fuel tank



Notes

Diameter [mm]	44
	with lock
	with key

References

16 11 1 106 487



Cap, fuel tank
014 910 1000
 16 11 1 106 487

+ Application info

3 (E30) (09/82-10/94)	5 (E39) (11/95-05/04)
3 (E36) (09/90-08/00)	7 (E38) (10/94-11/01)
3 (E46) (02/98--)	8 (E31) (04/90-12/99)
5 (E34) (12/87-01/97)	Z3 (E36/7, E36/8) (10/95-06/03)

Fuel filter
314 133 2107
 13 32 1 268 231

Notes

Height [mm]	157
Diameter [mm]	81
	Aluminium

References

13 32 1 268 231	13 32 9 063 165
13 32 1 270 038	


Application info

3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
3 (E30) (09/82-10/94)	7 (E23) (05/77-08/86)
3 (E36) (09/90-08/00)	7 (E32) (09/86-09/94)
5 (E12) (08/72-08/81)	M1 (E26) (05/79-05/83)
5 (E28) (06/80-12/87)	Z1 (06/88-06/91)
5 (E34) (12/87-01/97)	

Fuel filter
314 133 2108
 13 32 1 268 231

Notes

Height [mm]	157
Diameter [mm]	81
	Steel

References

13 32 1 268 231	13 32 9 063 165
13 32 1 270 038	


Application info

3 (E21) (06/75-03/84)	6 (E24) (04/76-09/90)
3 (E30) (09/82-10/94)	7 (E23) (05/77-08/86)
3 (E36) (09/90-08/00)	7 (E32) (09/86-09/94)
5 (E12) (08/72-08/81)	M1 (E26) (05/79-05/83)
5 (E28) (06/80-12/87)	Z1 (06/88-06/91)
5 (E34) (12/87-01/97)	

314 323 0003

13 32 1 278 272

Fuel filter



Notes

Height [mm] 97
Diameter [mm] 30
Plastic

References

13 32 1 277 497 13 32 1 278 272

Application info

3 (E21) (06/75-03/84) 5 (E12) (08/72-08/81)
3 (E30) (09/82-10/94) 5 (E28) (06/80-12/87)

314 133 2109

13 32 1 702 632

Fuel filter



Notes

Height [mm] 300
Diameter [mm] 55.3
Aluminium

References

13 32 1 702 632 13 32 1 740 986
13 32 1 740 985

Application info

3 (E36) (09/90-08/00) 7 (E38) (10/94-11/01)
3 (E46) (02/98-) 8 (E31) (04/90-12/99)
5 (E34) (12/87-01/97) Z3 (E36/7, E36/8) (10/95-06/03)
5 (E39) (11/95-05/04)

314 323 0009

13 32 1 709 535

Fuel filter



Notes

Height [mm] 310
Diameter [mm] 75
Diameter 1 [mm] 55
Steel

References

13 32 1 709 535

5

+

Fuel filter
314 323 0009
 13 32 1 709 535

Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

X5 (E53) (05/00--)

Fuel filter
314 133 2106
 13 32 1 720 102

Notes

Height [mm]	205
Diameter [mm]	55
	Aluminium

References

13 32 1 713 807	13 32 1 720 101
13 32 1 713 808	13 32 1 720 102


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)
 Z1 (06/88-06/91)

Fuel filter
312 133 2001
 13 32 2 243 653

Notes

	Screw-on Filter
Port Thread	M16x1,5
Height [mm]	186.5
Diameter [mm]	86
	Steel

References

13 32 2 243 653


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 323 0006

13 32 7 512 019



Fuel filter

Notes

Height [mm] 315
Diameter [mm] 55
Aluminium

References

13 32 1 439 407 13 32 7 512 018
13 32 7 512 017 13 32 7 512 019

Application info

3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)

312 133 2002

13 32 7 786 647



Fuel filter

Notes

Port Thread M16x1,5
Height [mm] 182
Diameter [mm] 82
Steel
Zinc-coated

References

13 32 2 240 791 13 32 2 246 135
13 32 2 240 798 13 32 2 248 279
13 32 2 240 802 13 32 7 786 647
13 32 2 245 006

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)

314 323 0000

13 32 7 787 825



Fuel filter

Notes

Height [mm] 177
Diameter [mm] 84
Steel
Zinc-coated

References

13 32 7 785 350 13 32 7 787 825

5

+

Fuel filter
314 323 0000
 13 32 7 787 825

Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

X5 (E53) (05/00--)

Fuel filter
314 323 0001
 13 32 7 793 672

Notes

Height [mm]	251
Diameter [mm]	55
	Aluminium

References

13 32 7 793 672


Application info

3 (E90, E91, E92, E93) (01/05--)

Fuel filter
314 323 0002
 13 32 7 794 549

Notes

Height [mm]	274
Diameter [mm]	55
	Aluminium

References

13 32 7 787 476	13 32 7 794 549
-----------------	-----------------


Application info

3 (E46) (02/98--)

5

314 323 0011

13 32 7 811 227

Fuel filter



Notes

Height [mm] 250
 Diameter [mm] 55
 Aluminium

References

13 32 7 788 700 13 32 7 811 401

Application info

- 1 (E81, E82, E87, E88) (11/03--)
- 3 (E46) (02/98--)
- 5 (E60, E61) (07/03--)
- 5 (F07) (10/09--)
- 5 (F10, F11) (03/10--)
- 6 (E63, E64) (01/04--)
- 6 (F12, F13) (11/10--)
- 7 (E65, E66) (11/01--)
- 7 (F01, F02, F03, F04) (06/08--)
- X3 (E83) (01/04--)
- X5 (E70) (02/07--)
- X6 (E71) (05/08--)

314 323 0008

16 12 6 754 016

Fuel filter



Notes

Height [mm] 205.5
 Diameter [mm] 55
 Steel

References

16 12 6 754 016

Application info

- X5 (E53) (05/00--)

314 323 0007

16 12 6 765 756

Fuel filter



Notes

Height [mm] 274.6
 Diameter [mm] 54.9
 Diameter 1 [mm] 61
 Aluminium

References

16 12 6 765 756



Fuel filter
314 323 0007
 16 12 6 765 756

Application info
 X5 (E53) (05/00--)
 +

Fuel pump
314 034 0009
 16 11 6 755 043

Notes

Voltage [V]	Right
Pressure [bar]	12
	3.5
	Electric
	with fuel sender unit

References

16 11 6 752 626	16 11 6 755 044
16 11 6 753 898	16 14 6 750 604
16 11 6 755 043	

Parts list

314 034 0008	Fuel pump
--------------	-----------


Application info

 X5 (E53) (05/00--)
 5

Fuel pump
314 034 0001
 16 14 1 182 842

Notes

Voltage [V]	12
Pressure [bar]	3.5
	Electric
	with fuel sender unit
	with seal

References

16 14 1 180 504	16 14 1 183 139
16 14 1 182 842	16 14 6 758 736
16 14 1 182 843	


Application info

3 (E36) (09/90-08/00)

314 034 0006

16 14 1 184 748

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	0.5
	Electric
	with fuel sender unit

References

16 14 1 181 944	16 14 1 182 618
16 14 1 182 079	16 14 1 184 748

Application info

3 (E36) (09/90-08/00)

314 034 0007

16 14 6 768 488

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	0.5
	Electric
	with fuel sender unit

References

16 14 1 183 845	16 14 6 755 878
16 14 1 184 279	16 14 6 768 488
16 14 6 750 839	

Application info

3 (E46) (02/98--)

314 034 0008

16 11 6 755 043*

Fuel pump



Notes

Voltage [V]	12
Pressure [bar]	3.5
	Electric
	without tank sender unit

References

16 11 6 752 626	16 11 6 755 044*
16 11 6 753 898	16 14 6 750 604
16 11 6 755 043*	

Application info

X5 (E53) (05/00--)

Fuel pump
314 919 0000
 16 14 1 179 232

Notes

 Voltage [V] 12
 Pressure [bar] 3
 Electric

References

 16 12 1 115 862
 16 14 1 178 751
 16 14 1 179 232

Application info

 2000/2500 (E3, E9) (10/65-04/77)
 3 (E30) (09/82-10/94)
 5 (E12) (08/72-08/81)
 5 (E28) (06/80-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z1 (06/88-06/91)

Fuel pump
314 034 0003
 16 14 1 181 354

Notes

 Voltage [V] 12
 Pressure [bar] 3.5
 Electric

References

 16 14 1 178 839
 16 14 1 180 316
 16 14 1 181 354

Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

Fuel pump
314 034 0005
 16 14 1 183 178

Notes

 Voltage [V] 12
 Pressure [bar] 0.5
 Electric

References

16 14 1 183 178



5

+

314 034 0005

16 14 1 183 178

Fuel pump

Application info

5 (E39) (11/95-05/04)

314 919 0001

16 14 1 184 022

Fuel pump



Notes

Voltage [V]
Pressure [bar]

in fuel tank
12
3
Electric
with add-on material

References

16 14 1 179 711
16 14 1 179 992

16 14 1 184 022
16 14 2 226 815

Application info

3 (E30) (09/82-10/94)

314 034 0004

16 14 6 766 942

Fuel pump



Notes

Voltage [V]
Pressure [bar]

12
3.5
Electric
Petrol

References

16 14 1 184 276
16 14 6 752 499

16 14 6 766 942

Application info

3 (E46) (02/98--)

Intake manifold, air supply
300 137 1107
 13 71 1 726 205

Notes

with suction pipe

References

13 71 1 726 205

13 71 1 726 325


Application info

3 (E30) (09/82-10/94)

Intake manifold, air supply
300 137 1102
 13 71 1 726 208

Notes

with suction pipe

References

13 71 1 726 208


Application info

5 (E34) (12/87-01/97)

Suction hose, air filter
300 135 4103
 13 54 1 726 634

References

13 54 1 726 634


Application info

5 (E34) (12/87-01/97)

300 135 4101

13 54 1 738 757

Suction hose, air filter



References

13 54 1 738 757


Application info

3 (E36) (09/90-08/00)

314 036 0006

11 61 7 501 562

Vent valve



References

11 61 7 501 562

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

314 036 0007

11 61 7 501 563

Vent valve



References

11 61 7 501 563

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)

A/T oil pan gasket
314 139 0005
 24 10 1 423 380


Notes

Manufacturer Restriction

 Armstrong Paper
 Automatic Transmission, 5-speed

References

24 10 1 423 380


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 7 (E38) (10/94-11/01)
 Z4 (E85) (02/03--)
A/T oil pan gasket
300 241 1107
 24 11 1 217 082

Notes

 Automatic Transmission, 4-speed
 Elastomer

References

24 11 1 217 082


Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)
A/T oil pan gasket
314 139 0004
 24 11 1 421 367

Notes


Manufacturer Restriction

 with fastening material
 Farpak
 Automatic Transmission, 4-speed

References

24 11 1 218 850

24 11 1 421 367



5

+

314 139 0004

24 11 1 421 367

A/T oil pan gasket

Application info


3 (E36) (09/90-08/00)
3 (E46) (02/98--)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

300 241 1401

24 11 1 421 599

A/T oil pan gasket



Notes

Manufacturer Restriction

with fastening material
Farpak
Automatic Transmission, 4-speed

References

24 11 1 421 599

Application info


3 (E36) (09/90-08/00)
3 (E46) (02/98--)

5 (E34) (12/87-01/97)
Z3 (E36/7, E36/8) (10/95-06/03)

314 139 0002

24 11 1 422 676

A/T oil pan gasket



Notes

Automatic Transmission, 5-speed
Elastomer

References

24 11 1 422 676

Application info

5 (E39) (11/95-05/04)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

A/T oil pan gasket
314 139 0001
 24 11 7 524 707


Notes

 with fastening material
 Automatic Transmission, 5-speed
 Steel Elastomer

References

24 11 1 423 587

24 11 7 524 707


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 X3 (E83) (01/04--)

 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

A/T oil pan gasket
314 139 0003
 24 11 7 543 484


Notes

Manufacturer Restriction

 Farpak
 Automatic Transmission, 6-speed
 Piece

References

24 11 7 543 484


Application info

 7 (E65, E66) (11/01--)
 X3 (E83) (01/04--)

X5 (E53) (05/00--)

Buffer, oil pan
300 114 2101
 11 42 1 436 982

References

11 42 1 436 982



5

+

300 114 2101

11 42 1 436 982

Buffer, oil pan

Application info

5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 800 9001

11 12 1 743 294

Cap, oil filler



Notes

Plastic
angular

References

11 12 1 715 318
11 12 1 727 696
11 12 1 733 713
11 12 1 739 340

11 12 1 743 294
11 12 1 747 157
11 12 7 500 568
11 12 7 509 328

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
8 (E31) (04/90-12/99)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
X5 (E70) (02/07--)
X6 (E71) (05/08--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

314 114 0007

11 42 1 266 773

Oil filter



Notes

Thread Size
Height [mm]
Diameter [mm]

Screw-on Filter
3/4"-16 UNF
123
76

References

11 42 1 264 508

11 42 1 266 773

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
5 (E12) (08/72-08/81)

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
Z1 (06/88-06/91)

Oil filter
300 114 2102

11 42 1 716 192

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	103
Inner Diameter [mm]	25
	64
	with seal

References

11 42 1 432 097	11 42 1 716 192
-----------------	-----------------


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 5 (E34) (12/87-01/97)
 Z3 (E36/7, E36/8) (10/95-06/03)

Oil filter
300 114 2103

11 42 1 727 300

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	88
Inner Diameter [mm]	80
	27
	with seal

References

11 42 1 709 514	11 42 1 709 865
11 42 1 709 856	11 42 1 727 300


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Oil filter
300 114 2104

11 42 1 730 389

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	110
Inner Diameter [mm]	82
	28
	without gasket / seal

References

11 42 1 711 568	11 42 7 833 768
11 42 1 730 389	


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 114 0008

11 42 2 244 332

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
158
89
29
with seal

References

11 42 2 243 359

11 42 2 244 332

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

314 322 0001

11 42 2 246 131

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
160
82.5
36
with seal

References

11 42 2 246 131

Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 114 0001

11 42 2 247 018

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
115
64
31
with seal

References

11 42 2 247 018

Application info

3 (E46) (02/98--)

5 (E39) (11/95-05/04)

Oil filter
300 114 2200

11 42 2 247 392

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	79
Inner Diameter [mm]	68
	28.3
	with seal

References

11 42 2 247 392	11 42 8 513 376
11 42 8 513 375	


Application info

3 (E46) (02/98--)	7 (E38) (10/94-11/01)
5 (E39) (11/95-05/04)	X5 (E53) (05/00--)

Oil filter
314 114 0005

11 42 7 508 969

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	79
Inner Diameter [mm]	71.5
	31
	with seal

References

11 42 7 508 969


Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E85) (02/03--)
5 (E60, E61) (07/03--)	

Oil filter
314 114 0004

11 42 7 510 717

Notes

Height [mm]	Filter Insert
Outer Diameter [mm]	160.5
Inner Diameter [mm]	79.5
	25
	with seal

References

11 42 1 435 101	11 42 1 745 391
11 42 1 745 390	11 42 7 510 717



314 114 0004

11 42 7 510 717

Oil filter

Application info

5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)

8 (E31) (04/90-12/99)
X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

300 114 2701

11 42 7 512 300

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
104
82.5
42
with seal

References

11 42 1 427 908
11 42 1 740 534

11 42 7 509 430
11 42 7 512 300

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

314 322 0000

11 42 7 566 327

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
79
73.5
41
with seal

References

11 42 7 541 827

11 42 7 566 327

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)
7 (E65, E66) (11/01--)

7 (F01, F02, F03, F04) (06/08--)
X3 (E83) (01/04--)
X5 (E70) (02/07--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

Oil filter
314 114 0003

11 42 7 787 697

Notes

	Filter Insert
Height [mm]	155
Outer Diameter [mm]	63.5
Inner Diameter [mm]	31 with seal

References

11 42 7 787 697

Application info

1 (E81, E82, E87, E88) (11/03--)	5 (E60, E61) (07/03--)
3 (E46) (02/98--)	7 (E65, E66) (11/01--)
3 (E90, E91, E92, E93) (01/05--)	X3 (E83) (01/04--)

Oil filter
314 114 0006

11 42 7 788 460

Notes

	Filter Insert
Height [mm]	153
Outer Diameter [mm]	63.5
Inner Diameter [mm]	31 with seal

References

11 42 7 788 454	11 42 7 788 461
11 42 7 788 460	11 42 8 513 377

Application info

3 (E46) (02/98--)	X3 (E83) (01/04--)
3 (E90, E91, E92, E93) (01/05--)	X5 (E53) (05/00--)
5 (E60, E61) (07/03--)	X5 (E70) (02/07--)
6 (E63, E64) (01/04--)	X6 (E71) (05/08--)
7 (E65, E66) (11/01--)	

Oil filter
314 322 0002

11 42 7 808 443

Notes

	Filter Insert
Height [mm]	155
Outer Diameter [mm]	63
Inner Diameter [mm]	28 with seal

References

11 42 7 808 443

5

+

314 322 0002

11 42 7 808 443

Oil filter

Application info

3 (E90, E91, E92, E93) (01/05--)

7 (F01, F02, F03, F04) (06/08--)

300 114 2901

11 42 9 063 138

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
128.5
81
27.7
with seal

References

11 42 1 267 268
11 42 1 718 816

11 42 9 061 199
11 42 9 063 138

Application info

5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

314 114 0002

11 42 9 064 275

Oil filter



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Filter Insert
183
91
32
with seal

References

11 42 1 285 749
11 42 1 285 751

11 42 2 241 165
11 42 9 064 275

Application info

3 (E30) (09/82-10/94)

5 (E28) (06/80-12/87)

Oil hose
359 001 0001
 11 36 1 703 464

References

11 36 1 703 464


Application info

3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Oil pressure switch
314 126 1101
Notes

Number of Poles	1
Thread Size	M12 x 1,5
Spanner Size	24
Pressure from [bar]	0.2
Pressure to [bar]	0.5
	Hydraulic
	Opener
	Brown

References

 12 61 1 710 160
 12 61 1 710 509

12 61 7 568 480


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E24) (04/76-09/90)
 6 (E63, E64) (01/04--)
 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01--)
 7 (F01, F02, F03, F04) (06/08--)
 8 (E31) (04/90-12/99)
 X3 (E83) (01/04--)
 X5 (E53) (05/00--)
 X5 (E70) (02/07--)
 X6 (E71) (05/08--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z8 (E52) (06/00-06/03)

314 038 0002

11 12 7 793 164

Oil trap



References

11 12 7 793 164

Application info

3 (E46) (02/98--)
5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)
X5 (E53) (05/00--)

300 118 1123

11 81 1 094 149

Engine mount



Notes

Left
Hydro Bearing

References

11 81 1 094 149
11 81 1 139 819

11 81 4 407 513

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 118 1124

11 81 1 094 150

Engine mount



Notes

Right
Hydro Bearing

References

11 81 1 094 150
11 81 1 139 820

11 81 4 407 514



Engine mount
300 118 1124
 11 81 1 094 150

Application info

 5 (E34) (12/87-01/97)
 7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Engine mount
300 118 1103
 11 81 1 128 932

Notes

Rubber-metal Bearing

References

 11 81 1 128 932
 11 81 1 176 077

11 81 1 176 141


Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Engine mount
300 118 1102
 11 81 1 129 286


Notes

 Left and right
 Rubber-metal Bearing

References

11 81 1 129 286

11 81 1 176 387


Application info

3 (E30) (09/82-10/94)

5

300 118 1100

11 81 1 130 428

Engine mount



Notes

Left and right
Rubber-metal Bearing

References

11 81 1 130 428
11 81 1 175 979

11 81 1 176 211
11 81 1 176 212

Application info

5 (E28) (06/80-12/87)

300 118 1105

11 81 1 132 321

Engine mount



Notes

Left and right
Rubber-metal Bearing

References

11 81 1 132 321

11 81 1 175 212

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)

5 (E12) (08/72-08/81)

300 118 1101

11 81 1 132 323

Engine mount



Notes

Left and right
Rubber-metal Bearing

References

11 81 1 132 323

11 81 1 246 437

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)

5 (E12) (08/72-08/81)

Engine mount
300 118 1120


11 81 1 133 364

Notes

 Left and right
 Rubber-metal Bearing

References

11 81 1 133 364


Application info

5 (E34) (12/87-01/97)

Engine mount
300 118 1127

11 81 1 135 773

Notes

 Front
 Rubber-metal Bearing

References

11 81 1 135 773


Application info

5 (E34) (12/87-01/97)

Engine mount
314 030 0005

11 81 1 137 138

Notes

 Left and right
 Hydro Bearing

References

 11 81 1 137 138
 11 81 1 139 606

11 81 1 142 031


Application info

5 (E34) (12/87-01/97)

5

300 118 1126

11 81 1 138 879

Engine mount



Notes

Left and right
Rubber-metal Bearing

References

11 81 1 138 879

Application info

5 (E34) (12/87-01/97)

300 221 1601

11 81 1 139 883

Engine mount



Notes

Front
Left and right
Hydro Bearing

References

11 81 1 139 883

Application info

3 (E36) (09/90-08/00)

300 118 1115

11 81 1 141 889

Engine mount



Notes

Left
Hydro Bearing

References

11 81 1 141 889

Application info

3 (E36) (09/90-08/00)

5

Engine mount
300 118 1111
 11 81 1 175 736

Notes

 Left and right
 Rubber-metal Bearing

References

11 81 1 175 736


Application info

5 (E28) (06/80-12/87)

Engine mount
314 030 0003
 11 81 2 283 798

Notes

Hydro Bearing

References

 11 81 1 136 542
 11 81 2 228 298

 11 81 2 283 798
 11 81 7 837 985

Counterpart

314 030 0006


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 3 (E90, E91, E92, E93) (01/05--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Engine mount
300 221 1103
 22 11 1 092 823

Notes

 Left
 with flange
 Hydro Bearing

References

 22 11 1 092 823
 22 11 1 092 895

22 11 1 141 791

Counterpart

300 221 1104


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 221 1104

22 11 1 092 824

Engine mount



Notes

Right
with flange
Hydro Bearing

References

22 11 1 092 824
22 11 1 092 896

22 11 1 141 792

Counterpart

300 221 1103

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

314 030 0001

22 11 1 094 248

Engine mount



Notes

Left and right
Hydro Bearing

References

22 11 1 092 508
22 11 1 094 159

22 11 1 094 248

Application info

5 (E39) (11/95-05/04)

300 221 1128

22 11 1 096 514

Engine mount



Notes

Right
Hydro Bearing

References

22 11 1 096 514

Counterpart

300 221 1127

Application info

5 (E39) (11/95-05/04)

Engine mount
300 221 1130
 22 11 3 400 339

Notes

 Left Front
 Hydro Bearing

References

22 11 3 400 339

Counterpart

300 221 1131


Application info

X3 (E83) (01/04--)

Engine mount
300 221 1131
 22 11 3 400 340

Notes

 Right Front
 Hydro Bearing

References

22 11 3 400 340

Counterpart

300 221 1130


Application info

X3 (E83) (01/04--)

Engine mount
300 221 1135
 22 11 3 414 583

Notes

 Right Front
 Hydro Bearing

References

22 11 3 414 583

22 11 3 428 398

Counterpart

300 221 1136


Application info

X3 (E83) (01/04--)

300 221 1136

22 11 3 414 584

Engine mount



Notes

Left Front
Hydro Bearing

References

22 11 3 414 584

22 11 3 428 397

Counterpart

300 221 1135

Application info

X3 (E83) (01/04--)

300 221 1134

22 11 3 415 176

Engine mount



Notes

Left Front
Hydro Bearing

References

22 11 3 415 176

Application info

X3 (E83) (01/04--)

300 221 1132

22 11 3 421 295

Engine mount



Notes

Left Front
Hydro Bearing

References

22 11 3 400 335

22 11 3 421 295

Application info

X3 (E83) (01/04--)

5

Engine mount
300 221 1133
 22 11 3 421 296

Notes

 Right Front
 Hydro Bearing

References

22 11 3 400 336

22 11 3 421 296


Application info

X3 (E83) (01/04--)

Engine mount
300 221 1110
 22 11 3 421 299

Notes

 Left
 Hydro Bearing

References

22 11 3 400 341

22 11 3 421 299


Application info

X3 (E83) (01/04--)

Engine mount
300 221 1111
 22 11 3 421 300

Notes

 Right
 Hydro Bearing

References

22 11 3 400 342

22 11 3 421 300


Application info

X3 (E83) (01/04--)

300 221 1112
22 11 3 453 257

Engine mount



Notes

Right
Hydro Bearing

References

22 11 3 453 257

Application info

X3 (E83) (01/04--)

314 030 0006
22 11 6 750 862

Engine mount



Notes

Right
Hydro Bearing

References

22 11 6 750 862

Counterpart

314 030 0003

Application info

3 (E46) (02/98--)

300 221 1127
22 11 6 751 281

Engine mount



Notes

Left
Hydro Bearing

References

22 11 1 097 153
22 11 6 750 039

22 11 6 751 281

Counterpart

300 221 1128

Application info

5 (E39) (11/95-05/04)

5

Engine mount
300 221 1600
 22 11 6 754 608

Notes

 Left and right
 Hydro Bearing

References

11 81 2 294 282	22 11 4 000 410
22 11 1 091 971	22 11 4 414 035
22 11 1 094 073	22 11 4 414 037
22 11 1 094 364	22 11 4 438 631
22 11 1 094 365	22 11 4 438 907
22 11 1 095 517	22 11 4 516 677
22 11 1 097 267	22 11 6 754 608


Application info

5 (E39) (11/95-05/04)

Engine mount
300 221 1139
 22 11 6 760 330

Notes

Hydro Bearing

References

22 11 6 760 330


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Engine mount
300 221 1124
 22 11 6 761 089

Notes

 Left
 Hydro Bearing

References

22 11 6 761 089

Counterpart

300 221 1125


Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

300 221 1125

22 11 6 761 090

Engine mount



Notes

Right
Hydro Bearing

References

22 11 6 761 090

Counterpart

300 221 1124

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

300 221 1113

22 11 6 768 799

Engine mount



Notes

Left
Hydro Bearing

References

22 11 6 768 799

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

300 221 1114

22 11 6 768 800

Engine mount



Notes

Hydro Bearing

References

22 11 6 768 800

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Engine mount
300 221 1115
 22 11 6 768 852

Notes

Hydro Bearing

References

22 11 6 768 852


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Engine mount
300 221 1116
 22 11 6 768 853

Notes

Hydro Bearing

References

22 11 6 768 853


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Engine mount
300 221 1123
 22 11 6 770 793

Notes

 Left and right
 Front
 Hydro Bearing

References

22 11 6 758 428

22 11 6 770 793


Application info

X5 (E53) (05/00--)

300 221 1120
22 11 6 770 794

Engine mount



Notes

Front
Left and right
Hydro Bearing

References

22 11 6 758 430

22 11 6 770 794

Application info

X5 (E53) (05/00--)

300 221 1140
22 11 6 771 362

Engine mount



Notes

Right
for manual transmission
Hydro Bearing

References

22 11 6 756 018

22 11 6 771 362

Application info

3 (E46) (02/98--)

300 221 1126
22 11 6 773 742

Engine mount



Notes

Left and right
Front
Hydro Bearing

References

22 11 6 773 742


Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)


X1 (E84) (03/09--)

Engine mount		300 221 1138 22 11 6 773 744
Notes	Right Front Hydro Bearing	
References	22 11 4 048 652 22 11 6 772 152	22 11 6 773 744

Application info	1 (E81, E82, E87, E88) (11/03--) 3 (E90, E91, E92, E93) (01/05--)	Z4 (E89) (05/09--)
-------------------------	--	--------------------

Engine mount		314 030 0002 22 11 6 773 903
Notes	Left and right Hydro Bearing	
References	22 11 6 750 109 22 11 6 765 186	

Application info	3 (E46) (02/98--)
-------------------------	-------------------

Engine mount		300 221 1117 22 11 6 774 619	
Notes	Left Hydro Bearing		
References	22 11 6 770 725 22 11 6 774 619		22 11 7 761 091
Counterpart	300 221 1118		

Application info	5 (E60, E61) (07/03--)	6 (E63, E64) (01/04--)
-------------------------	------------------------	------------------------

300 221 1118

22 11 6 774 620

Engine mount



Notes

Right
Hydro Bearing

References

22 11 6 761 092
22 11 6 770 726

22 11 6 774 620

Counterpart

300 221 1117

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

300 118 1107

22 11 6 779 970

Engine mount



Notes

Left and right
Hydro Bearing

References

11 81 1 092 583
11 81 1 140 985
22 11 1 095 444

22 11 6 771 361
22 11 6 779 970

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 221 1102

22 11 6 779 972

Engine mount



Notes

Right Front
Hydro Bearing

References

22 11 1 094 814
22 11 6 771 360

22 11 6 779 972

Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

5

Engine mount
300 221 1101
 22 11 6 785 583

Notes

 Left Front
 Hydro Bearing

References

 22 11 1 094 813
 22 11 6 771 359

 22 11 6 779 971
 22 11 6 785 583

Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)


Engine mount
314 030 0010
 22 11 6 785 601

Notes

Hydro Bearing

References

22 11 6 785 601


Application info

5 (F07) (10/09--)

5 (F10, F11) (03/10--)

Engine mount
314 030 0011
 22 11 6 785 602

Notes

 Right
 Hydro Bearing

References

22 11 6 785 602


Application info

5 (F07) (10/09--)

5 (F10, F11) (03/10--)

300 221 1149

Engine mount



Notes

Left
Hydro Bearing

References

22 11 6 752 741

Application info

5 (E39) (11/95-05/04)

300 221 1150

Engine mount



Notes

Right
Hydro Bearing

References

22 11 6 752 742

Application info

5 (E39) (11/95-05/04)

300 123 1101

12 31 1 268 433

Mount, alternator



Notes

Height [mm]	Lower
Outer Diameter [mm]	19.3
Outer Diameter [mm]	22.9
Outer Diameter [mm]	28.5
Inner Diameter [mm]	15
	for alternator

References

12 31 1 268 433

12 31 8 602 181

Application info

3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
5 (E12) (08/72-08/81)

5 (E28) (06/80-12/87)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)

Mount, alternator
300 123 1102

12 31 1 268 435

Notes

	Upper
Height [mm]	8.2
Outer Diameter [mm]	26.6
Outer Diameter [mm]	21
Inner Diameter [mm]	15
	for alternator

References

12 31 1 268 435


Application info

 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)
 5 (E12) (08/72-08/81)

 5 (E28) (06/80-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)

Mount, alternator
300 123 1103

12 31 1 715 490

Notes

	Upper
Height [mm]	38.5
Outer Diameter [mm]	13.5
Outer Diameter [mm]	20
Outer Diameter [mm]	28
Inner Diameter [mm]	8
	for alternator

References

12 31 1 715 490


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

Mount, alternator
300 123 1104

12 31 1 715 491

Notes

	Lower
Height [mm]	35
Outer Diameter [mm]	28
Outer Diameter [mm]	13.5
Outer Diameter [mm]	20
Inner Diameter [mm]	8
	for alternator

References

12 31 1 715 491



5

+

300 123 1104
12 31 1 715 491

Mount, alternator



Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

5 (E34) (12/87-01/97)

5

Hydraulic pump, P/S
314 631 0008
 32 41 1 092 135

Notes

 Aluminium
 Hydraulic

References

32 41 1 092 135

32 41 1 093 578


Application info

7 (E38) (10/94-11/01)

Hydraulic pump, P/S
314 631 0000
 32 41 1 092 433

Notes

Manufacturer Restriction

 LuK
 Aluminium
 Hydraulic

References

32 41 1 092 433

32 41 1 092 954


Application info

3 (E36) (09/90-08/00)

Hydraulic pump, P/S
314 631 0007
 32 41 1 092 742

Notes

 Aluminium
 Hydraulic

References

32 41 1 092 741

32 41 1 094 098

32 41 1 092 742

32 41 1 097 149

32 41 1 093 040


Application info

5 (E39) (11/95-05/04)

314 631 0002
32 41 1 093 577

Hydraulic pump, P/S



Notes

Aluminium
Hydraulic

References

32 41 1 093 360

32 41 1 093 577

Application info

3 (E36) (09/90-08/00)

314 631 0003
32 41 1 094 962

Hydraulic pump, P/S



Notes

Manufacturer Restriction

ZF
Aluminium
Hydraulic

References

32 41 1 094 962

32 41 6 750 111

Application info

3 (E46) (02/98--)

314 631 0004
32 41 1 094 965

Hydraulic pump, P/S



Notes

Manufacturer Restriction

LUK
Aluminium
Hydraulic

References

32 41 1 094 965

Application info

3 (E46) (02/98--)


Hydraulic pump, P/S
314 631 0014
 32 41 1 095 749

Notes

 Aluminium
 Hydraulic

References

32 41 1 095 155	32 41 6 754 172
32 41 1 095 748	32 41 6 756 575
32 41 1 095 749	32 41 6 756 930
32 41 3 413 807	32 41 6 757 465
32 41 3 450 765	


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)

 X3 (E83) (01/04--)
 X5 (E53) (05/00--)
Hydraulic pump, P/S
314 631 0006
 32 41 1 133 158

Notes

Manufacturer Restriction

 ZF
 Aluminium
 Hydraulic

References

32 41 1 133 158	32 41 1 133 386
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

Hydraulic pump, P/S
314 631 0009
 32 41 1 133 969

Notes

 Aluminium
 Hydraulic

References

32 41 1 126 845	32 41 1 133 969
32 41 1 127 046	32 41 1 133 970
32 41 1 128 040	32 41 1 136 205
32 41 1 132 189	32 41 1 141 243
32 41 1 132 936	


Application info

 3 (E30) (09/82-10/94)
 5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

314 631 0001
32 41 1 141 419

Hydraulic pump, P/S



Notes

Manufacturer Restriction ZF
Aluminium
Hydraulic

References

32 41 1 137 835	32 41 1 141 045
32 41 1 138 122	32 41 1 141 046
32 41 1 141 039	32 41 1 141 417
32 41 1 141 040	32 41 1 141 419

Application info

3 (E36) (09/90-08/00)

314 631 0015
32 41 6 760 036

Hydraulic pump, P/S



Notes

Manufacturer Restriction LUK
Aluminium
Hydraulic

References


32 41 6 750 423	32 41 6 760 036
-----------------	-----------------

Application info

3 (E46) (02/98--)

359 203 0001
32 41 1 091 975

P/S hose



Notes

for backflow

References

32 41 1 091 975

Application info

7 (E38) (10/94-11/01)

P/S hose
359 203 0002

32 41 1 091 976

Notes

for backflow

References

32 41 1 091 976


Application info

7 (E38) (10/94-11/01)

P/S hose
359 203 0003

32 41 1 093 129

Notes

 Lower
 for backflow

References

32 41 1 091 974

32 41 1 093 129


Application info

7 (E38) (10/94-11/01)

P/S hose
359 203 0004

32 41 1 093 149

Notes

 for left-hand drive vehicles
 for backflow

References

32 41 1 093 149


Application info

5 (E39) (11/95-05/04)

6

359 203 0005

32 41 1 093 247

P/S hose



References

32 41 1 092 087

32 41 1 093 247

Application info

3 (E36) (09/90-08/00)

359 202 0003

32 41 1 093 460

P/S hose



References

32 41 1 093 460

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

359 202 0005

32 41 1 093 727

P/S hose



References

32 41 1 093 727

Application info

7 (E38) (10/94-11/01)

6

P/S hose
359 202 0008

32 41 1 093 728

References

32 41 1 093 728


Application info

7 (E38) (10/94-11/01)

P/S hose
359 202 0002

32 41 1 093 929

References

32 41 1 093 929


Application info

7 (E38) (10/94-11/01)

P/S hose
359 203 0006

32 41 1 094 306

Notes

 Upper
 for backflow

References

32 41 1 094 306


Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

6

359 202 0007
32 41 1 094 841

P/S hose



Notes

for left-hand drive vehicles
Pressure Line

References

32 41 1 094 841

Application info

5 (E39) (11/95-05/04)

359 632 0002
32 41 1 094 951

P/S hose



Notes

for backflow

References

32 41 1 094 951

Application info

3 (E46) (02/98--)

359 203 0013
32 41 1 095 515

P/S hose



Notes

for backflow

References

32 41 1 095 515

Application info

5 (E39) (11/95-05/04)

6

P/S hose
359 202 0001
 32 41 1 095 526

Notes

 Front Axle
 Suction Pipe

References

32 41 1 093 130

32 41 1 095 526


Application info

 3 (E46) (02/98--)
 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

 X5 (E53) (05/00--)
 Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 202 0010
 32 41 1 138 419

References

32 41 1 138 419


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 203 0011
 32 41 1 141 505

Notes

for backflow

References

32 41 1 141 505


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

359 203 0012
32 41 1 141 714

P/S hose



Notes

for backflow

References

32 41 1 141 714

Application info

3 (E36) (09/90-08/00)

359 202 0016
32 41 1 141 716

P/S hose



Notes

for vehicles with ride height control
for left-hand drive vehicles

References

32 41 1 141 716

Application info

5 (E34) (12/87-01/97)

359 202 0021
32 41 1 141 858

P/S hose



References

32 41 1 141 858

Application info

7 (E38) (10/94-11/01)

6

P/S hose
359 202 0018

32 41 1 141 859

References

32 41 1 141 859


Application info

7 (E38) (10/94-11/01)

P/S hose
359 202 0019

32 41 1 141 953

Notes

Pressure Line

References

32 41 1 141 953


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

P/S hose
359 202 0020

32 41 6 764 725

References

32 41 1 094 949

32 41 6 764 725


Application info

3 (E46) (02/98--)

6

300 322 1101
32 21 1 136 452

Idler arm bushing



Notes

Outer Diameter [mm]

Front Axle
27

References

32 21 1 129 807
32 21 1 133 698

32 21 1 136 452

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)

314 632 0000
32 41 1 097 164

P/S fluid reservoir



Notes

with filter

References

32 41 1 097 164

32 41 6 851 217

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)
X3 (E83) (01/04--)
X5 (E53) (05/00--)
Z3 (E36/7, E36/8) (10/95-06/03)
Z8 (E52) (06/00-06/03)

Steering arm

316 322 1101
 32 21 1 136 450

Notes

Outer Diameter [mm]

 Front Axle
 with rubber mounting
 27

References

 32 21 1 123 881
 32 21 1 129 051
 32 21 1 129 978
 32 21 1 130 661

 32 21 1 131 067
 32 21 1 133 699
 32 21 1 136 450

Parts list

300 322 1101

Idler arm bushing



Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Steering boot

300 321 1101
 32 11 1 117 426

Notes

for vehicles without power steering

References

 32 11 1 116 068
 32 11 1 117 426

32 11 1 117 698



Application info

3 (E21) (06/75-03/84)

3 (E30) (09/82-10/94)

Steering boot

300 321 1100
 32 11 1 127 104

References

32 11 1 127 104



6

+

300 321 1100
32 11 1 127 104

Steering boot

Application info
3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

300 321 3106
32 13 1 092 876

Steering boot



Notes

Front Axle Left
Front Axle Right
for vehicles with power steering

References

32 13 1 092 876

Application info
5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

300 322 1104
32 21 1 139 786

Steering boot



Notes

Front Axle Left
Front Axle Right
for vehicles with power steering
Piece

References

32 11 1 137 070

32 21 1 139 786

Application info
3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Steering boot kit

300 620 0000
 32 10 6 765 234

Notes

 Manufacturer Restriction
 Height [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle Left
 Front Axle Right
 ZF
 195
 16
 64
 Thermoplast
 with accessories

References

32 10 6 765 234

32 10 6 782 252


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Steering boot kit

100 620 0007
 32 10 6 765 782

Notes
References

32 10 6 765 782

32 10 6 785 993

 Front Axle Left
 Front Axle Right
 with accessories

Application info

 5 (E60, E61) (07/03--)
 5 (F07) (10/09--)
 6 (E63, E64) (01/04--)

 7 (F01, F02, F03, F04) (06/08--)
 X3 (E83) (01/04--)

Steering boot kit

300 321 3601
 32 13 6 751 026

Notes

 Height [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Front Axle Left
 Front Axle Right
 200
 16
 67
 Thermoplast
 with accessories

References

32 13 6 751 026



300 321 3601
32 13 6 751 026

Steering boot kit

Application info

5 (E60, E61) (07/03--)
7 (E65, E66) (11/01--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)

300 322 1104/S
32 21 1 139 786

Steering boot kit



Notes

Height [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle Left
Front Axle Right
for vehicles with power steering
185
37
51
with accessories

References

32 11 1 137 070

32 21 1 139 786

Parts list

300 322 1104

Steering boot

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

314 620 0001/S
32 21 1 139 786

Steering boot kit



Notes

Height [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Front Axle Left
Front Axle Right
for vehicles with power steering
37
185
51
with accessories
Kit

References

32 11 1 137 070

32 21 1 139 786

Parts list

300 322 1104/S

Steering boot kit

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Gasket set, steering rack
300 321 3101
 32 13 1 094 629

Notes

Front Axle

References

32 13 1 094 629

32 13 1 140 867


Application info

3 (E36) (09/90-08/00)


Gasket set, steering rack
300 321 3100
 32 13 1 132 798

Notes

Front Axle

References

32 13 1 132 798


Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

Mount, steering rack
300 321 1102
 32 11 1 120 433

Notes

 Front Axle Left
 Front Axle Right
 for vehicles without power steering
 39

Inner Diameter [mm]

References

32 11 1 116 318

32 11 1 120 433


Application info

3 (E21) (06/75-03/84)

316 030 3044
32 10 3 444 999*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
219
M18x1,5
M14x1,5

References

32 10 3 412 798*
32 10 3 444 999*
32 10 6 780 985*
32 10 6 793 496*

32 21 6 751 277*
32 21 6 773 741*
32 30 3 418 204*

Application info

X3 (E83) (01/04--)
X5 (E53) (05/00--)

X5 (E70) (02/07--)
X6 (E71) (05/08--)

316 031 0005
32 10 6 765 235*

Axial rod



Notes

Length [mm]
Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
for vehicles with power steering
256
ZF
M18x1,5
M14x1,5

References

32 10 6 765 235*
32 10 6 765 236*

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 031 0008
32 10 6 768 879*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
260
M18x1,5
M14x1,5

References

32 10 6 768 879*
32 10 6 768 880*

6

+

316 031 0003
32 10 6 777 479*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
239
M18x1,5
M16x1,5

References

32 10 6 774 347
32 10 6 777 479*
32 21 6 762 403

32 21 6 767 861
32 21 6 777 451*

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

316 030 4600
32 10 6 777 503*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
207
M18x1,5
M14x1,5

References

32 10 6 774 222*
32 10 6 774 223*
32 10 6 777 503*

32 10 6 777 504*
32 11 1 096 897*
32 21 1 096 898*

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 031 0011
32 10 6 784 716*

Axial rod



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
245
M18x1,5
M14x1,5

References

32 10 6 784 716*

32 10 6 784 719*

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

Axial rod
316 031 0013
 32 10 6 792 029*

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	247
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5

References

32 10 6 792 029*	32 10 6 792 030*
------------------	------------------

Application info

1 (F20, F21) (11/10--)	3 (F30, F31) (10/11--)
------------------------	------------------------

Axial rod
316 031 0012
 32 10 6 799 960*

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	253
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5

References

32 10 6 799 960*	32 10 6 799 965*
------------------	------------------


Application info

1 (F20, F21) (11/10--)	3 (F34) (03/13--)
3 (F30, F31) (10/11--)	4 (F32, F33) (07/13--)

Axial rod
316 030 0000
 32 11 1 094 673*

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	174
Thread Measurement 1	M18x1,5
Thread Measurement 2	M16x1

References

32 11 1 091 767	32 11 1 093 770
32 11 1 091 768	32 11 1 094 673*
32 11 1 091 769	32 11 1 094 674*
32 11 1 093 769	


Application info

5 (E39) (11/95-05/04)

316 030 4303
32 11 1 125 186*

Axial rod



Notes

Length [mm]	230
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5

References

32 11 1 125 186*	32 11 1 126 620
------------------	-----------------

Counterpart

316 030 4305

Application info

3 (E30) (09/82-10/94)

316 030 4305
32 11 1 125 187*

Axial rod



Notes

Length [mm]	231
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5

Front Axle Right
for vehicles with steering damper

References

32 11 1 125 187*

Counterpart

316 030 4303

Application info

3 (E30) (09/82-10/94)

316 030 4342
32 11 1 139 315*

Axial rod



Notes

Length [mm]	205
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5

Front Axle Left
Front Axle Right

References

32 11 1 139 315*	32 11 1 139 316*
------------------	------------------

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Axial rod

316 031 0004

32 21 6 762 243*

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	246
Manufacturer Restriction	TRW
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5

References

32 21 6 762 243*	32 21 6 762 244*
------------------	------------------



Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	

Drag link

316 040 4349

32 21 1 096 057

Notes

	Front Axle middle for left-hand drive vehicles
	889
Length [mm]	M12x1,5
Thread Measurement 1	M12x1,5
Thread Measurement 2	Guide Rod

References

32 21 1 091 913	32 21 1 093 435
32 21 1 091 917	32 21 1 096 057
32 21 1 093 433	



Application info

7 (E38) (10/94-11/01)

Drag link

316 040 4353

32 21 1 096 058

Notes

	Front Axle middle for right-hand drive vehicles
	889
Length [mm]	M12x1,5
Thread Measurement 1	M12x1,5
Thread Measurement 2	Guide Rod

References

32 21 1 091 914	32 21 1 093 436
32 21 1 091 918	32 21 1 096 058
32 21 1 093 434	



316 040 4353
32 21 1 096 058

Drag link

Application info
7 (E38) (10/94-11/01)

316 040 4226
32 21 1 129 014

Drag link



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle middle
for left-hand drive vehicles
480
M10x1
M10x1
Guide Rod

References

32 21 1 124 232
32 21 1 124 906
32 21 1 127 136

32 21 1 127 272
32 21 1 129 014

Application info
5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

316 040 4315
32 21 1 138 850

Drag link



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle middle
for left-hand drive vehicles
533
M10x1
M10x1
Guide Rod

References

32 21 1 138 850

Application info
7 (E32) (09/86-09/94)

Drag link
316 040 4336
 32 21 1 138 855

Notes

Front Axle middle
 for right-hand drive vehicles

Length [mm] 525
 Thread Measurement 1 M10x1
 Thread Measurement 2 M10x1
 Guide Rod

References

32 21 1 130 662 32 21 1 136 686
 32 21 1 133 618 32 21 1 138 855


Application info

5 (E34) (12/87-01/97)

Drag link
316 040 4331
 32 21 1 138 864

Notes

Front Axle middle
 for left-hand drive vehicles

Length [mm] 534
 Thread Measurement 1 M10x1
 Thread Measurement 2 M10x1
 Guide Rod

References

32 21 1 130 661 32 21 1 138 854
 32 21 1 133 615 32 21 1 138 864
 32 21 1 136 685


Application info

5 (E34) (12/87-01/97)

Drag link
316 040 0137
 32 21 9 057 204

Notes

Front Axle middle

Length [mm] 475
 Thread Measurement 1 M10x1
 Thread Measurement 2 M10x1
 Guide Rod

References

32 21 1 103 077 32 21 1 145 106
 32 21 1 107 076 32 21 9 057 204


Application info

 02 (E6, E10, E20) (04/66-07/77)
 1600 GT Coupe (10/67-05/69)

2000/2500 (E3, E9) (10/65-04/77)

6

316 030 0009
32 10 3 444 999

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
M14x1,5
M18x1,5

References

32 10 3 412 798
32 10 3 444 999

32 30 3 418 204

Parts list

316 030 3044
316 020 0006

Axial rod
Tie rod end

Application info

X3 (E83) (01/04--)

316 030 0017/HD
32 10 6 765 235

Tie rod assembly



Notes

Reinforced Version

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Left
ZF
M14x1,5
M18x1,5

References

32 10 6 765 235

Parts list

316 031 0005
316 020 0007/HD

Axial rod
Tie rod end

Counterpart

316 030 0018/HD

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

6

Tie rod assembly

316 030 0018/HD

32 10 6 765 236

Notes

Reinforced Version	Front Axle Right
Manufacturer Restriction	ZF
Thread Measurement 1	M14x1,5
Thread Measurement 2	M18x1,5

References

32 10 6 765 236

Parts list

316 031 0005	Axial rod
316 020 0008/HD	Tie rod end

Counterpart

316 030 0017/HD


Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E89) (05/09--)

Tie rod assembly
316 030 0014

32 10 6 768 879

Notes

Thread Measurement 1	Front Axle Left
Thread Measurement 2	M14x1,5
	M18x1,5

References

32 10 6 768 879	32 10 6 793 621
-----------------	-----------------

Parts list

316 031 0008	Axial rod
316 020 0010	Tie rod end

Counterpart

316 030 0015


Application info

3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)
----------------------------------	--------------------

316 030 0015
32 10 6 768 880

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Right
M14x1,5
M18x1,5

References

32 10 6 768 880

32 10 6 793 622

Parts list

316 031 0008
316 020 0009

Axial rod
Tie rod end

Counterpart

316 030 0014

Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 030 0006
32 10 6 774 318

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
M12x1,5
M18x1,5

References

32 10 6 774 318

32 21 6 751 039

Parts list

316 031 0010
316 020 0014

Axial rod
Tie rod end

Counterpart

316 030 0024

Application info

3 (E46) (02/98--)

6

Tie rod assembly
316 030 0024
 32 10 6 774 319

Notes

Thread Measurement 1 Front Axle Right
 M12x1,5
 Thread Measurement 2 M18x1,5

References

32 10 6 774 319 32 21 6 751 040
 32 10 6 774 919

Parts list

316 031 0010 Axial rod
 316 020 0015 Tie rod end

Counterpart

316 030 0006


Application info

3 (E46) (02/98--)

Tie rod assembly

316 030 0010/HD
 32 10 6 774 336

Notes

Reinforced Version Front Axle Left
 Front Axle Right
 Thread Measurement 1 M14x1,5
 Thread Measurement 2 M14x1,5

References

32 10 6 774 336 32 21 6 760 470
 32 21 6 751 277

Parts list

316 030 3044 Axial rod
 316 020 0005/HD Tie rod end


Application info

X5 (E53) (05/00--)

Tie rod assembly
316 030 0001
 32 10 6 777 268

Notes

Thread Measurement 1 Front Axle Left
 Front Axle Right
 M14x1,5
 Thread Measurement 2 M16x1,5

References

32 10 6 774 360 32 21 6 756 368
 32 10 6 777 268

Parts list

316 030 3042 Axial rod
 316 030 0002 Tie rod end



316 030 0001
32 10 6 777 268

Tie rod assembly

Application info
7 (E65, E66) (11/01--)

316 030 0011
32 10 6 777 479

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
M14x1,5
M18x1,5

References

32 10 6 774 347
32 10 6 777 479

32 21 6 762 403

Parts list

316 031 0003
316 030 0002

Axial rod
Tie rod end

Application info
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

316 030 0004
32 10 6 777 503

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
M12x1,5
M18x1,5

References

32 10 6 774 222
32 10 6 777 503
32 11 1 096 897

32 21 1 095 955
32 21 1 096 897

Parts list

316 030 4600
316 020 4603

Axial rod
Tie rod end

Counterpart

316 030 0005

Application info
3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Tie rod assembly
316 030 0005
 32 10 6 777 504

Notes

Thread Measurement 1 Front Axle Right
 Thread Measurement 2 M12x1,5
 M18x1,5

References

32 10 6 774 223 32 21 1 095 956
 32 10 6 777 504 32 21 1 096 898
 32 11 1 096 898

Parts list

316 030 4600 Axial rod
 316 020 4604 Tie rod end

Counterpart

316 030 0004


Application info

3 (E46) (02/98--)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Tie rod assembly
316 030 0021
 32 10 6 780 985

Notes

Thread Measurement 1 Front Axle Left
 Thread Measurement 2 Front Axle Right
 M14x1,5
 M18x1,5

References

32 10 6 780 985 32 21 6 773 741
 32 10 6 793 496

Parts list

316 030 3044 Axial rod
 316 020 0020 Tie rod end


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

6

316 030 4355
32 11 1 094 673

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
M12x1,5
M18x1,5

References

32 11 1 091 767
32 11 1 093 769

32 11 1 094 673
32 21 1 094 673

Parts list

316 030 0000
316 020 0002

Axial rod
Tie rod end

Counterpart

316 030 4354

Application info

5 (E39) (11/95-05/04)

316 030 4354
32 11 1 094 674

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Right
M12x1,5
M18x1,5

References

32 11 1 091 768
32 11 1 093 770

32 11 1 094 674
32 21 1 094 674

Parts list

316 030 0000
316 020 0003

Axial rod
Tie rod end

Counterpart

316 030 4355

Application info

5 (E39) (11/95-05/04)

316 030 4210
32 11 1 115 229

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
M10x1
M14x1,5

References

32 11 1 115 229

Parts list

316 020 3042

Tie rod end



Tie rod assembly
316 030 4210
 32 11 1 115 229

Application info
 3 (E21) (06/75-03/84)

Tie rod assembly
316 030 4301
 32 11 1 125 186

Notes

 Thread Measurement 1 M10x1
 Thread Measurement 2 M18x1,5

References

32 11 1 125 186

Parts list

 316 030 4303 Axial rod
 316 020 4302 Tie rod end

Counterpart

316 030 4304


Application info

3 (E30) (09/82-10/94)

Tie rod assembly
316 030 4304
 32 11 1 125 187

Notes

 Thread Measurement 1 M10x1
 Thread Measurement 2 M18x1,5
 Front Axle Right
 for vehicles with steering damper

References

32 11 1 125 187

Parts list

 316 030 4305 Axial rod
 316 020 4302 Tie rod end

Counterpart

316 030 4301


Application info

3 (E30) (09/82-10/94)

316 030 4339
32 11 1 139 315

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Left
M10x1
M18x1,5

References

32 11 1 139 315

32 11 1 139 317

Parts list

316 030 4342
316 020 4341

Axial rod
Tie rod end

Counterpart

316 030 4340

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 030 4340
32 11 1 139 316

Tie rod assembly



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Right
M10x1
M18x1,5

References

32 11 1 139 316

Parts list

316 030 4342
316 020 4344

Axial rod
Tie rod end

Counterpart

316 030 4339

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 030 0138
32 21 1 103 076

Tie rod assembly



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
361
M14x1,5
M14x1,5

References

32 21 1 103 076
32 21 2 775 000

32 21 2 775 002

6

+

Tie rod assembly
316 030 0138
 32 21 1 103 076

Application info

 02 (E6, E10, E20) (04/66-07/77)
 1600 GT Coupe (10/67-05/69)

2000/2500 (E3, E9) (10/65-04/77)

Tie rod assembly
316 030 3049
 32 21 1 117 212

Notes

	Front Axle Left
	Front Axle Right
Thread Measurement 1	M10x1
Thread Measurement 2	M10x1

References

32 21 1 117 212	32 21 1 118 619
-----------------	-----------------


Application info

7 (E23) (05/77-08/86)

Tie rod assembly
316 030 4214
 32 21 1 135 666

Notes

	Front Axle Left
	Front Axle Right
Thread Measurement 1	M10x1
Thread Measurement 2	M10x1

References

32 21 1 124 231	32 21 1 135 666
32 21 1 129 020	32 21 1 135 668

Parts list

316 020 4215	Tie rod end
316 020 4216	Tie rod end


Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

316 030 0012/HD
32 21 6 762 243

Tie rod assembly



Notes

Reinforced Version

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Left
TRW
M14x1,5
M18x1,5

References

32 21 6 762 243

Parts list

316 031 0004
316 020 0007/HD

Axial rod
Tie rod end

Counterpart

316 030 0013/HD

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 030 0013/HD
32 21 6 762 244

Tie rod assembly



Notes

Reinforced Version

Manufacturer Restriction
Thread Measurement 1
Thread Measurement 2

Front Axle Right
TRW
M14x1,5
M18x1,5

References

32 21 6 762 244

Parts list

316 031 0004
316 020 0008/HD

Axial rod
Tie rod end

Counterpart

316 030 0012/HD

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Tie rod assembly

316 030 0016

32 21 6 777 451

Notes

	Front Axle Left
	Front Axle Right
Thread Measurement 1	M14x1,5
Thread Measurement 2	M18x1,5

References

32 21 6 767 861	32 21 6 777 451
-----------------	-----------------

Parts list

316 031 0003	Axial rod
316 020 0011	Tie rod end



Application info

5 (E60, E61) (07/03--)

Tie rod end


316 020 0007/HD

32 10 6 765 089

Notes

Reinforced Version	
	Front Axle Left
Length [mm]	135
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

32 10 6 765 089	32 10 6 767 781
-----------------	-----------------

Counterpart

316 020 0008/HD



Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Tie rod end


316 020 0008/HD

32 10 6 765 090

Notes

Reinforced Version	
	Front Axle Right
Length [mm]	135
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

32 10 6 765 090	32 10 6 767 782
-----------------	-----------------

Counterpart

316 020 0007/HD



316 020 0008/HD
32 10 6 765 090

Tie rod end



Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 020 4603
32 10 6 774 220

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
242
M12x1,5
M14x1,5

References

32 10 6 774 220

32 21 1 095 957

Counterpart

316 020 4604

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 020 4604
32 10 6 774 221

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
242
M12x1,5
M14x1,5

References

32 10 6 774 221

32 21 1 095 958

Counterpart

316 020 4603

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Tie rod end
316 020 0014
 32 10 6 774 320

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	192
Thread Measurement 2	M12x1,5
	M14x1,5

References

32 10 6 774 320	32 21 6 751 041
-----------------	-----------------

Counterpart

316 020 0015


Application info

3 (E46) (02/98--)

Tie rod end
316 020 0015
 32 10 6 774 321

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	192
Thread Measurement 2	M12x1,5
	M14x1,5

References


32 10 6 774 321	32 21 6 751 042
-----------------	-----------------

Counterpart

316 020 0014


Application info

3 (E46) (02/98--)

Tie rod end

316 020 0005/HD
 32 10 6 774 335

Notes

Reinforced Version	Front Axle Left
	Front Axle Right
Length [mm]	190
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

32 10 6 774 335	32 21 6 760 354
32 21 1 096 327	


Application info

X5 (E53) (05/00--)

316 030 0002
32 10 6 776 946

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
156
M14x1,5
M16x1,5

References

32 10 6 774 361
32 10 6 776 946

32 21 6 756 369

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

316 020 0020
32 10 6 780 984

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
185
M14x1,5
M14x1,5

References

32 10 6 780 984
32 10 6 793 497

32 21 6 773 739

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

316 020 0024
32 10 6 784 790

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
160
M14x1,5
M14x1,5

References

32 10 6 784 790

Counterpart

316 020 0023

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

Tie rod end
316 020 0023
 32 10 6 784 796

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	160
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 784 796

Counterpart

316 020 0024


Application info

5 (F07) (10/09--)	6 (F12, F13) (11/10--)
5 (F10, F11) (03/10--)	7 (F01, F02, F03, F04) (06/08--)

Tie rod end
316 020 0010
 32 10 6 793 623

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	122
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 769 073	32 10 6 793 623
-----------------	-----------------

Counterpart

316 020 0009


Application info

3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)
----------------------------------	--------------------

Tie rod end
316 020 0009
 32 10 6 793 624

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	110
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 769 074	32 10 6 793 624
-----------------	-----------------

Counterpart

316 020 0010


Application info

3 (E90, E91, E92, E93) (01/05--)	X1 (E84) (03/09--)
----------------------------------	--------------------

316 020 0028
32 10 6 797 617

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	150
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 797 617

Counterpart

316 020 0027

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33) (07/13--)

316 020 0027
32 10 6 797 618

Tie rod end



Notes

Length [mm]	Front Axle Right
Thread Measurement 1	150
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 797 618

Counterpart

316 020 0028

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33) (07/13--)

316 020 0026
32 10 6 799 966

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	150
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 799 966

Counterpart

316 020 0025

6

+

Tie rod end
316 020 0026
 32 10 6 799 966

Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 4 (F32, F33) (07/13--)

Tie rod end
316 020 0025
 32 10 6 799 967

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	150
Thread Measurement 2	M14x1,5
	M14x1,5

References

32 10 6 799 967

Counterpart

316 020 0026


Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 4 (F32, F33) (07/13--)

Tie rod end
316 020 0002
 32 11 1 094 673*

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	227
Thread Measurement 2	M12x1,5
	M16x1

References

32 11 1 094 673*

Counterpart

316 020 0003


Application info

5 (E39) (11/95-05/04)

6

316 020 0003
32 11 1 094 674*

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
227
M12x1,5
M16x1

References

32 11 1 094 674*

Counterpart

316 020 0002

Application info

5 (E39) (11/95-05/04)

316 020 4374
32 11 1 094 676

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
230
M12x1,5
M16x1,5

References

32 11 1 091 770
32 11 1 094 676

32 21 1 091 724

Counterpart

316 020 4375

Application info

5 (E39) (11/95-05/04)

316 020 3042
32 11 1 116 463

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
76
M10x1
M14x1,5

References

32 11 1 116 463

Application info

3 (E21) (06/75-03/84)

Tie rod end
316 020 4302

32 11 1 126 757

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	Front Axle Right
Thread Measurement 2	200
	M10x1
	M14x1,5

References

32 11 1 126 757


Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

Tie rod end
316 020 4341

32 11 1 139 313

Notes

Length [mm]	Front Axle Left
Thread Measurement 1	210
Thread Measurement 2	M10x1
	M14x1,5

References

32 11 1 139 313

Counterpart

316 020 4344


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Tie rod end
316 020 4344

32 11 1 139 314

Notes

Length [mm]	Front Axle Right
Thread Measurement 1	210
Thread Measurement 2	M10x1
	M14x1,5

References

32 11 1 139 314

Counterpart

316 020 4341


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 020 4375
32 21 1 091 723

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	220
Thread Measurement 2	M12x1,5
	M16x1,5

References

32 21 1 091 723

Counterpart

316 020 4374

Application info

5 (E39) (11/95-05/04)

316 020 4216
32 21 1 135 819

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	Front Axle Right
Thread Measurement 2	80
	M10x1
	M14x1,5
	with left-hand thread

References

32 21 1 127 918
32 21 1 130 001

32 21 1 135 819

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)
8 (E31) (04/90-12/99)

316 020 4215
32 21 1 135 820

Tie rod end



Notes

Length [mm]	Front Axle Left
Thread Measurement 1	Front Axle Right
Thread Measurement 2	80
	M10x1
	M14x1,5
	with right-hand thread

References

32 21 1 127 917
32 21 1 130 004

32 21 1 135 820

Tie rod end
316 020 4215
 32 21 1 135 820

Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 8 (E31) (04/90-12/99)

Tie rod end
316 020 4350
 32 21 1 141 345

Notes

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 219
 M12x1,5
 M16x1,5
 with left-hand thread

References

32 21 1 141 345

Counterpart

316 020 4351


Application info

7 (E38) (10/94-11/01)

Tie rod end
316 020 4351
 32 21 1 141 346

Notes

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 219
 M12x1,5
 M16x1,5
 with right-hand thread

References

32 21 1 141 346

Counterpart

316 020 4350


Application info

7 (E38) (10/94-11/01)

316 020 0011
32 21 6 767 860

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
156
M14x1,5
M16x1,5

References

32 21 6 767 860

Application info

5 (E60, E61) (07/03--)

316 020 0006
32 30 3 418 202

Tie rod end



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
210
M14x1,5
M14x1,5

References

32 30 3 418 202

32 41 3 413 476

Application info

X3 (E83) (01/04--)

6

Ball joint
316 010 0008

31 10 3 418 341

Notes

Thread Size

 Front Axle Left
 Front Axle Right
 M14x1,5
 with accessories

References

31 10 3 412 726

31 10 3 418 341


Application info

X3 (E83) (01/04--)

Ball joint
316 010 0011

31 10 3 438 623

Notes

Thread Size

 Front Axle Left
 Front Axle Right
 M14x1,5
 with accessories

References

31 10 0 363 476

31 10 3 438 623


Application info

X3 (E83) (01/04--)

Ball joint
316 010 4306

31 12 1 127 725*

Notes

 Thread Size
 Height [mm]
 Outer Diameter [mm]

 Front Axle Left
 Front Axle Right
 inner
 M14x1,5
 126
 41

References

31 12 1 127 725*

31 12 1 127 726*


Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

316 010 4307
31 12 1 127 725*

Ball joint



Notes

	Front Axle Left
	Front Axle Right
	Outer
Thread Size	M12x1,5
Height [mm]	54
Outer Diameter [mm]	41

References

31 12 1 126 254	31 12 1 127 726*
31 12 1 127 725*	

Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

316 010 4305/HD
31 12 2 282 121*

Ball joint 



Notes

Reinforced Version	Front Axle Left
	Front Axle Right
	inner
Thread Size	M14x1,5
Height [mm]	132
Outer Diameter [mm]	41

References

31 12 1 094 465*	31 12 6 752 718*
31 12 1 094 466*	31 12 6 758 519*
31 12 1 752 717*	31 12 6 758 520*
31 12 2 282 121*	31 12 6 770 247*
31 12 2 282 122*	31 12 6 770 248*
31 12 6 750 223*	31 12 6 774 819*
31 12 6 750 224*	31 12 6 774 820*
31 12 6 751 317*	31 12 6 777 851*
31 12 6 751 318*	31 12 6 777 852*
31 12 6 752 717*	

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Ball joint
316 010 0002
 31 12 6 756 491

Notes

Thread Size

 Front Axle Left
 Front Axle Right
 M14x1,5
 with accessories

References

31 12 1 096 425

31 12 6 756 491


Application info

X5 (E53) (05/00--)

Ball joint

316 010 0003/HD
 31 12 6 758 510

Notes

Reinforced Version

 Thread Size
 Height [mm]
 Outer Diameter [mm]

 Front Axle Left
 Front Axle Right
 Outer
 M12x1,5
 76
 49
 with roadworthy certificate

References

 31 12 1 096 685
 31 12 1 140 398

31 12 6 758 510


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 Z3 (E36/7, E36/8) (10/95-06/03)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Ball joint
316 010 4345
 31 12 6 758 514*

Notes

 Thread Size
 Height [mm]
 Outer Diameter [mm]

 Front Axle Left
 Front Axle Right
 inner
 M14x1,5
 136
 41

References

31 12 6 758 513*

31 12 6 758 514*



316 010 4345
31 12 6 758 514*

Ball joint

Application info
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 010 0015
31 12 6 768 988

Ball joint



Notes

Thread Size

Front Axle Left
Front Axle Right
M14x1,5
with accessories

References

31 12 6 768 988

Application info
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 010 0014
31 12 6 775 967*

Ball joint



Notes

only in connection with

Front Axle Left
Front Axle Right
Upper
316 050 0044/HD
with accessories

References

31 12 6 775 967*
31 12 6 779 871*

31 12 6 779 908*

Application info
5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

Ball joint
316 010 0016
 31 12 6 777 753

Notes

 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 Front Axle Right
 M16x1,5
 M30x1,5

References

31 12 6 777 753

Application info

 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

 6 (F12, F13) (11/10--)
 7 (F01, F02, F03, F04) (06/08--)

Ball joint
316 010 0141
 31 13 1 103 834

Notes

 Length [mm]
 Thread Size

 Front Axle Left
 Front Axle Right
 8.5
 M12x1,5

References

31 13 1 103 834

31 13 1 108 439


Application info

 02 (E6, E10, E20) (04/66-07/77)
 1600 GT Coupe (10/67-05/69)

2000/2500 (E3, E9) (10/65-04/77)

Bracket, control arm
300 311 0002
 31 12 1 136 531

Notes

 Front Axle Left
 with rubber mounting
 with accessories

References

31 12 1 136 531

Parts list

300 311 3003

Mount, control arm

Counterpart

300 311 0003



300 311 0002

31 12 1 136 531

Bracket, control arm

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 610 0001

31 12 1 136 531

Bracket, control arm



Notes

Front Axle Left
Front Axle Right
with rubber mounting
Kit

References

31 12 1 136 531

31 12 1 136 532

Parts list

300 311 0002
300 311 0003

Bracket, control arm
Bracket, control arm

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 311 0003

31 12 1 136 532

Bracket, control arm



Notes

Front Axle Right
with rubber mounting
with accessories

References

31 12 1 136 532

Parts list

300 311 3003

Mount, control arm

Counterpart

300 311 0002

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Bracket, control arm

300 311 2604/HD
 31 12 6 783 376

Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 with rubber mounting
 with accessories
 Kit

References

31 12 1 095 277	31 12 6 751 435
31 12 1 095 278	31 12 6 751 436
31 12 1 096 284	31 12 6 753 059
31 12 1 096 983	31 12 6 753 060
31 12 1 096 984	31 12 6 754 899
31 12 4 004 359	31 12 6 754 900
31 12 4 004 360	31 12 6 757 623
31 12 6 750 221	31 12 6 777 850
31 12 6 750 222	31 12 6 783 376

Parts list

300 311 2919/HD	Mount, control arm
-----------------	--------------------


Application info

3 (E46) (02/98--)	Z4 (E86) (03/06--)
Z4 (E85) (02/03--)	

Control arm

316 050 0027/HD
 31 10 3 443 127

Notes

Reinforced Version

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 444
 Steel

Length [mm]

References

31 110 0363 477	31 10 3 443 127
-----------------	-----------------

Parts list

300 311 2104/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 0028/HD


Application info

X3 (E83) (01/04--)

316 050 0028/HD
31 10 3 443 128

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Control Arm
with rubber mounting
444
Steel

Length [mm]

References

31 10 0 363 478

31 10 3 443 128

Parts list

300 311 2104/HD

Control arm bushing

Counterpart

316 050 0027/HD

Application info

X3 (E83) (01/04--)

316 050 0015/HD
31 10 3 451 881

Control arm



Notes

Reinforced Version

Front Axle Left
Rear
Control Arm
with rubber mounting
278
M14x1,5
Steel

Length [mm]

Thread Size

References

31 10 3 412 135

31 10 3 415 027

31 10 3 418 337

31 10 3 426 433

31 10 3 451 881

31 12 0 360 275

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0016/HD

Application info

X3 (E83) (01/04--)

Control arm

316 050 0016/HD
31 10 3 451 882
Notes

Reinforced Version

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 278
 M14x1,5
 Steel

 Length [mm]
 Thread Size

References

 31 10 3 412 136
 31 10 3 415 028
 31 10 3 418 338

 31 10 3 426 434
 31 10 3 451 882

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0015/HD


Application info

X3 (E83) (01/04--)

Control arm
316 050 0060
31 10 6 787 673
Notes

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 425

Length [mm]

References

31 10 6 787 673

Parts list

314 610 0019

Control arm bushing

Counterpart

316 050 0061


Application info

X3 (F25) (09/10--)

316 050 0061
31 10 6 787 674

Control arm



Notes

Front Axle Right
Front
Control Arm
with rubber mounting
425

Length [mm]

References

31 10 6 787 674

Parts list

314 610 0019

Control arm bushing

Counterpart

316 050 0060

Application info

X3 (F25) (09/10--)

316 050 0029/HD
31 12 1 092 609

Control arm



Notes

Reinforced Version

Front Axle Left
Rear
Control Arm
with rubber mounting
450
M14x1,5
Aluminium

Length [mm]

Thread Size

References

31 12 1 092 609

31 12 1 092 819

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 0030/HD

Application info

5 (E39) (11/95-05/04)

Control arm

316 050 0030/HD

31 12 1 092 610

Notes

Reinforced Version

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 450
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 1 092 610

31 12 1 092 820

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 0029/HD


Application info

5 (E39) (11/95-05/04)

Control arm
316 050 3901

31 12 1 094 233

Notes

 Front Axle Left
 Rear
 Control Arm
 with rubber mounting
 314
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 1 093 449

31 12 1 094 233

31 12 9 069 568

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 3902


Application info

5 (E39) (11/95-05/04)

316 050 3902
31 12 1 094 234

Control arm



Notes

Front Axle Right
Rear
Control Arm
with rubber mounting
314
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 1 093 450
31 12 1 094 234

31 12 2 341 296
31 12 9 069 568

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 3901

Application info

5 (E39) (11/95-05/04)

316 050 4206
31 12 1 123 025

Control arm



Notes

Front Axle Left
Lower
Control Arm
with rubber mounting
294
M12x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 123 025

Parts list

300 311 2101

Control arm bushing

Counterpart

316 050 4207

Application info

3 (E21) (06/75-03/84)

Control arm
316 050 4207
 31 12 1 123 026

Notes

Front Axle Right
 Lower
 Control Arm
 with rubber mounting
 294
 M12x1,5
 Steel

Length [mm]
 Thread Size

References

31 12 1 123 026 31 12 1 123 027

Parts list

300 311 2101 Control arm bushing

Counterpart

316 050 4206


Application info

3 (E21) (06/75-03/84)

Control arm
316 050 4367
 31 12 1 127 725

Notes

Front Axle Left
 Control Arm
 with ball joint
 M14x1,5
 M12x1,5
 Steel

Thread Measurement 1
 Thread Measurement 2

References

31 12 1 127 725 31 12 1 701 059

Parts list

316 010 4306 Ball joint
 316 010 4307 Ball joint

Counterpart

316 050 4366


Application info

3 (E30) (09/82-10/94)

316 050 4366
31 12 1 127 726

Control arm



Notes

Thread Measurement 1
Thread Measurement 2

Front Axle Right
Control Arm
with ball joint
M14x1,5
M12x1,5
Steel

References

31 12 1 127 726

31 12 1 701 060

Parts list

316 010 4306
316 010 4307

Ball joint
Ball joint

Counterpart

316 050 4367

Application info

3 (E30) (09/82-10/94)

316 050 4223/HD

31 12 1 132 353

Control arm



Notes

Reinforced Version

Length [mm]
Thread Size

Front Axle Left
Rear
Control Arm
with rubber mounting
388
M14x1,5
Steel

References

31 12 1 124 954
31 12 1 125 549
31 12 1 125 551
31 12 1 127 141

31 12 1 129 245
31 12 1 132 345
31 12 1 132 353

Parts list

300 311 2906/HD

Control arm bushing

Counterpart

316 050 4224/HD

Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Control arm

316 050 4224/HD

31 12 1 132 354

Notes

Reinforced Version

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 388
 M14x1,5
 Steel

 Length [mm]
 Thread Size

References

31 12 1 124 955	31 12 1 129 246
31 12 1 125 550	31 12 1 132 346
31 12 1 125 552	31 12 1 132 354
31 12 1 127 142	

Parts list

300 311 2906/HD	Control arm bushing
-----------------	---------------------

Counterpart

316 050 4223/HD


Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Control arm
316 050 4371

31 12 1 139 987

Notes

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 325
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 1 133 237	32 21 1 139 987
31 12 1 139 987	

Parts list

300 311 2107	Control arm bushing
--------------	---------------------

Counterpart

316 050 4370


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

316 050 4370
31 12 1 139 988

Control arm



Notes

Front Axle Right
Front
Control Arm
with rubber mounting
325
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 1 133 238
31 12 1 139 988

32 21 1 139 988

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4371

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

316 050 4217
31 12 1 139 991

Control arm



Notes

Front Axle Left
Front
Control Arm
with rubber mounting
325
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 124 401
31 12 1 131 587

31 12 1 139 991

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4218

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
7 (E32) (09/86-09/94)

Control arm
316 050 4218

31 12 1 139 992

Notes

Front Axle Right
 Front
 Control Arm
 with rubber mounting
 325
 M14x1,5
 Steel

Length [mm]
 Thread Size

References

31 12 1 124 402 31 12 1 131 588
 31 12 1 131 582 31 12 1 139 992

Parts list

300 311 2107 Control arm bushing

Counterpart

316 050 4217


Application info

5 (E28) (06/80-12/87) 6 (E24) (04/76-09/90)
 5 (E34) (12/87-01/97) 7 (E32) (09/86-09/94)

Control arm

316 050 4317/HD

31 12 1 139 999

Notes

Reinforced Version
 Front Axle Left
 Rear
 Control Arm
 with rubber mounting
 414
 M14x1,5
 Steel

Length [mm]
 Thread Size

References

31 12 1 130 089 31 12 1 139 999
 31 12 1 130 597

Parts list

300 311 2103/HD Control arm bushing

Counterpart

316 050 4318/HD


Application info

7 (E32) (09/86-09/94) 8 (E31) (04/90-12/99)

316 050 4318/HD
31 12 1 140 000

Control arm 



Notes

Reinforced Version

Front Axle Right
Rear
Control Arm
with rubber mounting
414
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 130 090
31 12 1 130 598

31 12 1 133 490
31 12 1 140 000

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4317/HD

Application info

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

316 050 4332/HD
31 12 1 141 097

Control arm 



Notes

Reinforced Version

Front Axle Left
Rear
Control Arm
with rubber mounting
388
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 132 159
31 12 1 133 711

31 12 1 141 097

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4333/HD

Application info

5 (E34) (12/87-01/97)

Control arm

316 050 4333/HD

31 12 1 141 098

Notes

Reinforced Version

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 388
 M14x1,5
 Steel

 Length [mm]
 Thread Size

References

 31 12 1 132 160
 31 12 1 133 712

31 12 1 141 098

Parts list

300 311 2103/HD

Control arm bushing

Counterpart

316 050 4332/HD

Application info

5 (E34) (12/87-01/97)

Control arm

316 050 3903/HD

31 12 1 141 717

Notes

Reinforced Version

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 428
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 1 092 023

31 12 1 141 717

Parts list

300 311 2914/HD

Control arm bushing

Counterpart

316 050 3904/HD

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

316 050 3904/HD
31 12 1 141 718

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Control Arm
with rubber mounting
428
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 1 092 024

31 12 1 141 718

Parts list

300 311 2914/HD

Control arm bushing

Counterpart

316 050 3903/HD

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

316 050 4363/HD
31 12 1 141 721

Control arm



Notes

Reinforced Version

Front Axle Left
Rear
Control Arm
with rubber mounting
438
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 141 721

31 12 1 141 723

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 4362/HD

Application info

7 (E38) (10/94-11/01)

Control arm

316 050 4362/HD

31 12 1 141 722

Notes

Reinforced Version

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 438
 M14x1,5
 Steel

 Length [mm]
 Thread Size

References

31 12 1 141 722

31 12 1 141 724

Parts list

300 311 2909/HD

Control arm bushing

Counterpart

316 050 4363/HD


Application info

7 (E38) (10/94-11/01)

Control arm
316 050 0001

31 12 1 141 961

Notes

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 330
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 1 141 961

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0002


Application info

5 (E39) (11/95-05/04)

316 050 0002
31 12 1 141 962

Control arm



Notes

Front Axle Right
Front
Control Arm
with rubber mounting
330
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 1 141 962

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0001

Application info

5 (E39) (11/95-05/04)

316 050 4361

31 12 1 142 087

Control arm



Notes

Front Axle Left
Front
Control Arm
with rubber mounting
323
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 1 142 087

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4360

Application info

7 (E38) (10/94-11/01)

Control arm
316 050 4360
 31 12 1 142 088

Notes

Front Axle Right
 Front
 Control Arm
 with rubber mounting
 323
 M14x1,5
 Aluminium

Length [mm]
 Thread Size

References

31 12 1 142 088

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 4361


Application info

7 (E38) (10/94-11/01)

Control arm

316 050 0003/HD
 31 12 2 282 121

Notes

Reinforced Version

Front Axle Left
 Control Arm
 with ball joint
 M12x1,5
 M14x1,5
 Aluminium

Thread Measurement 1
 Thread Measurement 2

References

31 12 1 094 465
 31 12 1 096 985
 31 12 1 752 717
 31 12 2 282 121
 31 12 6 750 223
 31 12 6 751 317

31 12 6 752 717
 31 12 6 758 519
 31 12 6 770 247
 31 12 6 774 819
 31 12 6 777 851

Parts list

316 010 0003/HD
 316 010 4305/HD

Ball joint
 Ball joint

Counterpart

316 050 0004/HD


Application info

3 (E46) (02/98--)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 050 0004/HD
31 12 2 282 122

Control arm 



Notes

Reinforced Version

Front Axle Right
Control Arm
with ball joint
M12x1,5
M14x1,5
Aluminium

Thread Measurement 1
Thread Measurement 2

References

31 12 1 094 466
31 12 1 096 986
31 12 2 282 122
31 12 6 750 224
31 12 6 751 318

31 12 6 752 718
31 12 6 758 520
31 12 6 770 248
31 12 6 774 820
31 12 6 777 852

Parts list

316 010 0003/HD
316 010 4305/HD

Ball joint
Ball joint

Counterpart

316 050 0003/HD

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 050 3602/HD
31 12 6 758 513

Control arm 



Notes

Reinforced Version

Front Axle Left
Control Arm
with ball joint
M12x1,5
M14x1,5
Steel
with roadworthy certificate

Thread Measurement 1
Thread Measurement 2

References

31 12 1 094 275
31 12 1 136 529
31 12 1 140 399

31 12 1 140 957
31 12 6 758 513
31 12 6 758 515

Parts list

316 010 0003/HD
316 010 4345

Ball joint
Ball joint

Counterpart

316 050 3601/HD

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Control arm

316 050 3601/HD

31 12 6 758 514

Notes

Reinforced Version

 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 Control Arm
 with ball joint
 M12x1,5
 M14x1,5
 Steel
 with roadworthy certificate

References

31 12 1 092 276	31 12 1 140 958
31 12 1 136 530	31 12 6 758 514
31 12 1 140 400	31 12 6 758 516

Parts list

316 010 0003/HD	Ball joint
316 010 4345	Ball joint

Counterpart

316 050 3602/HD

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Control arm
316 050 0009

31 12 6 760 275

Notes

 Length [mm]
 Thread Size

 Front Axle Left
 Rear
 Control Arm
 with rubber mounting
 300
 M14x1,5
 Steel

References

31 12 1 096 315	31 12 6 760 275
-----------------	-----------------

Parts list

300 311 2107	Control arm bushing
--------------	---------------------

Counterpart

316 050 0010


Application info

X5 (E53) (05/00--)

316 050 0010
31 12 6 760 276

Control arm



Notes

Front Axle Right
Rear
Control Arm
with rubber mounting
300
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 1 096 316

31 12 6 760 276

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0009

Application info

X5 (E53) (05/00--)

316 050 0017
31 12 6 768 297

Control arm



Notes

Front Axle Left
Rear
Control Arm
with rubber mounting
298
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 760 181

31 12 6 768 297

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0018

Application info

5 (E60, E61) (07/03--)

Control arm
316 050 0018
 31 12 6 768 298

Notes

 Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 298
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

31 12 6 760 182

31 12 6 768 298


Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0017


Application info

5 (E60, E61) (07/03--)

Control arm
316 050 0045
 31 12 6 768 989

Notes

 Front Axle Left
 Front Axle Right
 Front
 Control Arm
 with bearing(s)
 275
 M14x1,5
 Steel

 Length [mm]
 Thread Size

References

31 12 6 768 989

Parts list

314 610 0007

Control arm bushing


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 050 0007/HD
31 12 6 769 717

Control arm



Notes

Reinforced Version

Front Axle Left
Front
Control Arm
with rubber mounting
600
Steel

Length [mm]

References

31 12 1 096 169

31 12 6 769 717

Parts list

300 311 2104/HD

Control arm bushing

Counterpart

316 050 0008/HD

Application info

X5 (E53) (05/00--)

316 050 0008/HD
31 12 6 769 718

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Control Arm
with rubber mounting
600
Steel

Length [mm]

References

31 12 1 096 170

31 12 6 769 718

Parts list

300 311 2104/HD

Control arm bushing

Counterpart

316 050 0007/HD

Application info

X5 (E53) (05/00--)

Control arm

316 035 0005/HD

31 12 6 769 797

Notes

Reinforced Version

 Length [mm]
 Thread Size

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 400
 M14x1,5
 Aluminium

References

 31 12 4 036 269
 31 12 6 763 703
 31 12 6 763 707

 31 12 6 769 797
 31 12 6 769 801

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 035 0006/HD


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Control arm

316 035 0006/HD

31 12 6 769 798

Notes

Reinforced Version

 Length [mm]
 Thread Size

 Front Axle Right
 Front
 Control Arm
 with rubber mounting
 400
 M14x1,5
 Aluminium

References

 31 12 4 036 270
 31 12 6 763 704
 31 12 6 763 708

 31 12 6 769 798
 31 12 6 769 802

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 035 0005/HD


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

316 050 0022
31 12 6 770 849

Control arm



Notes

Front Axle Left
Rear
Control Arm
with rubber mounting
284
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 763 699

31 12 6 770 849

Parts list

314 610 0001

Control arm bushing

Counterpart

316 050 0021

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 050 0021
31 12 6 770 850

Control arm



Notes

Front Axle Right
Rear
Control Arm
with rubber mounting
284
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 763 700

31 12 6 770 850

Parts list

314 610 0001

Control arm bushing

Counterpart

316 050 0022

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 050 0038/HD
31 12 6 773 949

Control arm



Notes

Reinforced Version

Front Axle Left
Front
Lower
Control Arm
with rubber mounting
414
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 6 773 949

Parts list

314 610 0004/HD Control arm bushing

Counterpart

316 050 0037/HD

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

316 050 0037/HD
31 12 6 773 950

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Lower
Control Arm
with rubber mounting
414
M14x1,5
Steel

Length [mm]
Thread Size

References

31 12 6 773 950

Parts list

314 610 0004/HD Control arm bushing

Counterpart

316 050 0038/HD

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm

316 050 0019/HD

31 12 6 774 825

Notes

Reinforced Version

 Front Axle Left
 Front
 Control Arm
 with rubber mounting
 421
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

 31 10 4 026 719
 31 12 4 046 437
 31 12 6 760 183

 31 12 6 765 995
 31 12 6 774 825

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 050 0020/HD


Application info

5 (E60, E61) (07/03--)

Control arm

316 050 0020/HD

31 12 6 774 826

Notes

Reinforced Version

 Front Axle Right
 Front
 Control Arm
 with rubber mounting
 421
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

 31 10 4 026 720
 31 12 4 046 438
 31 12 6 760 184

 31 12 6 765 996
 31 12 6 774 826


Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 050 0019/HD


Application info

5 (E60, E61) (07/03--)

316 050 0011/HD
31 12 6 774 831

Control arm



Notes

Reinforced Version

Front Axle Left
Front
Control Arm
with rubber mounting
424
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 4 025 453
31 12 4 025 454
31 12 4 026 453
31 12 6 756 101

31 12 6 760 519
31 12 6 765 993
31 12 6 774 831

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 050 0012/HD

Application info

7 (E65, E66) (11/01--)

316 050 0012/HD

31 12 6 774 832

Control arm



Notes

Reinforced Version

Front Axle Right
Front
Control Arm
with rubber mounting
424
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 4 026 454
31 12 4 046 442
31 12 6 756 102

31 12 6 760 520
31 12 6 765 994
31 12 6 774 832

Parts list

314 610 0000/HD

Control arm bushing

Counterpart

316 050 0011/HD

Application info

7 (E65, E66) (11/01--)


Control arm

316 050 0044/HD

31 12 6 775 967

Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 Upper
 Adjustable
 Control Arm
 with ball joint
 with rubber mounting

References

 31 12 6 775 967
 31 12 6 779 871
 31 12 6 779 908

 31 12 6 854 613
 31 12 6 854 614
 31 12 6 857 516

Parts list

 316 010 0014
 314 610 0008/HD

 Ball joint
 Control arm bushing

Application info

 5 (F07) (10/09--)
 5 (F10, F11) (03/10--)

 6 (F12, F13) (11/10--)
 7 (F01, F02, F03, F04) (06/08--)

Control arm
316 050 0050

31 12 6 775 971

Notes

 Length [mm]
 Thread Size

 Front Axle Left
 Front
 Lower
 Control Arm
 with rubber mounting
 398
 M16x1,5
 Aluminium

References

31 12 6 775 971

Parts list

314 610 0014

Control arm bushing

Counterpart

316 050 0051

Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

316 050 0051
31 12 6 775 972

Control arm



Notes

Front Axle Right
Front
Lower
Control Arm
with rubber mounting
398
M16x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 775 972

Parts list

314 610 0014

Control arm bushing

Counterpart

316 050 0050

Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

316 050 0034
31 12 6 776 417

Control arm



Notes

Front Axle Left
Upper
Control Arm
with rubber mounting
Aluminium

References

31 12 6 776 417

Counterpart

316 050 0033

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm
316 050 0033

31 12 6 776 418

Notes

 Front Axle Right
 Upper
 Control Arm
 with rubber mounting
 Aluminium

References

31 12 6 776 418

Counterpart

316 050 0034


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm
316 050 0013

31 12 6 777 937

Notes

 Front Axle Left
 Rear
 Control Arm
 with rubber mounting
 300
 M14x1,5
 Aluminium

 Length [mm]
 Thread Size

References

 31 12 6 755 835
 31 12 6 770 121
 31 12 6 770 771

 31 12 6 770 837
 31 12 6 777 937
 31 12 6 777 939

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0014


Application info

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

316 050 0014
31 12 6 777 938

Control arm



Notes

Front Axle Right
Rear
Control Arm
with rubber mounting
300
M14x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 755 836
31 12 6 770 122
31 12 6 770 772

31 12 6 770 838
31 12 6 777 938
31 12 6 777 940

Parts list

300 311 2107

Control arm bushing

Counterpart

316 050 0013

Application info

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

316 050 0058
31 12 6 787 669

Control arm

Notes

Front Axle Left
Rear
Control Arm
with rubber mounting
295
M14x1,5

Length [mm]
Thread Size

References

31 10 6 787 669

31 12 6 787 669

Parts list

314 610 0021

Control arm bushing

Counterpart

316 050 0059

Application info

X3 (F25) (09/10--)

Control arm
316 050 0059
 31 12 6 787 670

Notes

Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 Length [mm] 295
 Thread Size M14x1,5

References

31 10 6 787 670 31 12 6 787 670

Parts list

314 610 0021 Control arm bushing

Counterpart

316 050 0058

Application info

X3 (F25) (09/10--)

Control arm
316 050 0048
 31 12 6 794 203

Notes

Front Axle Left
 Rear
 Lower
 Control Arm
 with rubber mounting
 Length [mm] 306
 Thread Size M16x1,5
 Aluminium

References

31 12 6 794 203

Parts list

314 610 0012 Control arm bushing
 314 610 0013 Control arm bushing

Counterpart

316 050 0049


Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

316 050 0049
31 12 6 794 204

Control arm



Notes

Front Axle Right
Rear
Lower
Control Arm
with rubber mounting
306
M16x1,5
Aluminium

Length [mm]
Thread Size

References

31 12 6 794 204

Parts list

314 610 0012 Control arm bushing
314 610 0013 Control arm bushing

Counterpart

316 050 0048

Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

316 050 0056
31 12 6 798 107

Control arm

Notes

Front Axle Left
Rear
Control Arm
with rubber mounting
313
M16x1,5

Length [mm]
Thread Size

References

31 12 6 775 963
31 12 6 798 107

31 12 6 850 781

Parts list

314 610 0012 Control arm bushing
314 610 0013 Control arm bushing

Counterpart

316 050 0057

Application info

5 (F07) (10/09--)

7 (F01, F02, F03, F04) (06/08--)

Control arm
316 050 0057
 31 12 6 798 108

Notes

Front Axle Right
 Rear
 Control Arm
 with rubber mounting
 313
 Thread Size
 M16x1,5

References

31 12 6 775 964
 31 12 6 798 108

31 12 6 850 782

Parts list

314 610 0012
 314 610 0013

Control arm bushing
 Control arm bushing

Counterpart

316 050 0056

Application info

7 (F01, F02, F03, F04) (06/08--)

Control arm
316 050 0054
 33 30 6 772 241

Notes

Rear Axle Left
 Upper
 Control Arm
 with rubber mounting
 306
 Thread Size
 M14x1,5
 Aluminium
 with accessories

References

33 30 6 772 241
 33 30 6 773 941
 33 32 1 090 815
 33 32 1 094 209
 33 32 6 758 141
 33 32 6 759 157
 33 32 6 767 753
 33 32 6 767 759
 33 32 6 767 831

33 32 6 767 967
 33 32 6 768 789
 33 32 6 769 971
 33 32 6 770 775
 33 32 6 770 839
 33 32 6 774 793
 33 32 6 774 841
 33 32 6 777 425

Counterpart

316 050 0055


Application info

5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
 7 (E65, E66) (11/01--)

316 050 0055
33 30 6 772 242

Control arm



Notes

Length [mm]
Thread Size

Rear Axle Right
Upper
Control Arm
with rubber mounting
306
M14x1,5
Aluminium
with accessories

References

33 30 6 772 242
33 30 6 773 942
33 32 1 090 816
33 32 1 094 210
33 32 6 758 142
33 32 6 759 158
33 32 6 767 754
33 32 6 767 760
33 32 6 767 832

33 32 6 767 968
33 32 6 768 790
33 32 6 769 972
33 32 6 770 776
33 32 6 770 840
33 32 6 774 794
33 32 6 774 842
33 32 6 777 426

Counterpart

316 050 0054

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01--)

316 050 3807
33 32 6 770 059

Control arm



Notes

Length [mm]
Thread Size

Rear Axle Left
Upper
Control Arm
with ball joint
with rubber mounting
306
M14x1,5
Sheet Steel

References

33 32 1 090 905

33 32 6 770 059

Counterpart

316 050 3808

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Control arm
316 050 3808

33 32 6 770 060

Notes

 Length [mm]
 Thread Size

 Rear Axle Right
 Upper
 Control Arm
 with ball joint
 with rubber mounting
 306
 M14x1,5
 Sheet Steel

References

33 32 1 090 906

33 32 6 770 060

Counterpart

316 050 3807

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Control arm
316 333 2101

33 32 6 770 749

Notes
References

 33 32 1 090 030
 33 32 1 091 620

 Rear Axle Left
 Rear Axle Right
 Lower
 for control arm
 Sheet Steel

Application info

 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01--)
 X5 (E53) (05/00--)
 Z8 (E52) (06/00-06/03)

316 035 0008
33 32 6 770 859

Control arm



Notes

Rear Axle Left
Rear
Upper
Control Arm
with ball joint
with rubber mounting
306
M14x1,5
Sheet Steel

Length [mm]
Thread Size

References

33 32 1 095 411
33 32 6 768 273

33 32 6 770 747
33 32 6 770 859

Counterpart

316 035 0007

Application info

X5 (E53) (05/00--)

316 035 0007
33 32 6 770 860

Control arm



Notes

Rear Axle Right
Rear
Upper
Control Arm
with ball joint
with rubber mounting
306
M14x1,5
Sheet Steel

Length [mm]
Thread Size

References

33 32 1 095 412
33 32 6 768 274

33 32 6 770 748
33 32 6 770 860

Counterpart

316 035 0008

Application info

X5 (E53) (05/00--)

Control arm	316 050 0041 33 32 6 770 969
--------------------	--

Notes

Rear Axle Left
 Rear
 Upper
 Control Arm
 with rubber mounting

Length [mm] 344
 Thread Size M14x1,5
 Aluminium

References
 33 32 6 770 969

Counterpart
 316 050 0042



Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

Control arm	316 050 0042 33 32 6 770 970
--------------------	--

Notes

Rear Axle Right
 Rear
 Upper
 Control Arm
 with rubber mounting

Length [mm] 344
 Thread Size M14x1,5
 Aluminium

References
 33 32 6 770 970

Counterpart
 316 050 0041



Application info

X5 (E70) (02/07--)	X6 (E71) (05/08--)
--------------------	--------------------

316 050 0039
33 32 6 779 387

Control arm



Notes

Rear Axle Left
Front
Upper
Control Arm
with rubber mounting
212
M12x1,5
Aluminium

Length [mm]
Thread Size

References

33 32 4 046 917
33 32 6 770 963

33 32 6 779 387

Counterpart

316 050 0040

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

316 050 0040
33 32 6 779 388

Control arm



Notes

Rear Axle Right
Front
Upper
Control Arm
with rubber mounting
212
M12x1,5
Aluminium

Length [mm]
Thread Size

References

33 32 4 046 918
33 32 6 770 964

33 32 6 779 388

Counterpart

316 050 0039

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm bushing
314 610 0006
 31 10 6 771 194

Notes

	Front Axle Left
	Front Axle Right
	inner
Height [mm]	55
Outer Diameter [mm]	43
Inner Diameter [mm]	14

References

31 10 6 771 194

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm bushing
314 610 0005
 31 10 6 771 897

Notes

	Front Axle Left
	Front Axle Right
	Outer
Height [mm]	50
Outer Diameter [mm]	43
Inner Diameter [mm]	14

References

31 10 6 771 897

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm bushing

314 610 0004/HD
 31 10 6 778 015

Notes

Reinforced Version	Front Axle Left
	Front Axle Right
	Front
	Lower
Height [mm]	90
Outer Diameter [mm]	70
Inner Diameter [mm]	12

References

31 10 6 778 015


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

314 610 0019
31 10 6 786 951

Control arm bushing



Notes

	Front Axle Left
	Front Axle Right
	Front
Height [mm]	84
Outer Diameter [mm]	65
Inner Diameter [mm]	14

References

31 10 6 786 951

Application info

X3 (F25) (09/10--)

314 610 0021
31 10 6 786 959

Control arm bushing

Notes

	Front Axle Left
	Front Axle Right
Height [mm]	54
Outer Diameter [mm]	46
Inner Diameter [mm]	12

References

31 10 6 786 959	31 12 6 852 992*
31 12 6 792 277	31 12 6 854 727*
31 12 6 852 991*	31 12 6 854 728*

Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)
3 (F34) (03/13--)

4 (F32, F33) (07/13--)
X3 (F25) (09/10--)

300 311 2909/HD
31 12 0 006 482

Control arm bushing



Notes

Reinforced Version	Front Axle Left
	Front Axle Right
	Front
Height [mm]	76
Outer Diameter [mm]	66
Inner Diameter [mm]	14
	Kit

References

31 12 0 006 482	31 12 9 068 734
31 12 1 093 707	31 12 9 069 829
31 12 1 141 752	31 12 9 071 085

Control arm bushing

300 311 2909/HD

31 12 0 006 482

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Control arm bushing

314 610 0000/HD

31 12 0 304 308

Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 Front
 Height [mm] 76
 Outer Diameter [mm] 70
 Inner Diameter [mm] 12
 Kit

References

 31 12 0 302 754
 31 12 0 304 308
 31 12 0 305 612
 31 12 0 393 540

 31 12 0 398 350
 31 12 6 765 991
 31 12 6 765 992
 31 12 6 767 992

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

 7 (E65, E66) (11/01--)
 X1 (E84) (03/09--)
 Z4 (E89) (05/09--)

Control arm bushing

300 311 2104/HD

31 12 0 307 882

Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 Front
 Height [mm] 63
 Outer Diameter [mm] 66
 Inner Diameter [mm] 14

References

 31 12 0 307 882
 31 12 1 096 372

31 12 6 769 715

Application info

X3 (E83) (01/04--)

X5 (E53) (05/00--)

300 311 2107
31 12 1 124 622

Control arm bushing



Notes

Front Axle Left
Front Axle Right
Rear

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

52
47
12

References

31 12 1 094 235
31 12 1 124 622

31 12 1 133 236
31 12 1 139 826

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
6 (E24) (04/76-09/90)
6 (E63, E64) (01/04--)

7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
7 (E65, E66) (11/01--)
8 (E31) (04/90-12/99)
X3 (E83) (01/04--)
X5 (E53) (05/00--)

300 311 2103/HD
31 12 1 133 710

Control arm bushing



Notes

Reinforced Version

Front Axle Left
Front Axle Right
Rear

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

48
58
14

References

31 12 1 130 587
31 12 1 133 488
31 12 1 133 710
31 12 1 136 605

31 12 1 136 606
31 12 1 136 607
31 12 1 139 456

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Control arm bushing
314 610 0007
 31 12 6 768 989*

Notes

	Front Axle Left
	Front Axle Right
	Front
Height [mm]	56
Outer Diameter [mm]	47
Inner Diameter [mm]	12

References

31 12 6 768 989*


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Control arm bushing
314 610 0001
 31 12 6 770 849*

Notes

	Front Axle Left
	Front Axle Right
	Rear
Height [mm]	71
Outer Diameter [mm]	46
Inner Diameter [mm]	12

References

 31 12 6 763 699
 31 12 6 763 700
 31 12 6 765 597

 31 12 6 770 849*
 31 12 6 770 850*

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Control arm bushing

314 610 0008/HD
 31 12 6 775 967*

Notes

Reinforced Version

	Front Axle Left
	Front Axle Right
	Upper
	Front
	Rear
Height [mm]	52
Outer Diameter [mm]	40
Inner Diameter [mm]	10

References

 31 12 6 775 967*
 31 12 6 779 871*

31 12 6 779 908*



314 610 0008/HD
31 12 6 775 967*

Control arm bushing

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

314 610 0014
31 12 6 775 971*

Control arm bushing



Notes

	Front Axle Left
	Front Axle Right
	Front
	Lower
Height [mm]	86
Outer Diameter [mm]	70
Inner Diameter [mm]	14

References

31 12 6 775 971*	31 12 6 775 972*
------------------	------------------

Application info

5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)

314 610 0012
31 12 6 794 203*

Control arm bushing



Notes

	Front Axle Left
	Front Axle Right
	Rear
	Outer
	Lower
Height [mm]	55
Outer Diameter [mm]	43
Inner Diameter [mm]	14

References

31 12 6 775 963*	31 12 6 798 107*
31 12 6 775 964*	31 12 6 798 108*
31 12 6 784 569	31 12 6 850 781*
31 12 6 794 203*	31 12 6 850 782*
31 12 6 794 204*	

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

Control arm bushing
314 610 0013
 31 12 6 794 203*

Notes

	Front Axle Left
	Front Axle Right
	Rear
	inner
	Lower
Height [mm]	90
Outer Diameter [mm]	56
Inner Diameter [mm]	14

References

31 12 6 775 963*	31 12 6 794 204*
31 12 6 775 964*	31 12 6 798 107*
31 12 6 775 980	31 12 6 798 108*
31 12 6 791 455	31 12 6 850 781*
31 12 6 794 203*	31 12 6 850 782*


Application info

5 (F07) (10/09--)	6 (F12, F13) (11/10--)
5 (F10, F11) (03/10--)	7 (F01, F02, F03, F04) (06/08--)

Control arm bushing

300 311 2906/HD
 31 12 9 058 816

Notes

Reinforced Version	Front Axle Left
	Front Axle Right
	Rear
Height [mm]	37
Outer Diameter [mm]	59
Inner Diameter [mm]	14
	Kit

References

31 10 1 129 078	31 12 1 126 416
31 12 1 124 967	31 12 1 126 426
31 12 1 125 428	31 12 9 058 816
31 12 1 125 429	31 12 9 058 817
31 12 1 126 302	31 12 9 058 818
31 12 1 126 394	31 12 9 058 819


Application info

5 (E28) (06/80-12/87)	6 (E24) (04/76-09/90)
-----------------------	-----------------------

300 311 2914/HD
31 12 9 068 753

Control arm bushing



Notes

Reinforced Version	Front Axle Left Front Axle Right Front
Height [mm]	68
Outer Diameter [mm]	58
Inner Diameter [mm]	12
	Kit

References

31 12 1 092 010	31 12 9 068 753
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)	Z8 (E52) (06/00-06/03)
-----------------------	------------------------

314 710 0005
33 32 6 777 980*

Control arm bushing



Notes

	Rear Axle Left Rear Axle Right Upper Rear inner
Height [mm]	48
Outer Diameter [mm]	45
Inner Diameter [mm]	12

References

33 32 6 763 473*	33 32 6 777 980*
------------------	------------------

Application info

1 (E81, E82, E87, E88) (11/03--)	3 (E90, E91, E92, E93) (01/05--)
----------------------------------	----------------------------------

314 710 0006
33 32 6 777 980*

Control arm bushing



Notes

	Rear Axle Left Rear Axle Right Upper Rear Outer
Height [mm]	50
Outer Diameter [mm]	46
Inner Diameter [mm]	12

References

33 32 6 763 473*	33 32 6 777 980*
------------------	------------------

Control arm bushing

314 710 0006

33 32 6 777 980*



Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Control arm set


316 050 0077/HD

31 10 3 443 127

Notes

 Reinforced Version
 Full Set

 Front Axle Left
 Front Axle Right
 with accessories

References

 31 10 0 363 477
 31 10 0 363 478
 31 10 3 412 135
 31 10 3 412 136
 31 10 3 415 027
 31 10 3 415 028
 31 10 3 418 337
 31 10 3 418 338

 31 10 3 426 433
 31 10 3 426 434
 31 10 3 443 127
 31 10 3 443 128
 31 10 3 451 881
 31 10 3 451 882
 31 12 0 360 275

Parts list

 316 010 0011
 316 050 0015/HD
 316 050 0016/HD
 316 050 0027/HD
 316 050 0028/HD
 316 030 0009
 316 060 0018/HD
 316 060 0019/HD


 Ball joint
 Control arm
 Control arm
 Control arm
 Control arm
 Tie rod assembly
 Stabilizer link
 Stabilizer link


Application info

X3 (E83) (01/04--)

316 050 0073/HD
31 12 1 094 233

Control arm set



Notes

Reinforced Version
Full Set

Front Axle Left
Front Axle Right
with accessories

References

31 12 1 092 023
31 12 1 092 024
31 12 1 093 449
31 12 1 093 450
31 12 1 094 233

31 12 1 094 234
31 12 1 141 717
31 12 1 141 718
31 12 2 341 296
31 12 9 069 568

Parts list

316 050 3901	Control arm
316 050 3902	Control arm
316 050 3903/HD	Control arm
316 050 3904/HD	Control arm
316 030 4354	Tie rod assembly
316 030 4355	Tie rod assembly
316 060 4358/HD	Stabilizer link
316 060 4359/HD	Stabilizer link

Application info

5 (E39) (11/95-05/04)

316 050 0076/HD
31 12 6 760 275

Control arm set



Notes

Reinforced Version
Full Set

Front Axle Left
Front Axle Right
with accessories

References

31 12 1 096 169
31 12 1 096 170
31 12 1 096 315
31 12 1 096 316

31 12 6 760 275
31 12 6 760 276
31 12 6 769 717
31 12 6 769 718

Parts list

316 010 0002	Ball joint
316 050 0007/HD	Control arm
316 050 0008/HD	Control arm
316 050 0009	Control arm
316 050 0010	Control arm
316 030 0010/HD	Tie rod assembly
316 060 0005/HD	Stabilizer link
316 060 0006/HD	Stabilizer link

Application info

X5 (E53) (05/00--)

Control arm set

316 050 0074/HD

31 12 6 768 297

Notes

 Reinforced Version
 Full Set

 Front Axle Left
 Front Axle Right
 with accessories

References

31 10 4 026 719	31 12 6 760 184
31 10 4 026 720	31 12 6 765 995
31 12 4 046 437	31 12 6 765 996
31 12 4 046 438	31 12 6 768 297
31 12 6 760 181	31 12 6 768 298
31 12 6 760 182	31 12 6 774 825
31 12 6 760 183	31 12 6 774 826

Parts list

316 050 0017	Control arm
316 050 0018	Control arm
316 050 0019/HD	Control arm
316 050 0020/HD	Control arm
316 030 0011	Tie rod assembly
316 060 0013/HD	Stabilizer link
316 060 0014/HD	Stabilizer link


Application info

5 (E60, E61) (07/03--)

Control arm set

316 050 0071/HD

31 12 6 769 797

Notes

 Reinforced Version
 Full Set

 Front Axle Left
 Front Axle Right
 TRW
 with accessories

Manufacturer Restriction

References

31 12 4 036 269	31 12 6 763 708
31 12 4 036 270	31 12 6 769 797
31 12 6 763 699	31 12 6 769 798
31 12 6 763 700	31 12 6 769 801
31 12 6 763 703	31 12 6 769 802
31 12 6 763 704	31 12 6 770 849
31 12 6 763 707	31 12 6 770 850

Parts list

316 035 0005/HD	Control arm
316 035 0006/HD	Control arm
316 050 0021	Control arm
316 050 0022	Control arm
316 030 0012/HD	Tie rod assembly
316 030 0013/HD	Tie rod assembly
316 060 0016/HD	Stabilizer link
316 060 0017/HD	Stabilizer link



316 050 0071/HD
31 12 6 769 797

Control arm set




Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 050 0072/HD
31 12 6 769 797

Control arm set



Notes

Reinforced Version
Full Set

Manufacturer Restriction

Front Axle Left
Front Axle Right
ZF
with accessories

References

31 12 4 036 269
31 12 4 036 270
31 12 6 763 699
31 12 6 763 700
31 12 6 763 703
31 12 6 763 704
31 12 6 763 707

31 12 6 763 708
31 12 6 769 797
31 12 6 769 798
31 12 6 769 801
31 12 6 769 802
31 12 6 770 849
31 12 6 770 850

Parts list

316 035 0005/HD	Control arm
316 035 0006/HD	Control arm
316 050 0021	Control arm
316 050 0022	Control arm
316 030 0017/HD	Tie rod assembly
316 030 0018/HD	Tie rod assembly
316 060 0016/HD	Stabilizer link
316 060 0017/HD	Stabilizer link

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Control arm set

316 050 0078/HD

31 12 6 771 893

Notes

 Reinforced Version
 Full Set

 Front Axle Left
 Front Axle Right
 with accessories


References

 31 12 6 771 893
 31 12 6 771 894
 31 12 6 773 949

 31 12 6 773 950
 31 12 6 776 417
 31 12 6 776 418

Parts list

316 050 0033	Control arm
316 050 0034	Control arm
316 050 0035	Control arm
316 050 0036	Control arm
316 050 0037/HD	Control arm
316 050 0038/HD	Control arm
316 030 0021	Tie rod assembly
316 060 0030	Stabilizer link
316 060 0031	Stabilizer link


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Control arm set

316 050 0079/HD

31 12 6 771 893

Notes

 Reinforced Version
 Full Set

 Front Axle Left
 Front Axle Right
 with accessories


References

 31 12 6 771 893
 31 12 6 771 894
 31 12 6 773 949

 31 12 6 773 950
 31 12 6 776 417
 31 12 6 776 418

Parts list

316 050 0033	Control arm
316 050 0034	Control arm
316 050 0035	Control arm
316 050 0036	Control arm
316 050 0037/HD	Control arm
316 050 0038/HD	Control arm
316 030 0021	Tie rod assembly
316 060 0036	Stabilizer link
316 060 0037	Stabilizer link



Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

316 050 0075/HD
31 12 6 774 831

Control arm set



Notes

Reinforced Version
Full Set

Front Axle Left
Front Axle Right
with accessories

References

31 12 4 025 453
31 12 4 025 454
31 12 4 026 453
31 12 4 026 454
31 12 4 046 442
31 12 6 755 835
31 12 6 755 836
31 12 6 756 101
31 12 6 756 102
31 12 6 760 519
31 12 6 760 520
31 12 6 765 993
31 12 6 765 994

31 12 6 770 121
31 12 6 770 122
31 12 6 770 771
31 12 6 770 772
31 12 6 770 837
31 12 6 770 838
31 12 6 774 831
31 12 6 774 832
31 12 6 777 937
31 12 6 777 938
31 12 6 777 939
31 12 6 777 940

Parts list

316 050 0011/HD	Control arm
316 050 0012/HD	Control arm
316 050 0013	Control arm
316 050 0014	Control arm
316 030 0001	Tie rod assembly
316 060 0003/HD	Stabilizer link
316 060 0004/HD	Stabilizer link

Application info

7 (E65, E66) (11/01--)

316 050 0000/HD

Control arm set



Notes

Reinforced Version

Front Axle Left
Front Axle Right
with ball joint
Aluminium
Pre-assembled
with holder

References

31 12 6 758 623

Parts list

316 050 0003/HD	Control arm
316 050 0004/HD	Control arm
300 311 2604/HD	Bracket, control arm

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Control arm set

316 050 0023/HD
Notes

Reinforced Version

 Front Axle Left
 Front Axle Right
 with ball joint
 Steel
 Pre-assembled
 with holder

Parts list

 316 050 3601/HD
 316 050 3602/HD
 300 610 0001

 Control arm
 Control arm
 Bracket, control arm

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, axle rod
300 333 2105

33 32 1 092 247

Notes

 Rear Axle Left
 Rear Axle Right
 Upper
 inner

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 67
 35
 12

References

33 32 1 092 247

33 32 1 137 571


Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 X3 (E83) (01/04--)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 Z4 (E89) (05/09--)

Mount, axle rod
300 333 2102

33 32 6 770 824

Notes

 Rear Axle Left
 Rear Axle Right
 Lower
 inner

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 57
 38
 12

References

 33 32 1 092 248
 33 32 1 138 383

33 32 6 770 824



300 333 2102
33 32 6 770 824

Mount, axle rod

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
X3 (E83) (01/04--)
Z1 (06/88-06/91)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 333 2103
33 32 6 771 828

Mount, axle rod



Notes

Rear Axle Left
Rear Axle Right
Lower
Outer

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

57
46
12

References

33 32 1 136 311

33 32 6 771 828

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
X3 (E83) (01/04--)
Z1 (06/88-06/91)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

300 311 2901
31 12 6 754 547

Mount, control arm



Notes

Front Axle Left
Front Axle Right
60
60
20
Kit

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

References

31 12 1 096 982
31 12 4 000 612
31 12 6 750 057
31 12 6 751 372
31 12 6 753 058

31 12 6 754 547
31 12 6 755 432
31 12 9 071 663
31 12 9 071 952

Application info

3 (E46) (02/98--)

Mount, control arm

300 311 2919/HD

31 12 6 783 376*

Notes

Reinforced Version

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 60
 66
 20
 with accessories
 Kit

References

 31 12 6 757 623*
 31 12 6 777 850*

31 12 6 783 376*


Application info

 3 (E46) (02/98--)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Mount, control arm
300 311 2911

31 12 9 058 814

Notes

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 for vehicles without air condition-
 ing
 33
 60
 18
 Kit

References

31 12 1 127 377

31 12 9 058 814


Application info

3 (E30) (09/82-10/94)

Mount, control arm
300 311 2918

31 12 9 058 815

Notes

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 for vehicles with air conditioning
 33
 61
 18
 Kit

References

 31 12 1 127 378
 31 12 1 130 123
 31 12 1 130 140

 31 12 9 058 815
 31 12 9 058 931


300 311 2918
31 12 9 058 815

Mount, control arm

Application info
3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

300 311 2903
31 12 9 059 288

Mount, control arm



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle Left
Front Axle Right
33
60
18
Kit

References

31 12 1 135 079
31 12 1 135 352

31 12 9 059 288

Parts list

300 311 3003

Mount, control arm

Application info
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 311 3003
31 12 9 059 288

Mount, control arm



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Front Axle Left
Front Axle Right
33
60
18

References

31 12 1 135 079
31 12 1 135 352

31 12 9 059 288

Application info
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, control arm
300 311 2907
 31 12 9 061 222

Notes

	Front Axle Left
	Front Axle Right
	Lower
Height [mm]	33
Outer Diameter [mm]	60
Inner Diameter [mm]	18
	Kit


References

31 12 2 226 032	31 12 9 061 222
31 12 2 226 160	

Application info

3 (E30) (09/82-10/94)

Mount, control arm
300 311 2908
 31 12 9 064 875

Notes

	Front Axle Left
	Front Axle Right
Height [mm]	33
Outer Diameter [mm]	60
Inner Diameter [mm]	18
	Kit


References

31 12 9 064 875

Application info

3 (E36) (09/90-08/00)

Mount, control arm
316 010 4347
 33 32 6 767 748

Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	68
Outer Diameter [mm]	57
Inner Diameter [mm]	16
	with accessories


References

33 32 1 090 504	33 32 6 750 371
33 32 1 095 631	33 32 6 767 748

316 010 4347
33 32 6 767 748

Mount, control arm

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)
7 (E38) (10/94-11/01)

7 (E65, E66) (11/01--)
X5 (E53) (05/00--)
Z8 (E52) (06/00-06/03)

316 050 2100
33 30 3 411 651

Rod/strut, suspension



Notes

Length [mm]

Rear Axle Left
Rear Axle Right
Lower
with rubber mounting
557
Sheet Steel
Push Rod

References

33 30 3 411 651
33 32 1 092 237
33 32 1 138 380

33 32 6 760 675
33 32 6 770 813

Parts list

300 333 2102

Mount, axle rod

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
X3 (E83) (01/04--)
Z1 (06/88-06/91)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

316 060 4225
33 32 1 126 476

Rod/strut, suspension



Notes

Length [mm]

Rear Axle Left
Rear Axle Right
with rubber mounting
50
Steel
Coupling Rod

References

33 32 1 123 463
33 32 1 125 665

33 32 1 126 476

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

Rod/strut, suspension
316 050 0026

33 32 6 763 471

Notes

Length [mm]

 Rear Axle Left
 Rear Axle Right
 Upper
 Rear
 with rubber mounting
 413
 Sheet Steel
 Push Rod

References

33 32 6 763 471

Parts list

316 710 0000

Mount, axle carrier

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Rod/strut, suspension
316 050 0024

33 32 6 765 425

Notes

Length [mm]

 Rear Axle Left
 Rear Axle Right
 Upper
 Front
 with rubber mounting
 241
 Sheet Steel
 Push Rod

References

 33 32 6 765 425
 33 32 6 765 535

 33 32 6 782 237
 33 32 6 782 238

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

316 039 3807
33 32 6 768 791

Rod/strut, suspension



Notes

Rear Axle Left
Rear Axle Right
Upper
with rubber mounting
211
M10x1,5
Aluminium
Camber Link

Length [mm]
Thread Size

References

33 32 1 090 745
33 32 1 097 264

33 32 6 768 791

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

316 035 0000
33 32 6 774 796

Rod/strut, suspension



Notes

Rear Axle Left
Rear Axle Right
Front
Upper
with rubber mounting
212
M10x1,5
Aluminium
Guide Rod

Length [mm]
Thread Size

References

33 32 1 095 414
33 32 6 768 269

33 32 6 770 742
33 32 6 774 796

Application info

X5 (E53) (05/00--)

Rod/strut, suspension
316 035 0010
 33 32 6 775 083

Notes

 Length [mm]
 Thread Size

 Rear Axle Left
 Upper
 with rubber mounting
 212
 M12x1,5
 Aluminium
 Guide Rod

References

33 32 6 775 083

Counterpart

316 035 0011


Application info

 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

Rod/strut, suspension
316 035 0011
 33 32 6 775 084

Notes

 Length [mm]
 Thread Size

 Rear Axle Right
 Upper
 with rubber mounting
 212
 M12x1,5
 Aluminium
 Guide Rod

References

33 32 6 775 084

Counterpart

316 035 0010


Application info

 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

7

316 035 0001
33 32 6 777 424

Rod/strut, suspension



Notes

Rear Axle Left
Rear Axle Right
Upper
with rubber mounting
212
M10x1,5
Aluminium
Guide Rod

Length [mm]
Thread Size

References

33 32 0 300 946	33 32 2 779 820
33 32 0 398 361	33 32 6 763 324
33 32 0 403 294	33 32 6 768 268
33 32 0 414 345	33 32 6 770 753
33 32 0 421 750	33 32 6 774 795
33 32 1 096 797	33 32 6 777 424
33 32 2 282 065	

Application info

5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
7 (E65, E66) (11/01--)

316 050 0025
33 32 6 777 980

Rod/strut, suspension



Notes

Rear Axle Left
Rear Axle Right
Upper
Centre
with rubber mounting
274
Sheet Steel
Push Rod

Length [mm]

References

33 32 6 763 473	33 32 6 777 980
-----------------	-----------------

Parts list

314 710 0005	Control arm bushing
314 710 0006	Control arm bushing

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Mount, rod/strut stabilizer
300 313 5104
 31 35 1 125 350

Notes

Inner Diameter [mm]

Front Axle Left
 Front Axle Right
 17

References

31 35 1 124 998 31 35 1 125 350


Application info

5 (E28) (06/80-12/87)

Mount, stabilizer
314 615 0011
 31 30 3 404 065

Notes

Inner Diameter [mm]

Front Axle Left
 Front Axle Right
 inner
 22

References

31 30 3 404 065


Application info

X3 (E83) (01/04--)

Mount, stabilizer
314 615 0012
 31 30 3 413 134

Notes

Inner Diameter [mm]

Front Axle Left
 Front Axle Right
 inner
 23

References

31 30 3 413 134


Application info

X3 (E83) (01/04--)

7

314 615 0008
31 35 1 090 186

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
25

Inner Diameter [mm]

References

31 35 1 090 186

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 615 0016
31 35 1 090 186

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
25

Inner Diameter [mm]

References

31 35 1 090 186

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 615 0007
31 35 1 090 263

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
24

Inner Diameter [mm]

References

31 35 1 090 263

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0018

31 35 1 090 268

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 25.5

References

31 35 1 090 268


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0013

31 35 1 090 300

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 22.5

References

31 35 1 090 300


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0014

31 35 1 091 228

Notes

Inner Diameter [mm]

 Front Axle Left
 Front Axle Right
 23.5

References

31 35 1 091 228


Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 313 5110
31 35 1 091 555

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
21

References

31 35 1 091 555

Application info

7 (E38) (10/94-11/01)

314 615 0002
31 35 1 093 108

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
inner
23

References

31 35 1 093 108

Application info

5 (E39) (11/95-05/04)

314 615 0009
31 35 1 094 554

Mount, stabilizer



Notes

Inner Diameter [mm]

Front Axle Left
Front Axle Right
inner
22

References

31 35 1 094 554

31 35 1 094 555

Application info

3 (E46) (02/98--)

Mount, stabilizer
314 615 0010

31 35 1 094 556

Notes

 Front Axle Left
 Front Axle Right
 inner
 24

Inner Diameter [mm]

References

31 35 1 094 556

31 35 1 096 061


Application info

 3 (E46) (02/98--)
 Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

Mount, stabilizer
314 615 0001

31 35 1 095 271

Notes

 Front Axle Left
 Front Axle Right
 25

Inner Diameter [mm]

References

31 35 1 095 271


Application info

3 (E46) (02/98--)

Mount, stabilizer
300 313 5109

31 35 1 097 021

Notes

 Front Axle Left
 Front Axle Right
 29

Inner Diameter [mm]

References

31 35 1 097 021


Application info

X5 (E53) (05/00--)

314 615 0003
31 35 1 097 179

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
23

Inner Diameter [mm]

References

31 35 1 097 179

33 55 6 751 269

Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

300 313 5105
31 35 1 127 414

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
19

Inner Diameter [mm]

References

31 35 1 126 774

31 35 1 127 414

Application info

3 (E30) (09/82-10/94)

300 313 5107
31 35 1 132 786

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
24

Inner Diameter [mm]

References

31 35 1 131 621

31 35 1 132 786

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Mount, stabilizer
300 313 5111
 31 35 1 133 738

Notes

 Front Axle Left
 Front Axle Right
 inner
 24

Inner Diameter [mm]

References

31 35 1 133 738


Application info

5 (E34) (12/87-01/97)

Mount, stabilizer
300 313 5106
 31 35 1 135 805

Notes

 Front Axle Left
 Front Axle Right
 inner
 23

Inner Diameter [mm]

References

31 35 1 135 805


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

Z3 (E36/7, E36/8) (10/95-06/03)

Mount, stabilizer
314 615 0019
 31 35 1 140 188

Notes

 Front Axle Left
 Front Axle Right
 26

Inner Diameter [mm]

References

31 35 1 140 188

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

314 615 0004
31 35 6 753 928

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
inner
25

Inner Diameter [mm]

References

31 35 6 753 928
31 35 6 761 589
31 35 6 761 591

31 35 6 763 267
31 35 6 764 113
31 35 6 766 509

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

314 615 0005
31 35 6 765 574

Mount, stabilizer



Notes

Front Axle Left
Front Axle Right
27

Inner Diameter [mm]

References

31 35 6 765 574

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

300 335 5103
33 55 1 093 663

Mount, stabilizer



Notes

Rear Axle Left
Rear Axle Right
13

Inner Diameter [mm]

References

33 55 1 093 663

Application info

5 (E39) (11/95-05/04)

Mount, stabilizer
300 335 5107
 33 55 1 131 155

Notes

Rear Axle Left
 Rear Axle Right
 inner
 15

Inner Diameter [mm]

References

33 55 1 131 155


Application info

 3 (E36) (09/90-08/00)
 5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Stabilizer link

316 060 0018/HD
 31 30 3 414 299

Notes

Reinforced Version
 Front Axle Left
 Length [mm] 300
 Thread Measurement 1 M10x1,5
 Thread Measurement 2 M10x1,5
 Coupling Rod

References

31 30 3 413 201 31 30 3 414 299

Counterpart

316 060 0019/HD


Application info

X3 (E83) (01/04--)

Stabilizer link

316 060 0019/HD
 31 30 3 414 300

Notes

Reinforced Version
 Front Axle Right
 Length [mm] 300
 Thread Measurement 1 M10x1,5
 Thread Measurement 2 M10x1,5
 Coupling Rod

References

31 30 3 413 202 31 30 3 414 300

Counterpart

316 060 0018/HD



316 060 0019/HD
31 30 3 414 300

Stabilizer link

Application info
X3 (E83) (01/04--)

316 060 0003/HD
31 30 6 781 545

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
426
M10x1,5
M10x1,5
Coupling Rod

References

31 30 6 781 545
31 35 6 753 767

31 35 6 778 069

Counterpart

316 060 0004/HD

Application info
7 (E65, E66) (11/01--)

316 060 0004/HD
31 30 6 781 546

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
426
M10x1,5
M10x1,5
Coupling Rod

References

31 30 6 781 546
31 35 6 753 768

31 35 6 778 070

Counterpart

316 060 0003/HD

Application info
7 (E65, E66) (11/01--)

Stabilizer link

316 060 0013/HD

31 30 6 781 547

Notes

Reinforced Version	Front Axle Left
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod

References

31 30 6 781 547	31 35 6 760 985
31 35 4 014 531	31 35 6 769 499

Counterpart

316 060 0014/HD


Application info

5 (E60, E61) (07/03--)

Stabilizer link

316 060 0014/HD

31 30 6 781 548

Notes

Reinforced Version	Front Axle Right
Length [mm]	300
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod

References

31 30 6 781 548	31 35 6 760 986
31 35 4 014 532	31 35 6 769 500

Counterpart

316 060 0013/HD


Application info

5 (E60, E61) (07/03--)

Stabilizer link

316 060 0038/HD

31 30 6 787 163

Notes

Reinforced Version	Front Axle Left
Length [mm]	340
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12x1,5
	Coupling Rod

References

31 30 6 787 163

Counterpart

316 060 0039/HD



316 060 0038/HD
31 30 6 787 163

Stabilizer link

Application info
X3 (F25) (09/10--)

316 060 0039/HD
31 30 6 787 164

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
340
M12x1,5
M12x1,5
Coupling Rod

References

31 30 6 787 164

Counterpart

316 060 0038/HD

Application info
X3 (F25) (09/10--)

316 060 0040/HD
31 30 6 792 211

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
310
M10x1,5
M10x1,5
Coupling Rod

References

31 30 6 792 211

Counterpart

316 060 0041/HD

Application info
1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)
4 (F32, F33) (07/13--)

Stabilizer link

316 060 0041/HD

31 30 6 792 212

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 310
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 30 6 792 212

Counterpart

316 060 0040/HD


Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)

 3 (F34) (03/13--)
 4 (F32, F33) (07/13--)

Stabilizer link

316 060 4311/HD

31 35 1 091 764

Notes

Reinforced Version


 Length [mm]
 Thread Measurement 1
 Inner Diameter 1 [mm]

 Front Axle Left
 Front Axle Right
 67
 M10x1,5
 8
 Coupling Rod

References

 31 35 1 091 764
 31 35 1 127 689

31 35 1 128 737


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)

Stabilizer link

316 060 4359/HD

31 35 1 095 661

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 240
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 1 091 855

31 35 1 095 661

Counterpart

316 060 4358/HD



316 060 4359/HD
31 35 1 095 661

Stabilizer link

Application info
5 (E39) (11/95-05/04)

316 060 4358/HD
31 35 1 095 662

Stabilizer link



Notes

Reinforced Version	Front Axle Right
Length [mm]	240
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod

References

31 35 1 091 856	31 35 1 095 662
-----------------	-----------------

Counterpart

316 060 4359/HD

Application info
5 (E39) (11/95-05/04)

316 060 0002/HD
31 35 1 095 664

Stabilizer link



Notes

Reinforced Version	Front Axle Left
	Front Axle Right
Length [mm]	285
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod

References

31 35 1 092 304	31 35 1 095 664
-----------------	-----------------

Application info
5 (E39) (11/95-05/04)

Stabilizer link

316 060 4364/HD

31 35 1 095 695

Notes

Reinforced Version

Length [mm]

Thread Measurement 1

Thread Measurement 2

 Front Axle Left
 Front Axle Right
 310
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 1 091 496

31 35 1 095 695


Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Stabilizer link

316 060 4322/HD

31 35 1 134 582

Notes

Reinforced Version

Length [mm]

Thread Measurement 1

Thread Measurement 2

 Front Axle Left
 Front Axle Right
 240
 M10x1,5
 M10x1,5
 Coupling Rod

References


31 35 1 124 380

31 35 1 127 194

31 35 1 128 050

31 35 1 130 075

31 35 1 134 582


Application info

3 (E30) (09/82-10/94)

3 (E36) (09/90-08/00)

5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)

7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Stabilizer link

316 060 0007/HD

31 35 1 701 066

Notes

Reinforced Version

Length [mm]

Thread Measurement 1

Thread Measurement 2

 Front Axle Left
 Front Axle Right
 240
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 1 701 066



316 060 0007/HD
31 35 1 701 066

Stabilizer link

Application info
3 (E30) (09/82-10/94)

316 060 0001/HD
31 35 2 227 203

Stabilizer link



Notes

Reinforced Version
Length [mm] 231
Thread Measurement 1 M10x1,5
Thread Measurement 2 M10x1,5
Coupling Rod

References

31 35 2 227 203

Application info
3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

316 060 0005/HD
31 35 6 750 703

Stabilizer link



Notes

Reinforced Version
Length [mm] 358
Thread Measurement 1 M12x1,75
Thread Measurement 2 M12x1,75
Coupling Rod
Front Axle Left

References

31 35 6 750 703

Counterpart

316 060 0006/HD

Application info
X5 (E53) (05/00--)

Stabilizer link

316 060 0006/HD

31 35 6 750 704

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 358
 M12x1,75
 M12x1,75
 Coupling Rod

References

31 35 6 750 704

Counterpart

316 060 0005/HD


Application info

X5 (E53) (05/00--)

Stabilizer link

316 060 0009/HD

31 35 6 751 079

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 308
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 6 751 079

Counterpart

316 060 0010/HD


Application info

3 (E46) (02/98--)

Stabilizer link

316 060 0010/HD

31 35 6 751 080

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 308
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 6 751 080

Counterpart

316 060 0009/HD




316 060 0010/HD
31 35 6 751 080

Stabilizer link

Application info
3 (E46) (02/98--)

316 060 0016/HD
31 35 6 765 933

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
290
M10x1,5
M10x1,5
Coupling Rod

References

31 35 6 765 933

Counterpart

316 060 0017/HD

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

316 060 0017/HD
31 35 6 765 934

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Right
290
M10x1,5
M10x1,5
Coupling Rod

References

31 35 6 765 934

Counterpart

316 060 0016/HD

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)
Z4 (E89) (05/09--)

Stabilizer link

316 060 0025/HD

31 35 6 768 771

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 340
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 6 768 771

Counterpart

316 060 0026/HD


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Stabilizer link

316 060 0026/HD

31 35 6 768 772

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 340
 M10x1,5
 M10x1,5
 Coupling Rod

References

31 35 6 768 772

Counterpart

316 060 0025/HD


Application info

3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Stabilizer link

316 060 0033/HD

31 35 6 777 319

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Left
 Front Axle Right
 300
 M12x1,5
 M12x1,5
 Coupling Rod

References

31 35 6 777 319



316 060 0033/HD
31 35 6 777 319

Stabilizer link

Application info

5 (F07) (10/09--)
5 (F10, F11) (03/10--)

6 (F12, F13) (11/10--)
7 (F01, F02, F03, F04) (06/08--)

316 060 4607/HD
31 35 6 780 847

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
Front Axle Right
270
M10x1,5
M10x1,5
Coupling Rod

References

31 35 1 095 694

31 35 6 780 847

Application info

3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)

316 060 0030
31 35 6 857 623

Stabilizer link



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
248
M12x1,5
M12x1,5
Coupling Rod

References

31 35 6 773 023

31 35 6 857 623

Counterpart

316 060 0031

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Stabilizer link
316 060 0031

31 35 6 857 624

Notes

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Front Axle Right
 248
 M12x1,5
 M12x1,5
 Coupling Rod

References

31 35 6 773 024

31 35 6 857 624

Counterpart

316 060 0030


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Stabilizer link

316 060 0011/HD

33 50 3 414 297

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 Rear Axle Right
 95
 M10x1,5
 M10x1,5
 Coupling Rod

References

33 50 3 412 794

33 50 3 413 197

33 50 3 414 297


Application info

X3 (E83) (01/04--)

Stabilizer link

316 060 0029/HD

33 50 6 781 537

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 Rear Axle Right
 161
 M12x1,75
 M12x1,5
 Coupling Rod

References

33 50 6 781 537

33 55 6 771 937



316 060 0029/HD
33 50 6 781 537

Stabilizer link

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

X5 (E70) (02/07--)
X6 (E71) (05/08--)

316 060 0000/HD
33 50 6 781 538

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Rear Axle Left
Rear Axle Right
207
M10x1,5
M12x1,5
Coupling Rod

References

33 50 6 781 538

33 55 6 757 460

Application info

7 (E65, E66) (11/01--)

316 060 0024/HD
33 50 6 781 539

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Thread Measurement 2

Rear Axle Left
Rear Axle Right
215
M12x1,75
M12x1,75
Coupling Rod

References

33 50 6 781 539

33 55 6 753 770

Application info

7 (E65, E66) (11/01--)

Stabilizer link

316 060 0012/HD

33 50 6 781 540

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 Rear Axle Right
 132
 M10x1,5
 M12x1,5
 Coupling Rod

References

33 50 6 781 540

33 55 6 761 000


Application info

 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7

 6 (E63, E64) (01/04--)
 7

Stabilizer link

316 060 0042/HD

33 50 6 785 607

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 136
 M10x1,5
 M10x1,5
 Coupling Rod

References

33 50 6 785 607

Counterpart

316 060 0043/HD


Application info

 1 (F20, F21) (11/10--)
 3 (F30, F31) (10/11--)
 7

 3 (F34) (03/13--)
 7

Stabilizer link

316 060 0043/HD

33 50 6 785 608

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Right
 136
 M10x1,5
 M10x1,5
 Coupling Rod

References

33 50 6 785 608

Counterpart

316 060 0042/HD



316 060 0043/HD
33 50 6 785 608

Stabilizer link



Application info

1 (F20, F21) (11/10--)
3 (F30, F31) (10/11--)

3 (F34) (03/13--)

316 060 4610
33 55 1 094 619

Stabilizer link



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle Left
Rear Axle Right
95
7
8
Coupling Rod

References

33 55 1 094 619

Application info

3 (E46) (02/98--)

300 335 5105
33 55 1 095 532

Stabilizer link



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Rear Axle Left
Rear Axle Right
66
M10x1,5
M10x1,5
Coupling Rod

References

33 55 1 092 292

33 55 1 095 532

Application info

5 (E39) (11/95-05/04)

Stabilizer link

316 060 4365/HD

33 55 1 095 696

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 Rear Axle Right
 77
 M10x1,5
 M10x1,5
 Coupling Rod

References

33 55 1 091 497

33 55 1 095 696


Application info

7 (E38) (10/94-11/01)

Stabilizer link

316 060 0008/HD

33 55 1 096 735

Notes

Reinforced Version

 Length [mm]
 Thread Measurement 1
 Thread Measurement 2

 Rear Axle Left
 Rear Axle Right
 65
 M12x1,75
 M12x1,75
 Coupling Rod

References

33 55 1 096 735


Application info

X5 (E53) (05/00--)

Stabilizer link
300 335 5102

33 55 1 126 932

Notes

 Length [mm]
 Inner Diameter 1 [mm]
 Inner Diameter 2 [mm]

 Rear Axle Left
 Rear Axle Right
 130
 8
 8
 Coupling Rod

References

33 55 1 124 375

33 55 1 126 932


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E28) (06/80-12/87)

 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z1 (06/88-06/91)

300 335 5101
33 55 1 135 307

Stabilizer link



Notes

Length [mm]
Inner Diameter 1 [mm]
Inner Diameter 2 [mm]

Rear Axle Left
Rear Axle Right
60
6
8
Coupling Rod

References

33 55 1 131 131

33 55 1 135 307

Application info

3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z3 (E36/7, E36/8) (10/95-06/03)

316 060 0020/HD
33 55 6 764 428

Stabilizer link



Notes

Reinforced Version

Length [mm]
Thread Measurement 1
Inner Diameter 1 [mm]

Rear Axle Left
Rear Axle Right
160
M10x1,5
8
Coupling Rod

References

33 55 6 764 428


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

316 060 0036
37 11 6 857 627

Stabilizer link



Notes

Length [mm]
Thread Measurement 1
Thread Measurement 2

Front Axle Left
248
M12x1,5
M12x1,5
Coupling Rod

References

37 11 6 771 929

37 11 6 857 627

Counterpart

316 060 0037

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Stabilizer link
316 060 0037
 37 11 6 857 628

Notes


Length [mm]	Front Axle Right
Thread Measurement 1	248
Thread Measurement 2	M12x1,5
	M12x1,5
	Coupling Rod

References

37 11 6 771 930	37 11 6 857 628
-----------------	-----------------

Counterpart

316 060 0036


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Axle support bushing
300 331 7101
 33 17 1 090 389

Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	54
Outer Diameter [mm]	54
Inner Diameter [mm]	14

References

33 17 1 090 099	33 17 1 091 685
33 17 1 090 389	


Application info

 5 (E39) (11/95-05/04)
 7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Axle support bushing
300 331 7100
 33 17 1 093 008

Notes

	Rear Axle Left
	Rear Axle Right
	Rear
Height 1 [mm]	58
Height 2 [mm]	42
Outer Diameter [mm]	69

References

33 17 1 093 008


Application info

5 (E39) (11/95-05/04)

300 331 7102
33 17 1 131 903

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
Rear
Height [mm] 60
Outer Diameter [mm] 52
Inner Diameter [mm] 12

References

33 17 1 131 903

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 331 7601/HD
33 17 6 751 808

Axle support bushing



Notes

Reinforced Version

Rear Axle Left
Rear
inner
Height [mm] 60
Outer Diameter [mm] 68
Inner Diameter [mm] 14

References

33 17 1 093 565

33 17 6 751 808

Application info

3 (E46) (02/98--)
X3 (E83) (01/04--)

Z4 (E85) (02/03--)

314 710 0002
33 17 6 760 287

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
Front
inner

Height [mm] 54
Outer Diameter [mm] 54
Inner Diameter [mm] 12

References

33 17 6 760 287

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Axle support bushing

314 710 0003

33 17 6 760 288

Notes

	Rear Axle Left
	Rear Axle Right
	Rear
	inner
Height [mm]	57
Outer Diameter [mm]	72
Inner Diameter [mm]	14

References

33 17 6 760 288	33 17 6 770 866
-----------------	-----------------



Application info

1 (E81, E82, E87, E88) (11/03--)	Z4 (E85) (02/03--)
3 (E90, E91, E92, E93) (01/05--)	Z4 (E86) (03/06--)
X1 (E84) (03/09--)	

Axle support bushing

300 331 7604

33 17 6 770 763

Notes

	Rear Axle Left
	Rear Axle Right
	Rear
Height [mm]	60
Outer Diameter [mm]	72
Inner Diameter [mm]	14

References

33 17 0 392 928	33 17 6 757 313
33 17 0 403 288	33 17 6 770 763



Application info

7 (E65, E66) (11/01--)

Axle support bushing

300 331 7603

33 17 6 770 764

Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	54
Outer Diameter [mm]	54
Inner Diameter [mm]	12

References

33 17 6 757 314	33 17 6 770 764
-----------------	-----------------



Application info

7 (E65, E66) (11/01--)

300 331 7109
33 17 6 770 788

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
Front
inner

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

47
47
12

References

33 17 1 093 175

33 17 6 770 788

Application info

3 (E46) (02/98--)
X3 (E83) (01/04--)

Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

300 333 1001
33 31 1 090 946

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
Outer

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

84
59
14

References

33 31 1 090 945

33 31 1 090 946

Application info

3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

300 333 1112
33 31 1 090 956

Axle support bushing



Notes

Rear Axle Left
Rear Axle Right
Front
Rear

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

90
81
19

References

33 31 1 090 274

33 31 1 090 956

Application info

7 (E38) (10/94-11/01)

Z8 (E52) (06/00-06/03)

Axle support bushing

300 333 1104

33 31 1 091 422

Notes

	Rear Axle Left
	Rear Axle Right
	Front
	Rear
Height [mm]	93
Outer Diameter [mm]	81
Inner Diameter [mm]	19

References

33 31 1 091 422


Application info

5 (E39) (11/95-05/04)

Axle support bushing


300 333 1111/HD

33 31 1 094 036

Notes

Reinforced Version	Rear Axle Left
	Rear Axle Right
Height [mm]	140
Outer Diameter [mm]	80
Inner Diameter [mm]	19

References

33 31 1 094 036


Application info

5 (E39) (11/95-05/04)

Axle support bushing


300 333 1101/HD

33 31 1 128 670

Notes

Reinforced Version	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	85
Outer Diameter [mm]	80
Inner Diameter [mm]	15

References

31 31 1 128 670	33 31 1 128 702
33 31 1 128 670	33 31 1 129 760


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

300 333 1102
33 31 1 129 144

Axle support bushing



Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	104
Outer Diameter [mm]	58
Inner Diameter [mm]	15

References

31 31 1 130 537	33 31 1 129 144
33 31 1 126 747	33 31 1 130 537
33 31 1 128 566	

Application info

3 (E30) (09/82-10/94)

300 333 1103/HD
33 31 1 130 487

Axle support bushing



Notes

Reinforced Version	
	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	85
Outer Diameter [mm]	70
Inner Diameter [mm]	15

References

31 31 1 127 533	33 31 1 127 533
31 31 1 130 488	33 31 1 130 487
33 31 1 121 041	33 31 1 130 488

Application info

5 (E28) (06/80-12/87)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)

300 333 1105/HD
33 31 6 770 454

Axle support bushing



Notes

Reinforced Version	
	Rear Axle Left
	Rear Axle Right
	Front
	Rear
Height [mm]	93
Outer Diameter [mm]	95
Inner Diameter [mm]	19

References

33 31 1 093 662	33 31 6 770 454
-----------------	-----------------

Axle support bushing

300 333 1105/HD

33 31 6 770 454


Application info

X5 (E53) (05/00--)

Axle support bushing

300 333 1601/HD

33 31 6 770 750

Notes

Reinforced Version

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

Rear Axle Left	
Rear Axle Right	
	97
	96
	19

References

33 31 0 392 927	33 31 1 096 772
33 31 0 403 287	33 31 6 770 750


Application info

7 (E65, E66) (11/01--)

Axle support bushing
300 333 1108

33 31 6 770 781

Notes

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

Rear Axle Left	
Rear Axle Right	
Rear	
	63
	72
	21

References

33 31 1 092 517	33 31 6 770 781
-----------------	-----------------


Application info

3 (E46) (02/98--)	Z4 (E86) (03/06--)
X3 (E83) (01/04--)	Z4 (E89) (05/09--)
Z4 (E85) (02/03--)	

300 333 1905
33 31 9 059 300

Axle support bushing



Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	77
Outer Diameter [mm]	61
Inner Diameter [mm]	12

References

33 31 9 059 300

Application info

3 (E36) (09/90-08/00)

300 333 1906
33 31 9 059 301

Axle support bushing



Notes

	Rear Axle Left
	Rear Axle Right
	Rear
Height [mm]	67
Outer Diameter [mm]	63
Inner Diameter [mm]	17

References

33 31 9 059 301

Application info

3 (E36) (09/90-08/00)

300 333 2104/HD
33 32 6 770 786

Axle support bushing



Notes

Reinforced Version	Rear Axle Left
	Rear Axle Right
Height [mm]	49
Outer Diameter [mm]	60
Inner Diameter [mm]	12

References

33 32 1 097 009	33 32 6 757 885
33 32 1 137 806	33 32 6 770 786
33 32 2 228 153	33 32 6 770 817

+

Axle support bushing

300 333 2104/HD

33 32 6 770 786

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 X3 (E83) (01/04--)
 +

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
 7

Axle support bushing
300 333 2901

33 32 9 061 946

Notes

	Rear Axle Left
	Rear Axle Right
	Rear
Height 1 [mm]	67
Outer Diameter [mm]	44
Inner Diameter [mm]	12


References

33 32 1 123 462	33 32 9 058 823
33 32 1 125 563	33 32 9 061 946
33 32 1 137 459	

Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

Mount, axle carrier
300 331 7602

33 17 6 770 768

Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	47
Outer Diameter [mm]	47
Inner Diameter [mm]	12


References

33 17 6 758 081	33 17 6 770 768
-----------------	-----------------

Application info

 3 (E46) (02/98--)
 7

 Z4 (E85) (02/03--)
 7

314 710 0000
33 31 6 758 259

Mount, axle carrier



Notes

Rear Axle Left
Rear Axle Right
Front
Upper
Outer

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

87
76
17

References

33 31 6 758 259

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 710 0001
33 31 6 758 260

Mount, axle carrier



Notes

Rear Axle Left
Rear Axle Right
Rear
Outer

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

72
86
17

References

33 31 6 758 260

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

300 333 1109/HD
33 31 6 770 783

Mount, axle carrier



Notes

Reinforced Version

Rear Axle Left
Front

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

66
70
12

References

33 31 1 092 515
33 31 6 757 393

33 31 6 770 783

Counterpart

300 333 1110/HD



316 010 4347
33 32 6 767 748

Mount, axle carrier



Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	68
Outer Diameter [mm]	57
Inner Diameter [mm]	16
	with accessories

References

33 32 1 090 504	33 32 6 750 371
33 32 1 095 631	33 32 6 767 748

Application info

5 (E39) (11/95-05/04)	7 (E65, E66) (11/01--)
5 (E60, E61) (07/03--)	X5 (E53) (05/00--)
6 (E63, E64) (01/04--)	Z8 (E52) (06/00-06/03)
7 (E38) (10/94-11/01)	

314 710 0004
33 32 6 770 829

Mount, axle carrier



Notes

	Rear Axle Left
	Rear Axle Right
	Rear inner
Height [mm]	65
Outer Diameter [mm]	53
Inner Diameter [mm]	14

References

33 32 6 763 093	33 32 6 770 829
-----------------	-----------------

Application info

1 (E81, E82, E87, E88) (11/03--)	X1 (E84) (03/09--)
3 (E90, E91, E92, E93) (01/05--)	

300 333 2902
33 32 9 061 945

Repair kit, subframe



Notes

	Rear Axle Left
	Rear Axle Right
	Front
Height [mm]	70
Outer Diameter [mm]	30
Inner Diameter [mm]	12

References

33 32 1 110 115	33 32 1 137 564
33 32 1 117 259	33 32 9 058 821
33 32 1 123 774	33 32 9 061 945

Repair kit, subframe
300 333 2902
 33 32 9 061 945

Application info

 2000/2500 (E3, E9) (10/65-04/77)
 3 (E21) (06/75-03/84)
 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 5 (E12) (08/72-08/81)

 5 (E28) (06/80-12/87)
 6 (E24) (04/76-09/90)
 7 (E23) (05/77-08/86)
 Z3 (E36/7, E36/8) (10/95-06/03)

Coil spring
314 033 0004
 31 33 1 090 761

Notes

Replace in pairs only


 Height [mm]
 Thickness [mm]

 Front Axle
 370
 12.9

References

31 33 1 090 760

31 33 1 090 761


Application info

3 (E36) (09/90-08/00)

Coil spring
314 639 0006
 31 33 1 091 517

Notes


Replace in pairs only

References

31 33 1 091 517

Front Axle


31 33 1 091 530


Application info

7 (E38) (10/94-11/01)

314 639 0002
31 33 1 093 069

Coil spring



Notes

Replace in pairs only

Front Axle

References


31 33 1 093 069

Application info

3 (E46) (02/98--)

314 639 0001
31 33 1 093 070

Coil spring



Notes

Replace in pairs only

Front Axle

References

31 33 1 093 070

31 33 1 096 184

Application info

5 (E39) (11/95-05/04)

314 031 0001
31 33 1 133 336

Coil spring



Notes

Replace in pairs only

Front Axle

Height [mm]

400

Thickness [mm]

13

References

31 33 1 133 336

31 33 1 134 386

Application info

5 (E34) (12/87-01/97)

Coil spring
314 739 0009

33 53 1 091 548


Notes

Replace in pairs only

Rear Axle

References

33 53 1 091 548


Application info

7 (E38) (10/94-11/01)

Coil spring
314 739 0003

33 53 1 093 632

Notes

Replace in pairs only

Rear Axle


References

33 53 1 093 632

33 53 1 093 633

33 53 1 093 634

33 53 1 093 940


Application info

5 (E39) (11/95-05/04)

Coil spring
314 739 0010

33 53 1 093 939


Notes

Replace in pairs only

Rear Axle

References

33 53 1 093 939



Application info

5 (E39) (11/95-05/04)

7

314 739 0013
33 53 1 094 740

Coil spring



Notes

Replace in pairs only

Rear Axle

References

33 53 1 094 740


33 53 1 095 736

Application info

3 (E46) (02/98-)

314 739 0000
33 53 1 095 732

Coil spring



Notes

Replace in pairs only

Rear Axle
Mini Block

References

33 53 1 095 732

Application info

3 (E46) (02/98-)

314 033 0003
33 53 1 132 248

Coil spring



Notes

Replace in pairs only

Rear Axle
for vehicles without ride height
control
361
11.9

Height [mm]
Thickness [mm]

References

33 53 1 132 248

Application info

5 (E34) (12/87-01/97)

Coil spring

314 739 0002
 33 53 6 750 756

Notes


Replace in pairs only

 Rear Axle
 Mini Block

References

33 53 1 096 187

33 53 6 750 756



Application info

3 (E46) (02/98--)

Dust cover kit, shock absorber

314 740 0002
 33 53 1 091 640

Notes

 Rear Axle
 Kit

References

33 53 1 091 640

Parts list

300 335 3101

300 335 2111

 Rubber stop, suspension
 Dust cover/boot, strut


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Dust cover kit, shock absorber

314 640 0000

Notes

 Front Axle
 Kit


Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03--)

7

314 640 0001

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)
3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
3 (E46) (02/98--)
5 (E12) (08/72-08/81)
5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)
7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)
7 (E38) (10/94-11/01)
Z1 (06/88-06/91)

314 640 0002

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03--)

314 640 0003

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Dust cover kit, shock absorber
314 640 0003

Application info

X5 (E53) (05/00--)

Dust cover kit, shock absorber
314 640 0004
Notes

 Front Axle
 Kit

Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E46) (02/98--)

3 (E90, E91, E92, E93) (01/05--)

Dust cover kit, shock absorber
314 640 0005
Notes

 Front Axle
 Kit

Application info

3 (E90, E91, E92, E93) (01/05--)

314 640 0007

Dust cover kit, shock absorber



Notes

Front Axle
Kit

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)

3 (E90, E91, E92, E93) (01/05--)
Z4 (E85) (02/03--)

314 740 0001

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

314 740 0003

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

5 (E39) (11/95-05/04)

Dust cover kit, shock absorber
314 740 0004
Notes

 Rear Axle
 Kit

Application info

5 (E39) (11/95-05/04)

Dust cover kit, shock absorber
314 740 0005
Notes

 Rear Axle
 Kit

Application info

X5 (E53) (05/00--)

Dust cover kit, shock absorber
314 740 0006
Notes

 Rear Axle
 Kit

Application info

5 (E39) (11/95-05/04)

7

314 740 0007

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 740 0008

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 740 0009

Dust cover kit, shock absorber



Notes

Rear Axle
Kit

Application info

5 (E60, E61) (07/03--)

Dust cover kit, shock absorber
314 740 0010
Notes

 Rear Axle
 Kit

Application info

5 (E60, E61) (07/03--)

Dust cover kit, shock absorber
314 740 0011
Notes

 Rear Axle
 Kit

Application info

5 (E60, E61) (07/03--)

Dust cover kit, shock absorber
314 740 0012
Notes

 Rear Axle
 Kit

Application info

5 (E60, E61) (07/03--)

7 (E65, E66) (11/01--)

300 643 0000
31 32 1 125 878

Dust cover/boot, strut



Notes

Height [mm]

Front Axle
195

References

31 32 1 125 878

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)
5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
X3 (E83) (01/04-)
X5 (E53) (05/00-)

300 313 3111
31 33 1 134 314

Dust cover/boot, strut



Notes

Height [mm]

Front Axle
91

References

31 33 1 134 314

Application info

3 (E30) (09/82-10/94)
5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)
Z1 (06/88-06/91)

300 335 2111
33 52 1 136 283

Dust cover/boot, strut



Notes

Height [mm]

Rear Axle
194

References

33 52 1 136 283

Dust cover/boot, strut
300 335 2111
 33 52 1 136 283

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

Z4 (E85) (02/03--)

Gasket, suspension strut
314 600 0001
 33 52 6 772 864


Notes

Rear Axle

References

 33 52 1 126 351
 33 52 1 128 734

33 52 6 772 864


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

Pressure accumulator
300 372 1102
 37 21 1 132 043

References

37 21 1 124 595

37 21 1 132 043


Application info

 3 (E30) (09/82-10/94)
 5 (E34) (12/87-01/97)

 6 (E24) (04/76-09/90)
 7 (E32) (09/86-09/94)

314 642 0007
31 30 3 411 973

Rubber stop, suspension



Notes

Height [mm]

Front Axle
90

References

31 30 3 411 973

Application info

X3 (E83) (01/04--)

X5 (E53) (05/00--)

314 642 0005
31 30 6 757 046

Rubber stop, suspension



Notes

Height [mm]

Front Axle
80
for vehicles with sports suspension

References

31 30 6 757 046

31 33 6 757 046

Application info

3 (E46) (02/98--)

314 642 0002
31 33 1 094 750

Rubber stop, suspension



Notes

Height [mm]

Front Axle
85

References

31 33 1 094 750

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)

X3 (E83) (01/04--)

314 642 0003
31 33 6 750 892

Rubber stop, suspension

Application info
3 (E46) (02/98--)

314 642 0004
31 33 6 764 085

Rubber stop, suspension



Notes

Height [mm]

Front Axle
85

References

31 33 6 764 085

Application info
5 (E60, E61) (07/03--)

X1 (E84) (03/09--)

314 642 0006
31 33 6 771 352

Rubber stop, suspension



Notes

Height [mm]

Front Axle
80

References

31 33 6 767 320

31 33 6 771 352

Application info
3 (E90, E91, E92, E93) (01/05--)

Rubber stop, suspension
314 642 0009

31 33 6 771 380

Notes

Height [mm]

 Front Axle
 85

References

31 33 6 771 380


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Rubber stop, suspension
314 642 0001

31 33 6 778 544

Notes

Height [mm]

 Front Axle
 75
 for vehicles with sports suspension

References

31 33 1 094 751

31 33 6 778 544


Application info

3 (E46) (02/98--)

Z4 (E85) (02/03--)

Rubber stop, suspension
314 742 0002

33 50 6 757 047

Notes

Height [mm]

 Rear Axle
 80
 for vehicles with sports suspension

References

33 50 6 757 047

33 53 6 757 047


Application info

3 (E46) (02/98--)

7

314 742 0001
33 50 6 757 368

Rubber stop, suspension



Notes

Height [mm] Rear Axle
110
for vehicles with sports suspension

References

33 50 6 757 368 33 53 6 757 368

Application info

3 (E46) (02/98--)

314 742 0007
33 50 6 773 628

Rubber stop, suspension



Notes

Height [mm] Rear Axle
95

References

33 50 6 773 628

Application info

3 (E90, E91, E92, E93) (01/05--)

300 335 3104
33 53 1 091 031

Rubber stop, suspension



Notes

Height [mm] Rear Axle
90

References

33 53 1 091 031

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

Rubber stop, suspension
300 335 3103

33 53 1 135 624

Notes

Height [mm]

 Rear Axle
 99

References

33 53 1 135 624


Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

7 (E38) (10/94-11/01)

Rubber stop, suspension
300 335 3101

33 53 1 136 395

Notes

Height [mm]

 Rear Axle
 105
 for vehicles without sports suspen-
 sion
 for vehicles without M-technology

References

33 53 1 136 395


Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Rubber stop, suspension
314 742 0000

33 53 6 761 027

Notes

Height [mm]

 Rear Axle
 150

References

33 53 6 761 027


Application info

5 (E60, E61) (07/03--)

314 742 0003
33 53 6 767 334

Rubber stop, suspension



Notes

Height [mm] Rear Axle
230

References

33 50 4 034 410 33 53 6 767 334

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

314 742 0005
33 53 6 767 335

Rubber stop, suspension



Notes

Height [mm] Rear Axle
220

References

33 53 6 767 335

Application info

1 (E81, E82, E87, E88) (11/03--)

X1 (E84) (03/09--)

3 (E90, E91, E92, E93) (01/05--)

314 742 0006
33 53 6 771 381

Rubber stop, suspension



Notes

Height [mm] Rear Axle
95

References

33 53 6 771 381

Application info

1 (E81, E82, E87, E88) (11/03--)

Shock absorber
326 623 0010

31 31 1 091 569

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 1 091 503

31 31 1 091 569

Counterpart

326 623 0011


Application info

7 (E38) (10/94-11/01)

Shock absorber
326 623 0011

31 31 1 091 570

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 1 091 504

31 31 1 091 570

Counterpart

326 623 0010


Application info

7 (E38) (10/94-11/01)

Shock absorber
326 623 0026

31 31 1 092 487

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 1 092 307

31 31 1 092 487

Counterpart

326 623 0027


Application info

3 (E36) (09/90-08/00)

7

326 623 0027
31 31 1 092 488

Shock absorber



Notes

Front Axle Right
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 1 092 308

31 31 1 092 488

Counterpart

326 623 0026

Application info

3 (E36) (09/90-08/00)

326 623 0052
31 31 1 094 189

Shock absorber

Notes

Front Axle Left
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 1 091 703

31 31 1 094 189

Counterpart

326 623 0053

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

326 623 0053
31 31 1 094 190

Shock absorber

Notes

Front Axle Right
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 1 091 704

31 31 1 094 190

Counterpart

326 623 0052

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Shock absorber
326 623 0000

31 31 1 096 849

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 1 094 561

31 31 1 096 849

Counterpart

326 623 0016


Application info

3 (E46) (02/98--)

Shock absorber
326 623 0016

31 31 1 096 850

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 1 094 562

31 31 1 096 850

Counterpart

326 623 0000


Application info

3 (E46) (02/98--)

Shock absorber
326 623 0020

31 31 1 096 851

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 30 6 757 043

31 31 2 282 097

31 31 1 094 563

31 31 2 282 101

31 31 1 096 367

31 31 2 282 459

31 31 1 096 851

31 31 6 750 787

31 31 1 096 855

31 31 6 750 791

Counterpart

326 623 0019



326 623 0020

31 31 1 096 851

Shock absorber

Application info

3 (E46) (02/98--)

326 623 0019

31 31 1 096 852

Shock absorber



Notes

Front Axle Right
Twin-Tube
Gas Pressure
Suspension Strut

References

31 30 6 757 044
31 31 1 094 564
31 31 1 096 368
31 31 1 096 852
31 31 1 096 856

31 31 2 282 098
31 31 2 282 102
31 31 2 282 460
31 31 6 750 788
31 31 6 750 792

Counterpart

326 623 0020

Application info

3 (E46) (02/98--)

326 623 0003

31 31 1 096 858

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 1 093 644
31 31 1 094 041

31 31 1 096 858
31 31 1 096 862

Application info

5 (E39) (11/95-05/04)

Shock absorber
326 624 0003
 31 31 1 133 517

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut Insert

References

31 31 1 133 517


Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Shock absorber
326 623 0050
 31 31 3 453 521

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 30 3 411 619
 31 30 3 413 145
 31 30 3 449 389
 31 30 3 451 393

 31 30 3 451 395
 31 31 3 412 397
 31 31 3 453 521
 31 31 3 453 523

Counterpart

326 623 0051

Application info

X3 (E83) (01/04--)

Shock absorber
326 623 0051
 31 31 3 453 522

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 30 3 411 620
 31 30 3 413 146
 31 30 3 449 390
 31 30 3 451 394

 31 30 3 451 396
 31 31 3 412 398
 31 31 3 453 522
 31 31 3 453 524

Counterpart

326 623 0050

326 623 0051
31 31 3 453 522

Shock absorber

Application info
X3 (E83) (01/04--)

326 623 0048
31 31 6 752 597

Shock absorber

Notes

Front Axle Left
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 6 752 597
31 31 6 753 187
31 31 6 762 727
31 31 6 770 165

31 31 6 786 531
31 31 6 786 533
31 31 6 786 535
31 31 6 786 539

Counterpart

326 623 0049

Application info
7 (E65, E66) (11/01--)

326 623 0049
31 31 6 752 598

Shock absorber

Notes

Front Axle Right
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 6 752 598
31 31 6 753 188
31 31 6 762 728
31 31 6 770 166

31 31 6 786 532
31 31 6 786 534
31 31 6 786 536
31 31 6 786 540

Counterpart

326 623 0048

Application info
7 (E65, E66) (11/01--)

Shock absorber
326 623 0018

31 31 6 759 561

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 6 759 561

Counterpart

326 623 0017


Application info

3 (E46) (02/98--)

Shock absorber
326 623 0017

31 31 6 759 562

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

31 31 6 759 562

Counterpart

326 623 0018


Application info

3 (E46) (02/98--)

Shock absorber
326 623 0013

31 31 6 764 603

Notes

 Front Axle Left
 for vehicles with standard chassis
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 30 6 754 341
 31 30 6 754 343
 31 31 1 096 271

 31 31 6 764 603
 31 33 6 750 359

Counterpart

326 623 0014



326 623 0013
31 31 6 764 603

Shock absorber

Application info
X5 (E53) (05/00--)

326 623 0014
31 31 6 764 604

Shock absorber



Notes

Front Axle Right
for vehicles with standard chassis
Twin-Tube
Gas Pressure
Suspension Strut

References

31 30 6 754 342
31 30 6 754 344
31 31 1 096 272

31 31 6 764 604
31 33 6 750 360

Counterpart
326 623 0013

Application info
X5 (E53) (05/00--)

326 623 0032
31 31 6 766 993

Shock absorber



Notes

Front Axle Left
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 6 766 993
31 31 6 768 795
31 31 6 768 797
31 31 6 775 055

31 31 6 775 057
31 32 6 764 457
31 32 6 764 459

Counterpart
326 623 0033

Application info
5 (E60, E61) (07/03--)

Shock absorber
326 623 0033

31 31 6 766 994

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 31 6 766 994
 31 31 6 768 796
 31 31 6 768 798
 31 31 6 775 056

 31 31 6 775 058
 31 32 6 764 458
 31 32 6 764 460

Counterpart

326 623 0032


Application info

5 (E60, E61) (07/03--)

Shock absorber
326 623 0038

31 31 6 780 193

Notes

 Front Axle Left
 Gas Pressure
 Suspension Strut

References

 31 31 6 773 255
 31 31 6 775 099

31 31 6 780 193

Counterpart

326 623 0039


Application info

3 (E90, E91, E92, E93) (01/05--)

Shock absorber
326 623 0039

31 31 6 780 194

Notes

 Front Axle Right
 Gas Pressure
 Suspension Strut

References

 31 31 6 773 256
 31 31 6 775 100

31 31 6 780 194

Counterpart

326 623 0038



326 623 0039

31 31 6 780 194

Shock absorber

Application info

3 (E90, E91, E92, E93) (01/05--)

326 623 0030

31 31 6 786 013

Shock absorber



Notes

Front Axle Left
Twin-Tube
Gas Pressure
Suspension Strut

References

31 30 6 771 177
31 31 6 768 211
31 31 6 771 723
31 31 6 772 917
31 31 6 772 921

31 31 6 780 075
31 31 6 786 001
31 31 6 786 005
31 31 6 786 009
31 31 6 786 013

Counterpart

326 623 0031

Application info

3 (E90, E91, E92, E93) (01/05--)

326 623 0031

31 31 6 786 014

Shock absorber



Notes

Front Axle Right
Twin-Tube
Gas Pressure
Suspension Strut

References

31 30 6 771 178
31 31 6 768 212
31 31 6 768 216
31 31 6 771 724
31 31 6 772 918
31 31 6 772 922

31 31 6 780 076
31 31 6 785 590
31 31 6 786 002
31 31 6 786 006
31 31 6 786 010
31 31 6 786 014

Counterpart

326 623 0030

Application info

3 (E90, E91, E92, E93) (01/05--)

Shock absorber

326 623 0042

31 31 6 786 017

Notes

 Front Axle Left
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 31 6 768 915
 31 31 6 771 553

31 31 6 786 017

Counterpart

326 623 0043


Application info

1 (E81, E82, E87, E88) (11/03--)

Shock absorber

326 623 0043

31 31 6 786 018

Notes

 Front Axle Right
 Twin-Tube
 Gas Pressure
 Suspension Strut

References

 31 31 6 768 916
 31 31 6 771 554

31 31 6 786 018

Counterpart

326 623 0042


Application info

1 (E81, E82, E87, E88) (11/03--)

Shock absorber

326 624 0007

31 32 1 092 283

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut Insert

References

 31 32 1 091 000
 31 32 1 092 283
 31 32 1 138 836

 31 32 1 139 407
 31 32 1 139 410

Application info

5 (E34) (12/87-01/97)

326 624 0000
31 32 1 132 540

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut Insert

References

31 32 1 132 540

Application info

7 (E32) (09/86-09/94)

326 624 0001
31 32 1 133 224

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut Insert

References

31 32 1 133 224

31 32 1 133 232

Application info

3 (E30) (09/82-10/94)

326 624 0002
31 32 1 134 565

Shock absorber



Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut Insert

References

31 32 1 134 565
31 32 1 134 573

31 32 1 135 675

Application info

5 (E34) (12/87-01/97)

Shock absorber
326 624 0004

31 32 1 135 635

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut Insert

References

31 30 1 133 438	31 32 1 132 249
31 32 1 125 151	31 32 1 133 181
31 32 1 125 475	31 32 1 135 465
31 32 1 128 126	31 32 1 135 635
31 32 1 131 111	31 32 1 135 892


Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

Shock absorber
326 624 0008

31 32 1 135 858

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut Insert

References

31 32 1 135 416	31 32 1 135 858
-----------------	-----------------


Application info

5 (E34) (12/87-01/97)

Shock absorber
326 624 0006

31 32 1 139 409

Notes

 Front Axle
 Twin-Tube
 Gas Pressure
 Suspension Strut Insert

References

31 31 1 138 667	31 32 1 139 409
31 32 1 092 284	31 32 1 139 411
31 32 1 139 408	31 32 1 140 160


Application info

5 (E34) (12/87-01/97)

326 623 0044
31 32 6 781 918

Shock absorber

Notes

Front Axle
Twin-Tube
Gas Pressure
Suspension Strut

References

31 31 6 778 676
31 32 4 048 550

31 32 6 780 486
31 32 6 781 918

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

326 725 0025
33 50 3 451 402

Shock absorber

Notes

Rear Axle
Twin-Tube
Gas Pressure
Top pin
Bottom eye

References

33 50 3 413 789
33 50 3 413 790
33 50 3 449 392
33 50 3 451 402
33 50 3 451 404
33 52 0 363 604

33 52 0 363 605
33 52 3 413 234
33 52 3 413 259
33 52 3 413 789
33 52 3 413 790
33 52 3 414 164

Application info

X3 (E83) (01/04--)

326 725 0012
33 50 6 751 543

Shock absorber

Notes

Rear Axle
for vehicles with standard chassis
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 50 6 751 543
33 50 6 751 544
33 52 1 096 278
33 52 6 750 361

33 52 6 755 839
33 52 6 764 875
33 52 6 767 702



+

Shock absorber
326 725 0012
 33 50 6 751 543

Application info
 X5 (E53) (05/00--)

Shock absorber
326 725 0010
 33 52 1 091 421

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

33 52 1 091 421


Application info
 7 (E38) (10/94-11/01)

Shock absorber
326 725 0002
 33 52 1 092 278

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

33 52 1 092 278	33 52 1 135 613
33 52 1 133 596	33 52 1 135 860
33 52 1 133 601	33 52 1 138 669


Application info
 5 (E34) (12/87-01/97)

326 725 0008
33 52 1 092 309

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 52 1 090 826	33 52 1 138 158
33 52 1 090 830	33 52 2 282 100
33 52 1 091 095	33 52 2 282 461
33 52 1 091 274	33 52 6 750 781
33 52 1 092 309	33 52 6 750 783
33 52 1 092 489	33 52 6 757 365
33 52 1 095 646	33 52 6 757 366
33 52 1 095 913	33 52 6 759 099
33 52 1 137 927	33 52 6 759 100

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

326 725 0007
33 52 1 093 646

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 52 1 093 646	33 52 1 094 467
-----------------	-----------------

Application info

5 (E39) (11/95-05/04)

326 725 0026
33 52 1 095 788

Shock absorber

Notes

Rear Axle
Twin-Tube
Gas Pressure
Top pin
Bottom eye

References

33 52 1 092 575	33 52 1 095 061
33 52 1 094 187	33 52 1 095 788

Shock absorber
326 725 0026
 33 52 1 095 788

Application info

Z3 (E36/7, E36/8) (10/95-06/03)

Shock absorber
326 725 0006
 33 52 1 126 561

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

33 52 1 126 561

33 52 1 133 519


Application info

5 (E28) (06/80-12/87)

6 (E24) (04/76-09/90)

Shock absorber
326 725 0013
 33 52 1 131 395

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Bottom eye
 Top pin

References

33 52 1 131 395


Application info

7 (E32) (09/86-09/94)

7

326 725 0004
33 52 1 135 636

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

31 31 1 125 156	33 52 1 133 182
33 52 1 091 629	33 52 1 133 225
33 52 1 125 156	33 52 1 133 231
33 52 1 127 491	33 52 1 133 233
33 52 1 128 130	33 52 1 133 564
33 52 1 131 085	33 52 1 135 180
33 52 1 131 112	33 52 1 135 466
33 52 1 132 250	33 52 1 135 636
33 52 1 132 489	33 52 1 135 888

Application info

3 (E30) (09/82-10/94)
3 (E36) (09/90-08/00)

Z1 (06/88-06/91)

326 725 0000
33 52 2 282 099

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 52 1 095 647	33 52 6 750 782
33 52 1 096 366	33 52 6 750 784
33 52 2 282 099	33 52 6 757 045

Application info

3 (E46) (02/98--)

326 725 0016
33 52 6 771 555

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Top pin
Bottom Pin

References

33 50 4 035 261	33 52 6 771 725
33 50 4 035 872	33 52 6 771 729
33 52 6 768 917	33 52 6 772 916
33 52 6 768 921	33 52 6 780 077
33 52 6 771 555	33 52 6 780 081

Shock absorber
326 725 0016
 33 52 6 771 555

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Shock absorber
326 725 0019
 33 52 6 779 985

Notes

 Rear Axle
 Twin-Tube
 Gas Pressure
 Top pin
 Bottom Pin

References

33 52 6 773 253

33 52 6 779 985


Application info

3 (E90, E91, E92, E93) (01/05--)

Shock absorber
326 725 0020
 33 52 6 781 921

Notes

 Rear Axle Left
 Twin-Tube
 Gas Pressure
 Top pin
 Bottom eye

References

 33 52 4 048 553
 33 52 6 778 677

 33 52 6 780 489
 33 52 6 781 921

Counterpart

326 725 0021


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

326 725 0021
33 52 6 781 922

Shock absorber



Notes

Rear Axle Right
Twin-Tube
Gas Pressure
Top pin
Bottom eye

References

33 52 4 048 554
33 52 6 778 678

33 52 6 780 490
33 52 6 781 922

Counterpart

326 725 0020

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

326 725 0017
33 52 6 785 982

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 52 6 766 065
33 52 6 766 605

33 52 6 775 059
33 52 6 785 982

Application info

5 (E60, E61) (07/03--)

326 725 0018
33 52 6 786 524

Shock absorber



Notes

Rear Axle
Twin-Tube
Gas Pressure
Bottom eye
Top pin

References

33 52 6 766 587

33 52 6 786 524

Application info

5 (E60, E61) (07/03--)

Strut mount
314 641 0003
 31 30 6 775 098

Notes

 Front Axle
 with ball bearing
 Steel
 Rubber-metal Bearing

References

31 30 6 767 451

31 30 6 775 098


Application info

 1 (E81, E82, E87, E88) (11/03--)
 3 (E90, E91, E92, E93) (01/05--)

 5 (E60, E61) (07/03--)
 X1 (E84) (03/09--)

Strut mount
300 313 3109
 31 30 6 779 604

Notes

 Front Axle
 without ball bearing

References

 31 30 6 779 604
 31 33 1 096 311

31 33 6 769 584


Application info

X5 (E53) (05/00--)

Strut mount
300 313 3106
 31 33 1 090 611

Notes

 Front Axle
 without ball bearing

References

31 33 1 090 611


Application info

7 (E38) (10/94-11/01)

300 313 3114
31 33 1 091 708

Strut mount



Notes

Front Axle
without ball bearing

References

31 33 1 091 708

Application info

5 (E39) (11/95-05/04)

Z8 (E52) (06/00-06/03)

300 313 3103
31 33 1 091 709

Strut mount



Notes

Front Axle
with ball bearing

References

31 33 1 091 709

Application info

5 (E39) (11/95-05/04)

300 313 3101
31 33 1 110 195

Strut mount



Notes

Front Axle
with ball bearing

References

31 33 1 110 195

Application info

3 (E21) (06/75-03/84)

Strut mount

300 313 3110/HD

31 33 1 134 096

Notes

Reinforced Version

 Front Axle
 with ball bearing
 14

Inner Diameter [mm]

References

31 33 1 133 292

31 33 1 134 096


Application info

5 (E34) (12/87-01/97)

Strut mount

300 313 3107/HD

31 33 1 139 437

Notes

Reinforced Version

 Front Axle
 with ball bearing
 16

Inner Diameter [mm]

References

31 33 1 139 437


Application info

5 (E34) (12/87-01/97)

Strut mount

300 313 3112/HD

31 33 1 139 438

Notes

Reinforced Version

 Front Axle
 with ball bearing

References

31 33 1 139 438


Application info

7 (E32) (09/86-09/94)

7

300 313 3108
31 33 1 139 452

Strut mount



Notes

Front Axle
with ball bearing

References

31 33 1 124 508

31 33 1 139 452

Application info

3 (E30) (09/82-10/94)
5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)

6 (E24) (04/76-09/90)
Z1 (06/88-06/91)

300 313 3601
31 33 6 760 943

Strut mount



Notes

Front Axle
with ball bearing
Aluminium
Rubber-metal Bearing

References

31 33 6 760 943

31 33 6 769 582

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E46) (02/98--)
3 (E90, E91, E92, E93) (01/05--)
5 (E39) (11/95-05/04)
5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)
X1 (E84) (03/09--)
X3 (E83) (01/04--)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)

314 641 0001
31 33 6 779 613

Strut mount



Notes

Front Axle
with ball bearing
Aluminium

References

31 33 1 090 467
31 33 1 092 885
31 33 1 135 582
31 33 6 759 871

31 33 6 764 947
31 33 6 769 585
31 33 6 779 613

Strut mount
314 641 0001
 31 33 6 779 613

Application info

 3 (E36) (09/90-08/00)
 Z3 (E36/7, E36/8) (10/95-06/03)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)
Strut mount
300 335 2106
 33 52 1 091 710

Notes

 Rear Axle
 without ball bearing

References

33 52 1 091 710


Application info

5 (E39) (11/95-05/04)

Strut mount

300 335 9102/HD
 33 52 1 092 362

Notes

 Reinforced Version
 Slim Set

 Rear Axle
 without ball bearing
 with seal

References

 33 50 4 035 929
 33 50 4 035 931
 33 52 1 092 362
 33 52 1 125 554
 33 52 1 128 819

 33 52 1 137 972
 33 52 6 754 096
 33 52 6 779 670
 37 12 1 133 412

Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 Z1 (06/88-06/91)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)

300 335 2110
33 52 1 093 416

Strut mount



Notes

Rear Axle
without ball bearing

References

33 52 1 093 416

Application info

5 (E39) (11/95-05/04)

300 335 2108
33 52 1 094 091

Strut mount



Notes

Rear Axle
without ball bearing

References

33 52 1 091 238

33 52 1 094 091

Application info

5 (E39) (11/95-05/04)

7 (E38) (10/94-11/01)

300 355 2105/HD
33 52 1 132 088

Strut mount



Notes

Reinforced Version

Rear Axle
without ball bearing
300 355 1105/HD
Piece

Alternative Repair Kit

References

33 52 1 132 088

Application info

7 (E32) (09/86-09/94)

Strut mount

300 335 1104/HD
 33 52 1 132 270

Notes

Reinforced Version

 Rear Axle
 without ball bearing
 Kit

References

33 52 1 132 078

33 52 1 132 270

Parts list

300 335 2104/HD

Strut mount


Application info

5 (E34) (12/87-01/97)

Strut mount

300 335 2104/HD
 33 52 1 132 270

Notes

Reinforced Version

 Rear Axle
 without ball bearing
 300 335 1104/HD
 Piece

Alternative Repair Kit

References

33 52 1 132 078

33 52 1 132 270


Application info

5 (E34) (12/87-01/97)

Strut mount
314 741 0001
 33 52 6 768 544

Notes

Rear Axle

References

33 52 6 768 544

33 52 6 772 811


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

300 335 2109
33 52 6 773 669

Strut mount



Notes

Rear Axle
without ball bearing

References

33 52 1 097 272

33 52 6 773 669

Application info

X5 (E53) (05/00--)

314 741 0000
33 52 6 779 611

Strut mount



Notes

Inner Diameter [mm]

Rear Axle
12

References

33 52 6 753 810
33 52 6 769 744

33 52 6 779 611

Application info

5 (E60, E61) (07/03--)
6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

300 371 2102/HD
37 12 1 129 867

Strut mount



Notes

Reinforced Version

Rear Axle
Piece

References

37 12 1 129 867

Application info

5 (E34) (12/87-01/97)

7 (E32) (09/86-09/94)

Dust cap, wheel bearing

300 312 1103

31 20 6 777 789

References

31 20 6 777 789

31 21 1 130 124


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E32) (09/86-09/94)
 7 (E38) (10/94-11/01)
 8 (E31) (04/90-12/99)
 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
Mount, wheel bearing housing
316 010 4347

33 32 6 767 748

Notes

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Rear Axle Left
 Rear Axle Right
 68
 57
 16
 with accessories

References

 33 32 1 090 504
 33 32 1 095 631

 33 32 6 750 371
 33 32 6 767 748

Application info

 5 (E39) (11/95-05/04)
 5 (E60, E61) (07/03--)
 6 (E63, E64) (01/04--)
 7 (E38) (10/94-11/01)

 7 (E65, E66) (11/01--)
 X5 (E53) (05/00--)
 Z8 (E52) (06/00-06/03)

Mount, wheel bearing housing
316 010 0012

33 32 6 770 985

Notes

 Height [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Rear Axle Left
 Rear Axle Right
 Lower
 67
 52
 16

References

33 32 6 770 985



316 010 0012
33 32 6 770 985

Mount, wheel bearing housing

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

316 010 0004
33 32 6 775 551

Mount, wheel bearing housing



Notes

	Rear Axle Left
	Rear Axle Right
Height [mm]	57
Outer Diameter [mm]	45
Inner Diameter [mm]	12

References

33 32 1 138 722	33 32 6 775 551
33 32 1 140 345	

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
Z4 (E85) (02/03--)

Z4 (E86) (03/06--)
Z4 (E89) (05/09--)

316 710 0001
33 32 6 775 552

Mount, wheel bearing housing



Notes

	Rear Axle Left
	Rear Axle Right
	Outer
Height [mm]	55
Outer Diameter [mm]	47
Inner Diameter [mm]	14

References

33 32 6 756 249	33 32 6 792 553
33 32 6 775 552	

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

X1 (E84) (03/09--)

Wheel bearing
100 405 0101
 31 21 1 101 115*

Notes

	Rear Axle
	inner
Height [mm]	14.73
Outer Diameter [mm]	50
Inner Diameter [mm]	29
Alternative Repair Kit	100 598 0101
Alternative Repair Kit	100 598 0101/SK

References

31 21 1 101 115*


Application info

02 (E6, E10, E20) (04/66-07/77)

3 (E21) (06/75-03/84)

Wheel bearing
300 334 1102
 31 21 1 132 284

Notes

	Rear Axle
	37
Height [mm]	75
Outer Diameter [mm]	42
Inner Diameter [mm]	300 334 1102/S
Alternative Repair Kit	

References

 31 21 1 129 256
 31 21 1 132 284

 33 41 1 130 617
 33 41 1 468 747

Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)

 Z3 (E36/7, E36/8) (10/95-06/03)
 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

Wheel bearing
014 098 0024
 31 21 2 634 103

Notes

Height [mm]	17
Outer Diameter [mm]	45
Inner Diameter [mm]	19
Alternative Repair Kit	100 598 0002
Alternative Repair Kit	100 498 0023
Alternative Repair Kit	014 033 0048
Alternative Repair Kit	714 502 0006
Alternative Repair Kit	614 750 0009

References

31 21 2 634 103



014 098 0024
31 21 2 634 103

Wheel bearing

Application info

02 (E6, E10, E20) (04/66-07/77)
2000/2500 (E3, E9) (10/65-04/77)
3 (E21) (06/75-03/84)

5 (E12) (08/72-08/81)
6 (E24) (04/76-09/90)

100 405 0201
31 21 2 634 104

Wheel bearing



Notes

Height [mm]	15
Outer Diameter [mm]	40
Inner Diameter [mm]	17.5
Alternative Repair Kit	100 598 0101/SK
Alternative Repair Kit	100 598 0101

References

31 21 2 634 104

Application info

02 (E6, E10, E20) (04/66-07/77)

3 (E21) (06/75-03/84)

300 334 1103
33 41 1 123 415

Wheel bearing



Notes

	Rear Axle
Height [mm]	45
Outer Diameter [mm]	74
Inner Diameter [mm]	37
Alternative Repair Kit	300 334 1103/S

References

33 41 1 123 415

Application info

5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)

Wheel bearing
300 334 1101
 33 41 1 124 358

Notes

Height [mm]	37
Outer Diameter [mm]	72
Inner Diameter [mm]	39
Alternative Repair Kit	300 334 1101/S

References

33 41 1 124 358	33 41 1 468 928
-----------------	-----------------


Application info

 3 (E30) (09/82-10/94)
 3 (E36) (09/90-08/00)

Z3 (E36/7, E36/8) (10/95-06/03)

Wheel bearing
300 334 1100
 33 41 1 134 549

Notes

	Rear Axle
Height [mm]	42
Outer Diameter [mm]	80
Inner Diameter [mm]	42
Alternative Repair Kit	300 334 1100/S

References

33 41 1 123 426	33 41 1 133 124
33 41 1 131 670	33 41 1 134 549
33 41 1 133 123	


Application info

 5 (E28) (06/80-12/87)
 5 (E34) (12/87-01/97)
 6 (E24) (04/76-09/90)

 7 (E23) (05/77-08/86)
 7 (E32) (09/86-09/94)

Wheel bearing kit
300 312 1111/S
 31 20 3 450 600

Notes

	Front Axle left and right
Height [mm]	45
Outer Diameter [mm]	90
Inner Diameter [mm]	49
	with add-on material

References

31 20 3 450 600	31 22 6 783 913
31 22 6 751 978	



300 312 1111/S
31 20 3 450 600

Wheel bearing kit

Application info

3 (E90, E91, E92, E93) (01/05--)
5 (E60, E61) (07/03--)

X3 (E83) (01/04--)
X5 (E53) (05/00--)

300 334 1105
33 41 1 090 505*

Wheel bearing kit



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Rear Axle left and right
41
85
45
for vehicles with ABS
with add-on material

References

33 41 1 090 505*
33 41 1 137 685

33 41 1 468 904

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)
7 (E38) (10/94-11/01)
8 (E31) (04/90-12/99)
X3 (E83) (01/04--)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)
Z4 (E86) (03/06--)
Z8 (E52) (06/00-06/03)

300 334 1103/S
33 41 1 123 415*

Wheel bearing kit



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Rear Axle left and right
45
74
37
with accessories

References

33 41 1 123 415*

Parts list

300 334 1103

Wheel bearing

Application info

5 (E28) (06/80-12/87)

5 (E34) (12/87-01/97)

Wheel bearing kit
300 334 1101/S
 33 41 1 124 358*

Notes

Height [mm]	Rear Axle left and right
Outer Diameter [mm]	37
Inner Diameter [mm]	72
	39
	with add-on material

References

33 41 1 124 358*

Parts list

300 334 1101	Wheel bearing
--------------	---------------


Application info

3 (E30) (09/82-10/94)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E36) (09/90-08/00)	

Wheel bearing kit
300 334 1102/S
 33 41 1 130 617

Notes

Height [mm]	Rear Axle left and right
Outer Diameter [mm]	37
Inner Diameter [mm]	75
	42
	with accessories

References

31 21 1 129 256	33 41 1 468 747
31 21 1 132 284	33 41 2 220 987
33 41 1 130 617	

Parts list

300 334 1102	Wheel bearing
--------------	---------------


Application info

3 (E30) (09/82-10/94)	Z3 (E36/7, E36/8) (10/95-06/03)
3 (E36) (09/90-08/00)	Z4 (E85) (02/03--)
3 (E46) (02/98--)	Z4 (E86) (03/06--)

Wheel bearing kit
300 334 1100/S
 33 41 1 134 549

Notes

Height [mm]	Rear Axle left and right
Outer Diameter [mm]	42
Inner Diameter [mm]	80
	42
	with accessories

References

33 41 1 123 426	33 41 1 133 123
33 41 1 131 670	33 41 1 134 549

Parts list

300 334 1100	Wheel bearing
--------------	---------------



300 334 1100/S
33 41 1 134 549

Wheel bearing kit

Application info

5 (E28) (06/80-12/87)
5 (E34) (12/87-01/97)
6 (E24) (04/76-09/90)

7 (E23) (05/77-08/86)
7 (E32) (09/86-09/94)

314 752 0002
33 41 6 762 314*

Wheel bearing kit



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Rear Axle left and right
37
80
45
with add-on material

References

33 41 6 762 314*

Application info

X5 (E53) (05/00--)

314 750 0000
33 41 6 762 317*

Wheel bearing kit



Notes

Height [mm]
Outer Diameter [mm]
Inner Diameter [mm]

Rear Axle left and right
37
75
42
with add-on material

References

33 41 6 762 317*

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Wheel bearing kit
300 750 0001
 33 41 6 762 321

Notes

Height [mm]	Rear Axle left and right
Outer Diameter [mm]	41
Inner Diameter [mm]	85
	45
	with add-on material

References

33 41 6 762 321	33 41 6 762 322
-----------------	-----------------


Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

Wheel bearing kit
314 750 0004
 33 41 6 795 961

Notes

Number of Holes	Rear Axle left and right
Height [mm]	4
Outer Diameter [mm]	50
Inner Diameter [mm]	98
	51
	with add-on material

References

33 41 6 770 974	33 41 6 795 961
-----------------	-----------------


Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Wheel hub
300 312 1112
 31 20 3 413 226

Notes

Rim Hole Number	Front Axle left and right
Bolt Hole Circle Ø [mm]	without wheel bearing
Outer Diameter [mm]	5
	120
	141
	without add-on material

References

31 20 3 413 226

Application info

X3 (E83) (01/04--)

300 312 1110
31 20 6 756 256

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
without wheel bearing
5
120
141
without add-on material

References

31 20 6 756 256

Application info

X5 (E53) (05/00--)

300 312 1109
31 20 6 768 993

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
without wheel bearing
5
120
141
without add-on material

References

31 20 6 768 993

Application info

3 (E90, E91, E92, E93) (01/05--)

300 312 2104
31 20 6 795 959

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
with integrated wheel bearing
with fastening material
Four-point mounting
5
120
144
with add-on material

References

31 20 6 779 735

31 20 6 795 959

Application info

X5 (E70) (02/07--)

X6 (E71) (05/08--)

Wheel hub
300 312 1101

31 21 1 129 386

Notes

	Front Axle left and right with integrated wheel bearing with ABS sensor ring
Rim Hole Number	5
Bolt Hole Circle Ø [mm]	120
Outer Diameter [mm]	139
Inner Diameter [mm]	37
Diameter [mm]	97
Number of Teeth, ABS ring	48 without add-on material


References

31 21 1 129 386	31 21 1 468 751
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)	8 (E31) (04/90-12/99)
7 (E32) (09/86-09/94)	

Wheel hub
300 312 1102

31 21 1 131 297

Notes

	Front Axle left and right with integrated wheel bearing with ABS sensor ring
Rim Hole Number	4
Bolt Hole Circle Ø [mm]	100
Outer Diameter [mm]	120
Inner Diameter [mm]	31
Number of Teeth, ABS ring	48 without add-on material


References

31 21 1 128 157	31 21 1 131 297
31 21 1 128 569	

Application info

3 (E30) (09/82-10/94)	Z1 (06/88-06/91)
-----------------------	------------------

7

300 312 1102/S
31 21 1 131 297*

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]
Inner Diameter [mm]
Number of Teeth, ABS ring

Front Axle left and right
with integrated wheel bearing
with ABS sensor ring
4
100
120
31
48
with add-on material

References

31 21 1 128 157
31 21 1 128 569

31 21 1 131 297*

Parts list

300 312 1102

Wheel hub

Application info

3 (E30) (09/82-10/94)

Z1 (06/88-06/91)

300 312 1107

31 21 6 765 157

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
with integrated wheel bearing
Four-point mounting
5
115
147
without add-on material

References

31 21 6 765 157

Application info

1 (E81, E82, E87, E88) (11/03--)
3 (E90, E91, E92, E93) (01/05--)

Z4 (E89) (05/09--)

Wheel hub

300 312 2103

31 22 1 092 519

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter 1 [mm]

 Front Axle left and right
 with integrated wheel bearing
 with integrated sensor ring
 5
 120
 139
 27
 without add-on material

References

31 21 1 137 996

31 22 1 092 519



Application info

7 (E38) (10/94-11/01)

Wheel hub

300 312 2101

31 22 1 093 427

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter [mm]

 Front Axle left and right
 with integrated wheel bearing
 with wheel studs
 Four-point mounting
 5
 115
 139
 62
 for vehicles with ABS
 with add-on material

References

31 22 1 093 427



Application info

5 (E39) (11/95-05/04)

300 312 2100
31 22 1 139 345

Wheel hub



Notes

	Front Axle left and right with integrated wheel bearing with ABS sensor ring
Rim Hole Number	5
Bolt Hole Circle Ø [mm]	120
Outer Diameter [mm]	139
Inner Diameter [mm]	37
Diameter [mm]	83
Number of Teeth, ABS ring	48 without add-on material

References

31 22 1 139 345	31 22 1 468 926
-----------------	-----------------

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

300 312 2100/S
31 22 1 139 345

Wheel hub



Notes

	Front Axle left and right with integrated wheel bearing with ABS sensor ring
Rim Hole Number	5
Bolt Hole Circle Ø [mm]	120
Outer Diameter [mm]	139
Inner Diameter [mm]	37
Diameter [mm]	83
Number of Teeth, ABS ring	48 with add-on material

References

31 22 1 139 345	31 22 1 468 926
-----------------	-----------------

Parts list

300 312 2100	Wheel hub
--------------	-----------

Application info

5 (E34) (12/87-01/97)
7 (E32) (09/86-09/94)

8 (E31) (04/90-12/99)

Wheel hub
314 652 0002

31 22 6 750 217

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]

 Front Axle left and right
 with integrated wheel bearing
 Four-point mounting
 5
 106
 145
 with add-on material

References

31 22 6 750 217

Application info

7 (E65, E66) (11/01--)

Wheel hub
300 652 0001

31 22 6 757 024

Notes

 Rim Hole Number
 Bolt Hole Circle Ø [mm]
 Outer Diameter [mm]
 Inner Diameter 1 [mm]
 Number of Teeth, ABS ring

 Front Axle left and right
 with integrated wheel bearing
 with ABS sensor ring
 5
 120
 142
 37
 48
 without add-on material

References

31 22 6 757 024

Application info

 3 (E36) (09/90-08/00)
 3 (E46) (02/98--)
 Z3 (E36/7, E36/8) (10/95-06/03)

 Z4 (E85) (02/03--)
 Z4 (E86) (03/06--)

7

300 652 0001/S
31 22 6 757 024

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]
Inner Diameter 1 [mm]
Number of Teeth, ABS ring

Front Axle left and right
with integrated wheel bearing
with ABS sensor ring
5
120
142
37
48
with add-on material

References

31 22 6 757 024

Parts list

300 652 0001 Wheel hub

Application info

3 (E36) (09/90-08/00)
3 (E46) (02/98--)

Z3 (E36/7, E36/8) (10/95-06/03)
Z4 (E85) (02/03--)

300 312 1106
31 22 6 765 601

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Front Axle left and right
with integrated wheel bearing
with wheel studs
Four-point mounting
5
106
143
with add-on material

References

31 22 6 760 177 31 22 6 765 601

Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

314 752 0003
33 41 1 093 567

Wheel hub



Notes

Rim Hole Number
Bolt Hole Circle Ø [mm]
Outer Diameter [mm]

Rear Axle left and right
without wheel bearing
5
120
145
Disc Brake
without add-on material

References

33 41 1 093 567 33 41 1 136 180

Wheel hub
314 752 0003
 33 41 1 093 567

Application info

3 (E36) (09/90-08/00)

3 (E46) (02/98--)

Wheel hub
314 752 0001
 33 41 1 095 238*

Notes

Number of Holes

Rear Axle left and right

4

with wheel bearing

Bolt Hole Circle Ø [mm]

106

Outer Diameter [mm]

80

Inner Diameter [mm]

45

with add-on material

References

33 41 1 095 238*


Application info

5 (E60, E61) (07/03--)

6 (E63, E64) (01/04--)

7 (E65, E66) (11/01--)

X5 (E53) (05/00--)

Wheel hub
300 343 1101
 33 41 1 095 652

Notes

Number of Holes

Rear Axle left and right

4

with wheel bearing

with integrated sensor ring

Bolt Hole Circle Ø [mm]

106

Outer Diameter [mm]

80

Inner Diameter [mm]

45

without add-on material

References

33 41 1 093 102

33 41 1 093 725

33 41 1 095 652

33 41 1 095 654


Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03--)

300 343 1101/S
33 41 1 095 652

Wheel hub



Notes

Number of Holes	Rear Axle left and right 4 with wheel bearing with integrated sensor ring
Bolt Hole Circle Ø [mm]	106
Outer Diameter [mm]	90
Inner Diameter [mm]	45 with add-on material

References

33 41 1 093 102	33 41 1 095 652
33 41 1 093 725	33 41 1 095 654

Parts list

300 343 1101	Wheel hub
--------------	-----------

Application info

5 (E39) (11/95-05/04)

5 (E60, E61) (07/03--)

314 752 0006

33 41 6 760 056

Wheel hub



Notes

Rim Hole Number	Rear Axle left and right without wheel bearing
Bolt Hole Circle Ø [mm]	5
Outer Diameter [mm]	120
	145 without add-on material

References

33 41 6 760 056

Application info

1 (E81, E82, E87, E88) (11/03--)

3 (E90, E91, E92, E93) (01/05--)

MEYLE no.	Ref. no.	Page
BMW		
014 020 1039	12 12 1 286 059	245
	12 12 1 288 161	
	12 23 1 288 245	
014 036 0010	11 15 1 703 775	322
014 036 0011	11 15 1 437 641	323
	11 15 7 532 649	
014 036 0012	11 61 1 432 559	324
014 049 0008	18 21 1 245 113	326
014 098 0024	31 21 2 634 103	591
014 098 9017	26 12 1 103 728	163
	26 12 1 209 590	
	26 12 1 225 071	
014 731 1021	12 31 1 172 002	260
	12 31 1 271 664	
	12 31 1 722 755	
	12 31 1 726 022	
	12 32 1 279 548	
	12 32 1 711 399	
014 731 1023	12 31 1 172 002	260
	12 31 1 271 664	
	12 31 1 722 755	
	12 31 1 726 022	
	12 32 1 279 548	
	12 32 1 711 399	
014 731 1090	12 31 1 710 732	259
014 910 1000	16 11 1 106 487	340
025 204 3715	34 11 1 111 649	106
	34 11 1 117 979	
	34 11 1 159 257	
	34 11 1 160 263	
025 205 8816	34 11 1 117 002	105
	34 11 1 150 524	
	34 11 1 150 527	
	34 11 1 152 655	
	34 11 1 158 270	
	34 11 1 159 249	
	34 11 1 159 251	
025 206 2919	34 11 1 153 203	107
	34 11 1 153 910	
	34 11 1 154 611	
	34 11 1 154 612	
	34 11 1 155 076	
	34 11 1 156 462	
	34 11 1 157 510	
	34 11 1 157 923	
	34 11 1 157 924	

MEYLE no.	Ref. no.	Page
BMW		
	34 11 1 159 415	
	34 11 1 159 416	
	34 11 1 161 717	
	34 11 2 226 081	
	34 11 9 061 081	
025 206 7516	34 21 1 153 196	122
	34 21 1 153 913	
	34 21 1 154 398	
	34 21 1 154 399	
	34 21 1 154 613	
	34 21 1 154 614	
	34 21 1 156 744	
	34 21 1 156 745	
	34 21 1 156 746	
	34 21 1 156 747	
	34 21 1 156 749	
	34 21 1 157 514	
	34 21 1 157 757	
	34 21 1 157 758	
	34 21 1 157 925	
	34 21 1 157 926	
	34 21 1 158 323	
	34 21 1 158 912	
	34 21 1 159 273	
	34 21 1 159 276	
34 21 2 226 013		
025 209 6820	34 11 1 157 039	106
	34 11 1 157 569	
	34 11 1 157 813	
	34 11 1 158 265	
	34 11 1 158 267	
	34 11 1 159 279	
	34 11 1 160 450	
	34 11 1 160 451	
025 209 9517	34 21 1 157 044	122
	34 21 1 157 334	
	34 21 1 157 563	
	34 21 1 157 814	
	34 21 1 158 266	
	34 21 1 158 270	
	34 21 1 160 198	
	34 21 1 160 199	
	34 21 1 162 536	

MEYLE no.	Ref. no.	Page
BMW		
	34 21 2 226 092 34 21 6 761 253	
025 211 7317	34 11 1 154 442 34 11 1 154 443 34 11 1 155 998 34 11 1 155 999 34 11 1 156 898 34 11 1 156 899 34 11 1 157 747 34 11 1 157 748 34 11 1 160 522 34 11 1 161 057 34 11 1 161 347 34 11 1 162 481	107
025 212 8217	34 21 6 776 937	128
025 212 8217/PD	34 21 6 776 937	129
025 214 7118	34 11 1 162 210 34 11 1 163 921 34 11 6 761 249	110
025 214 8619	34 11 1 163 307 34 11 1 165 227 34 11 2 229 031 34 11 6 761 252	110
025 214 8619/PD	34 11 1 163 307 34 11 1 165 227 34 11 2 229 031 34 11 6 761 252	110
025 214 8717	34 21 1 163 324 34 21 1 163 326 34 21 1 164 581 34 21 1 164 582 34 21 6 750 160 34 21 6 752 632 34 21 6 761 240 34 21 6 761 248 34 21 6 761 250 34 21 6 761 251 34 21 6 790 071	125
025 216 0717	34 21 1 162 446 34 21 1 165 233 34 21 6 761 238	124
025 216 0717/PD	34 21 1 162 446 34 21 1 165 233 34 21 6 761 238	124
025 216 4317	34 11 1 160 356 34 11 1 160 357	121

MEYLE no.	Ref. no.	Page
BMW		
	34 11 1 160 532 34 11 1 161 437 34 11 1 161 438 34 11 1 161 445 34 11 1 161 446 34 11 1 163 850 34 11 9 070 047	
025 216 7720	34 11 1 163 387 34 11 1 163 953 34 11 1 164 330 34 11 1 164 331 34 11 1 164 627 34 11 1 164 629 34 11 6 761 277 34 11 6 761 278 34 11 6 761 279 34 11 6 761 280	111
025 216 7720/PD	34 11 1 163 387 34 11 1 163 953 34 11 1 164 330 34 11 1 164 331 34 11 1 164 627 34 11 1 164 629 34 11 6 761 277 34 11 6 761 278 34 11 6 761 279 34 11 6 761 280	111
025 216 9117	34 21 1 163 395 34 21 6 761 281	125
025 216 9117/PD	34 21 1 163 395 34 21 6 761 281	126
025 219 3417	34 21 1 160 340 34 21 1 160 533 34 21 1 161 455 34 21 1 164 499 34 21 1 164 501 34 21 1 165 235 34 21 6 750 190 34 21 6 761 239 34 21 6 761 241 34 21 6 778 168	124
025 231 8320	34 11 3 404 362 34 11 6 750 148 34 11 6 754 705 34 11 6 761 243 34 11 6 779 652	108

MEYLE no.	Ref. no.	Page
BMW		
025 232 8717	34 11 1 160 356	109
	34 11 1 160 357	
	34 11 1 160 532	
	34 11 1 161 437	
	34 11 1 161 438	
	34 11 1 161 445	
	34 11 1 161 446	
	34 11 1 163 850	
	34 11 1 164 498	
	34 11 1 164 500	
	34 11 1 165 555	
	34 11 2 157 570	
	34 11 6 752 482	
	34 11 6 752 731	
	34 11 6 756 128	
	34 11 6 761 237	
	34 11 6 761 242	
	34 11 6 761 244	
	34 11 9 070 047	
	34 21 2 157 575	
025 232 8717/PD	34 11 1 160 356	109
	34 11 1 160 357	
	34 11 1 160 532	
	34 11 1 161 437	
	34 11 1 161 438	
	34 11 1 161 445	
	34 11 1 161 446	
	34 11 1 163 850	
	34 11 1 164 498	
	34 11 1 164 500	
	34 11 1 165 555	
	34 11 2 157 570	
	34 11 6 752 482	
	34 11 6 752 731	
	34 11 6 756 128	
	34 11 6 761 237	
	34 11 6 761 242	
	34 11 6 761 244	
	34 11 9 070 047	
	34 21 2 157 575	
025 233 1320	34 11 6 780 711	116
025 233 4720	34 11 2 283 764	108
	34 11 2 283 865	
	34 11 6 753 668	
	34 11 6 761 283	
	34 11 6 761 284	

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 763 089	
	34 11 6 763 591	
	34 11 6 764 540	
	34 11 6 767 191	
	34 11 6 767 580	
	34 11 6 776 161	
	34 11 6 781 873	
	34 11 6 783 542	
	34 11 6 794 915	
	34 11 6 794 917	
	34 11 6 794 918	
025 234 4717	34 21 6 753 850	126
	34 21 6 758 870	
	34 21 6 761 285	
025 234 4821	34 11 6 756 350	112
	34 11 6 761 282	
025 234 4821/PD	34 11 6 756 350 34 11 6 761 282	112
025 235 5017	34 21 6 769 105	128
	34 21 6 775 678	
	34 21 6 791 938	
025 235 5017/PD	34 21 6 769 105	128
	34 21 6 775 678	
	34 21 6 791 938	
025 236 2316	34 21 6 767 145	129
	34 21 6 767 146	
	34 21 6 777 240	
	34 21 6 779 294	
	34 21 6 788 183	
025 236 2316/PD	34 21 6 767 145	130
	34 21 6 767 146	
	34 21 6 777 240	
	34 21 6 779 294	
	34 21 6 788 183	
025 237 3017	34 11 0 301 476	123
	34 11 6 763 305	
	34 21 0 403 290	
	34 21 2 283 366	
	34 21 2 284 296	
	34 21 2 284 685	
	34 21 6 757 536	
	34 21 6 761 286	
	34 21 6 768 471	
025 237 3116	34 21 6 775 342	131
	34 21 6 790 966	
025 237 3217	34 21 6 763 043	126

MEYLE no.	Ref. no.	Page
BMW		
	34 21 6 763 044	
025 237 3217/PD	34 21 6 763 043 34 21 6 763 044	127
025 237 9120	34 11 6 763 652 34 11 6 764 312 34 11 6 768 287 34 11 6 770 575 34 11 6 774 258	113
025 237 9120/PD	34 11 6 763 652 34 11 6 764 312 34 11 6 768 287 34 11 6 770 575 34 11 6 774 258	114
025 237 9420	34 11 6 763 617 34 11 6 763 618 34 11 6 769 100 34 11 6 771 868 34 11 6 799 166	112
025 237 9420/PD	34 11 6 763 617 34 11 6 763 618 34 11 6 769 100 34 11 6 771 868 34 11 6 799 166	113
025 239 1517	34 11 6 767 143 34 11 6 767 144 34 11 6 771 837 34 11 6 771 838 34 11 6 774 050	115
025 239 2617	34 21 6 767 148 34 21 6 767 150 34 21 6 773 161 34 21 6 774 692	127
025 239 3517	34 11 6 769 763 34 11 6 769 951	114
025 239 3517/PD	34 11 6 769 763 34 11 6 769 951	114
025 240 9620	34 11 6 771 972 34 11 6 777 772	115
025 241 6120	34 11 6 776 161 34 11 6 783 542	116
025 241 7019	34 11 4 074 370 34 11 6 778 403 34 11 6 779 293 34 11 6 852 253	119
025 241 7019/PD	34 11 4 074 370 34 11 6 778 403	120

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 779 293 34 11 6 852 253	
025 241 7219	34 11 6 778 048 34 11 6 791 514	117
025 241 7219/PD	34 11 6 778 048 34 11 6 791 514	118
025 243 1517	34 21 6 784 808 34 21 6 791 421	130
025 243 1617	34 11 6 786 044	117
025 245 5918	34 21 6 788 275	130
025 245 6118	34 21 6 788 284 34 21 6 796 741 34 21 6 798 193 34 21 6 862 202	131
025 246 8820	34 11 6 775 314 34 11 6 850 885	118
025 246 9719	34 11 6 775 310 34 11 6 856 591 34 11 6 858 047	116
025 247 0318	34 21 2 284 389 34 21 6 775 346	123
025 250 1418	34 11 6 850 567 34 11 6 858 910	121
025 250 4519	34 11 6 775 318 34 11 6 775 322 34 11 6 851 269	119
025 251 9919	34 10 6 856 191 34 10 6 859 181 34 10 6 859 182 34 11 4 073 936 34 11 6 798 978 34 11 6 854 126 34 11 6 856 193	120
025 253 0717	34 20 6 799 809 34 21 6 850 569	132
025 255 0618	34 11 6 850 568	118
028 265 0003	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083	311
028 271 0004	11 53 1 571 083	309

MEYLE no.	Ref. no.	Page
BMW		
	11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	
028 271 0005	11 53 1 710 953 11 53 1 710 954 11 53 1 713 040	308
028 275 0003	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	309
028 280 0004	11 53 1 710 953 11 53 1 710 954 11 53 1 713 040	308
028 288 0000	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	310
028 292 0005	11 53 1 571 083 11 53 1 712 043 11 53 1 721 002 11 53 1 721 003 11 53 1 721 004 11 53 1 733 803 11 53 1 743 528 11 53 1 743 542 11 53 7 511 083 11 53 7 511 580	310
028 295 0001	11 53 1 247 125	309

MEYLE no.	Ref. no.	Page
BMW		
	11 53 1 432 881 11 53 1 739 755	
029 290 1110	61 62 7 138 508	23
029 330 1311	-	23
029 350 1412	-	24
029 350 1414	61 62 7 118 207	23
029 425 1700	-	24
029 450 1800	-	24
029 475 1900	-	25
029 500 2000	-	25
029 530 2100	-	26
029 550 2200	-	26
029 580 2300	-	26
029 600 2400	-	27
029 650 2600	-	27
100 325 0005	24 34 1 423 376	192
100 405 0101	31 21 1 101 115*	591
100 405 0201	31 21 2 634 104	592
100 498 0091/SK	31 60 7 507 402	163
100 525 0012	34 32 2 227 489	151
100 620 0007	32 10 6 765 782 32 10 6 785 993	399
100 698 0008	34 11 1 153 200 34 11 1 157 041 34 11 1 158 200	132
100 900 0000	11 76 1 277 565	250
100 919 0013	12 62 1 288 158 13 62 1 288 158	251
100 953 0012	61 31 1 366 727 61 31 1 371 907	266
100 955 0002	61 66 1 368 589	20
100 955 0006	67 12 8 362 154 67 12 8 377 612	22
300 022 0163	12 23 2 241 387 12 23 2 241 389	246
300 114 2101	11 42 1 436 982	355
300 114 2102	11 42 1 432 097 11 42 1 716 192	357
300 114 2103	11 42 1 709 514 11 42 1 709 856 11 42 1 709 865 11 42 1 727 300	357
300 114 2104	11 42 1 711 568 11 42 1 730 389 11 42 7 833 768	357
300 114 2200	11 42 2 247 392	359

MEYLE no.	Ref. no.	Page
BMW		
	11 42 8 513 375 11 42 8 513 376	
300 114 2701	11 42 1 427 908 11 42 1 740 534 11 42 7 509 430 11 42 7 512 300	360
300 114 2901	11 42 1 267 268 11 42 1 718 816 11 42 9 061 199 11 42 9 063 138	362
300 115 0002	11 52 1 712 058	284
300 115 0003	11 52 1 278 716 11 52 1 284 681 11 52 1 719 040 11 52 1 719 267	285
300 115 0004	11 52 1 719 265 11 52 1 723 363 11 52 1 723 573	285
300 115 0005	11 52 1 712 110	285
300 115 0006	17 41 7 504 732	286
300 115 3102	11 53 1 740 478	276
300 118 1100	11 81 1 130 428 11 81 1 175 979 11 81 1 176 211 11 81 1 176 212	366
300 118 1101	11 81 1 132 323 11 81 1 246 437	366
300 118 1102	11 81 1 129 286 11 81 1 176 387	365
300 118 1103	11 81 1 128 932 11 81 1 176 077 11 81 1 176 141	365
300 118 1105	11 81 1 132 321 11 81 1 175 212	366
300 118 1107	11 81 1 092 583 11 81 1 140 985 22 11 1 095 444 22 11 6 771 361 22 11 6 779 970	380
300 118 1111	11 81 1 175 736	369
300 118 1115	11 81 1 141 889	368
300 118 1120	11 81 1 133 364	367
300 118 1123	11 81 1 094 149 11 81 1 139 819 11 81 4 407 513	364
300 118 1124	11 81 1 094 150	364

MEYLE no.	Ref. no.	Page
BMW		
	11 81 1 139 820 11 81 4 407 514	
300 118 1126	11 81 1 138 879	368
300 118 1127	11 81 1 135 773	367
300 123 1101	12 31 1 268 433 12 31 8 602 181	382
300 123 1102	12 31 1 268 435	383
300 123 1103	12 31 1 715 490	383
300 123 1104	12 31 1 715 491	383
300 135 0001	24 34 1 423 376	210
300 135 0002	24 34 1 422 673	210
300 135 0004	24 15 2 333 907	209
300 135 0005	24 15 2 333 903	209
300 135 0006	24 11 7 543 550	206
300 135 0007	24 11 7 624 192 24 11 8 612 901	208
300 135 0301	24 11 7 557 069	206
300 135 0302	24 11 7 557 070	207
300 135 0303	24 11 7 557 071 24 15 2 333 825	207
300 135 0304	24 11 7 593 565	208
300 135 4101	13 54 1 738 757	352
300 135 4103	13 54 1 726 634	351
300 137 0002	24 11 7 543 550	183
300 137 1102	13 71 1 726 208	351
300 137 1107	13 71 1 726 205 13 71 1 726 325	351
300 171 1101	17 11 1 712 660	307
300 171 1103	17 11 1 723 520	280
300 171 1104	17 11 1 712 835	279
300 221 1101	22 11 1 094 813 22 11 6 771 359 22 11 6 779 971 22 11 6 785 583	381
300 221 1102	22 11 1 094 814 22 11 6 771 360 22 11 6 779 972	380
300 221 1103	22 11 1 092 823 22 11 1 092 895 22 11 1 141 791	369
300 221 1104	22 11 1 092 824 22 11 1 092 896 22 11 1 141 792	370
300 221 1110	22 11 3 400 341 22 11 3 421 299	373
300 221 1111	22 11 3 400 342	373

MEYLE no.	Ref. no.	Page
BMW		
	22 11 3 421 300	
300 221 1112	22 11 3 453 257	374
300 221 1113	22 11 6 768 799	376
300 221 1114	22 11 6 768 800	376
300 221 1115	22 11 6 768 852	377
300 221 1116	22 11 6 768 853	377
300 221 1117	22 11 6 770 725 22 11 6 774 619 22 11 7 761 091	379
300 221 1118	22 11 6 761 092 22 11 6 770 726 22 11 6 774 620	380
300 221 1120	22 11 6 758 430 22 11 6 770 794	378
300 221 1123	22 11 6 758 428 22 11 6 770 793	377
300 221 1124	22 11 6 761 089	375
300 221 1125	22 11 6 761 090	376
300 221 1126	22 11 6 773 742	378
300 221 1127	22 11 1 097 153 22 11 6 750 039 22 11 6 751 281	374
300 221 1128	22 11 1 096 514	370
300 221 1130	22 11 3 400 339	371
300 221 1131	22 11 3 400 340	371
300 221 1132	22 11 3 400 335 22 11 3 421 295	372
300 221 1133	22 11 3 400 336 22 11 3 421 296	373
300 221 1134	22 11 3 415 176	372
300 221 1135	22 11 3 414 583 22 11 3 428 398	371
300 221 1136	22 11 3 414 584 22 11 3 428 397	372
300 221 1137	22 31 3 451 444	192
300 221 1138	22 11 4 048 652 22 11 6 772 152 22 11 6 773 744	379
300 221 1139	22 11 6 760 330	375
300 221 1140	22 11 6 756 018 22 11 6 771 362	378
300 221 1142	22 31 6 770 289	193, 201
300 221 1142	22 31 6 770 289	193, 201
300 221 1144	22 31 6 750 858 22 31 6 773 125 22 31 6 773 693	194, 202

MEYLE no.	Ref. no.	Page
BMW		
300 221 1144	22 31 6 750 858 22 31 6 773 125 22 31 6 773 693	194, 202
300 221 1149	22 11 6 752 741	382
300 221 1150	22 11 6 752 742	382
300 221 1600	11 81 2 294 282 22 11 1 091 971 22 11 1 094 073 22 11 1 094 364 22 11 1 094 365 22 11 1 095 517 22 11 1 097 267 22 11 4 000 410 22 11 4 414 035 22 11 4 414 037 22 11 4 438 631 22 11 4 438 907 22 11 4 516 677 22 11 6 754 608	375
300 221 1601	11 81 1 139 883	368
300 223 1101	22 31 1 094 916 22 31 6 771 221 23 71 1 130 205 23 71 1 131 664	194, 201
300 223 1101	22 31 1 094 916 22 31 6 771 221 23 71 1 130 205 23 71 1 131 664	194, 201
300 223 1600	22 31 6 753 316 22 31 6 771 220 22 31 6 799 330 23 70 1 138 517	195, 202
300 223 1600	22 31 6 753 316 22 31 6 771 220 22 31 6 799 330 23 70 1 138 517	195, 202
300 223 1601	22 31 6 751 760 22 31 6 754 088	193, 201
300 223 1601	22 31 6 751 760 22 31 6 754 088	193, 201
300 223 1602	22 31 6 771 130 22 32 1 092 897	193
300 223 1603	22 31 6 799 411	195
300 223 1604	22 31 6 799 845	196, 203
300 223 1604	22 31 6 799 845	196, 203
300 237 0100	23 70 1 141 532	196, 203

MEYLE no.	Ref. no.	Page
BMW		
	23 70 1 141 614 23 71 1 133 487 24 71 1 134 740	
300 237 0100	23 70 1 141 532 23 70 1 141 614 23 71 1 133 487 24 71 1 134 740	196, 203
300 237 1101	22 31 6 771 219 22 31 6 799 331 23 71 1 137 817	195, 203
300 237 1101	22 31 6 771 219 22 31 6 799 331 23 71 1 137 817	195, 203
300 237 1104	23 71 1 175 939	197, 204
300 237 1104	23 71 1 175 939	197, 204
300 237 1105	23 71 1 176 041	197, 204
300 237 1105	23 71 1 176 041	197, 204
300 237 1113	22 31 3 400 343 22 31 3 421 301	192, 200
300 237 1113	22 31 3 400 343 22 31 3 421 301	192, 200
300 241 1106	24 11 1 218 899	188
300 241 1106/S	24 11 1 218 899	183
300 241 1107	24 11 1 217 082	353
300 241 1401	24 11 1 421 599	354
300 241 1701	24 11 1 423 604 24 11 7 508 517 24 11 7 510 012 24 11 7 533 699 24 11 7 557 070	184
300 243 1102	24 31 1 218 204 24 31 1 218 571	190
300 243 1102/S	24 31 1 218 204 24 31 1 218 571	186
300 243 3101/S	24 31 1 218 550 24 34 1 215 544	186
300 243 4104	24 34 1 421 200 24 34 1 422 419	190
300 243 4104/S	24 34 1 421 200 24 34 1 422 419	186
300 243 4105	24 34 1 219 156 24 34 1 219 631 24 34 1 422 513	190
300 243 4105/S	24 34 1 219 156 24 34 1 219 631 24 34 1 422 513	187

MEYLE no.	Ref. no.	Page
BMW		
300 243 4106	24 34 1 423 109	191
300 243 4107	24 34 1 422 673	191
300 243 4108/S	24 34 1 423 376	188
300 247 0101	24 70 1 138 428	198, 205
300 247 0101	24 70 1 138 428	198, 205
300 247 0102	24 70 1 138 427	197, 205
300 247 0102	24 70 1 138 427	197, 205
300 247 0104	24 70 1 138 435	198, 205
300 247 0104	24 70 1 138 435	198, 205
300 247 1100	24 71 1 130 188 24 71 1 131 663	199
300 247 1102	24 71 1 128 372	198
300 251 1100	25 11 1 202 649 25 11 1 208 580	182
300 251 1101	25 11 1 220 577 25 11 1 220 832 25 11 1 222 039 25 11 7 519 669	183
300 251 1102	25 11 1 204 422	182
300 261 1003	26 11 1 106 113	174
300 261 2103/S	26 12 1 226 442 26 12 1 226 657	156
300 261 2104	26 12 1 226 731	157
300 261 2106	26 12 1 227 660	158
300 261 2108	26 12 1 229 089	159
300 261 2110	26 12 1 227 997	159
300 261 2110/S	26 12 1 227 997	159
300 261 2112/S	26 12 1 229 726 26 12 7 507 740	161
300 261 2113	26 12 7 558 745	162
300 261 2115	26 12 1 229 242	160
300 261 2117	26 12 2 282 496 26 12 7 501 258 26 12 7 506 783	161
300 261 2121/S	26 12 1 229 431	161
300 261 2190/S	26 12 1 225 152	156
300 261 2191	26 12 1 226 723	156
300 261 2191/S	26 12 1 226 723	157
300 261 2194/S	26 12 1 226 731	157
300 261 2196/S	26 12 1 227 660	158
300 261 2198/S	26 12 1 229 089	160
300 261 2700	26 12 1 229 492 26 12 7 501 257	162
300 261 2790/S	26 12 1 229 492 26 12 7 501 257	162
300 261 2911/S	26 12 1 229 317	160

MEYLE no.	Ref. no.	Page
BMW		
300 311 0002	31 12 1 136 531	437
300 311 0003	31 12 1 136 532	438
300 311 2103/HD	31 12 1 130 587 31 12 1 133 488 31 12 1 133 710 31 12 1 136 605 31 12 1 136 606 31 12 1 136 607 31 12 1 139 456	482
300 311 2104/HD	31 12 0 307 882 31 12 1 096 372 31 12 6 769 715	481
300 311 2107	31 12 1 094 235 31 12 1 124 622 31 12 1 133 236 31 12 1 139 826	482
300 311 2604/HD	31 12 1 095 277 31 12 1 095 278 31 12 1 096 284 31 12 1 096 983 31 12 1 096 984 31 12 4 004 359 31 12 4 004 360 31 12 6 750 221 31 12 6 750 222 31 12 6 751 435 31 12 6 751 436 31 12 6 753 059 31 12 6 753 060 31 12 6 754 899 31 12 6 754 900 31 12 6 757 623 31 12 6 777 850 31 12 6 783 376	439
300 311 2901	31 12 1 096 982 31 12 4 000 612 31 12 6 750 057 31 12 6 751 372 31 12 6 753 058 31 12 6 754 547 31 12 6 755 432 31 12 9 071 663 31 12 9 071 952	494
300 311 2903	31 12 1 135 079 31 12 1 135 352 31 12 9 059 288	496

MEYLE no.	Ref. no.	Page
BMW		
300 311 2906/HD	31 10 1 129 078 31 12 1 124 967 31 12 1 125 428 31 12 1 125 429 31 12 1 126 302 31 12 1 126 394 31 12 1 126 416 31 12 1 126 426 31 12 9 058 816 31 12 9 058 817 31 12 9 058 818 31 12 9 058 819	485
300 311 2907	31 12 2 226 032 31 12 2 226 160 31 12 9 061 222	497
300 311 2908	31 12 9 064 875	497
300 311 2909/HD	31 12 0 006 482 31 12 1 093 707 31 12 1 141 752 31 12 9 068 734 31 12 9 069 829 31 12 9 071 085	480
300 311 2911	31 12 1 127 377 31 12 9 058 814	495
300 311 2914/HD	31 12 1 092 010 31 12 9 068 753	486
300 311 2918	31 12 1 127 378 31 12 1 130 123 31 12 1 130 140 31 12 9 058 815 31 12 9 058 931	495
300 311 2919/HD	31 12 6 757 623* 31 12 6 777 850* 31 12 6 783 376*	495
300 311 3003	31 12 1 135 079 31 12 1 135 352 31 12 9 059 288	496
300 312 1101	31 21 1 129 386 31 21 1 468 751	599
300 312 1102	31 21 1 128 157 31 21 1 128 569 31 21 1 131 297	599
300 312 1102/S	31 21 1 128 157 31 21 1 128 569 31 21 1 131 297*	600
300 312 1103	31 20 6 777 789	589

MEYLE no.	Ref. no.	Page
BMW		
	31 21 1 130 124	
300 312 1106	31 22 6 760 177 31 22 6 765 601	604
300 312 1107	31 21 6 765 157	600
300 312 1109	31 20 6 768 993	598
300 312 1110	31 20 6 756 256	598
300 312 1111/S	31 20 3 450 600 31 22 6 751 978 31 22 6 783 913	593
300 312 1112	31 20 3 413 226	597
300 312 2100	31 22 1 139 345 31 22 1 468 926	602
300 312 2100/S	31 22 1 139 345 31 22 1 468 926	602
300 312 2101	31 22 1 093 427	601
300 312 2103	31 21 1 137 996 31 22 1 092 519	601
300 312 2104	31 20 6 779 735 31 20 6 795 959	598
300 313 3101	31 33 1 110 195	582
300 313 3103	31 33 1 091 709	582
300 313 3104	31 33 1 124 449 31 33 1 125 215	555
300 313 3106	31 33 1 090 611	581
300 313 3107/HD	31 33 1 139 437	583
300 313 3108	31 33 1 124 508 31 33 1 139 452	584
300 313 3109	31 30 6 779 604 31 33 1 096 311 31 33 6 769 584	581
300 313 3110/HD	31 33 1 133 292 31 33 1 134 096	583
300 313 3111	31 33 1 134 314	552
300 313 3112/HD	31 33 1 139 438	583
300 313 3114	31 33 1 091 708	582
300 313 3118	31 33 1 140 140	555
300 313 3601	31 33 6 760 943 31 33 6 769 582	584
300 313 5104	31 35 1 124 998 31 35 1 125 350	503
300 313 5105	31 35 1 126 774 31 35 1 127 414	508
300 313 5106	31 35 1 135 805	509
300 313 5107	31 35 1 131 621 31 35 1 132 786	508
300 313 5109	31 35 1 097 021	507

MEYLE no.	Ref. no.	Page
BMW		
300 313 5110	31 35 1 091 555	506
300 313 5111	31 35 1 133 738	509
300 321 1100	32 11 1 127 104	397
300 321 1101	32 11 1 116 068 32 11 1 117 426 32 11 1 117 698	397
300 321 1102	32 11 1 116 318 32 11 1 120 433	401
300 321 3100	32 13 1 132 798	401
300 321 3101	32 13 1 094 629 32 13 1 140 867	401
300 321 3106	32 13 1 092 876	398
300 321 3601	32 13 6 751 026	399
300 322 1101	32 21 1 129 807 32 21 1 133 698 32 21 1 136 452	396
300 322 1104	32 11 1 137 070 32 21 1 139 786	398
300 322 1104/S	32 11 1 137 070 32 21 1 139 786	400
300 325 0000	24 11 0 403 404 24 11 7 519 359 24 11 7 522 923 24 11 7 571 227 24 15 2 333 903	181
300 325 0001	24 11 7 536 387 24 11 7 571 217 24 15 2 333 907	181
300 325 0002	24 11 7 604 960 24 11 7 613 253 24 11 7 624 192 24 11 8 612 901	181
300 331 7100	33 17 1 093 008	529
300 331 7101	33 17 1 090 099 33 17 1 090 389 33 17 1 091 685	529
300 331 7102	33 17 1 131 903	530
300 331 7104	33 17 1 103 842 33 17 1 121 908 33 17 1 126 951	199
300 331 7105	33 17 1 129 783 33 17 1 129 786	199
300 331 7109	33 17 1 093 175 33 17 6 770 788	532
300 331 7110	33 17 1 135 242	200
300 331 7601/HD	33 17 1 093 565	530

MEYLE no.	Ref. no.	Page
BMW		
	33 17 6 751 808	
300 331 7602	33 17 6 758 081 33 17 6 770 768	537
300 331 7603	33 17 6 757 314 33 17 6 770 764	531
300 331 7604	33 17 0 392 928 33 17 0 403 288 33 17 6 757 313 33 17 6 770 763	531
300 332 0701	33 20 7 518 902 33 21 7 572 446	170
300 332 1101	33 21 1 229 594	168
300 332 1102	33 21 1 229 209	164
300 332 1102/SK	33 21 1 229 209	165
300 332 1103	33 21 1 229 213	165
300 332 1104	33 21 1 229 375	166
300 332 1105	33 21 1 229 593	168
300 332 1701	33 21 1 226 719 33 21 1 229 205 33 21 7 504 703	169
300 332 1702	33 21 1 229 376 33 21 7 504 704	169
300 332 1901	33 21 1 225 541 33 21 9 067 810	170
300 332 1901/SK	33 21 1 225 541 33 21 9 067 810	170
300 332 1902	33 21 1 229 221 33 21 1 229 376 33 21 9 067 815	171
300 332 1903	33 21 1 227 602 33 21 9 067 817	171
300 332 1904	33 21 1 229 205 33 21 9 067 818 33 21 9 067 899	172
300 332 1905	33 21 1 209 551 33 21 9 067 906	173
300 332 1905/SK	33 21 1 209 551 33 21 9 067 906	173
300 333 1001	33 31 1 090 945 33 31 1 090 946	532
300 333 1101/HD	31 31 1 128 670 33 31 1 128 670 33 31 1 128 702 33 31 1 129 760	533
300 333 1102	31 31 1 130 537 33 31 1 126 747	534

MEYLE no.	Ref. no.	Page
BMW		
	33 31 1 128 566 33 31 1 129 144 33 31 1 130 537	
300 333 1103/HD	31 31 1 127 533 31 31 1 130 488 33 31 1 121 041 33 31 1 127 533 33 31 1 130 487 33 31 1 130 488	534
300 333 1104	33 31 1 091 422	533
300 333 1105/HD	33 31 1 093 662 33 31 6 770 454	534
300 333 1106	33 31 1 132 251 33 31 1 132 257	200
300 333 1108	33 31 1 092 517 33 31 6 770 781	535
300 333 1109/HD	33 31 1 092 515 33 31 6 757 393 33 31 6 770 783	538
300 333 1110/HD	33 31 1 092 516 33 31 6 757 394 33 31 6 770 784	539
300 333 1111/HD	33 31 1 094 036	533
300 333 1112	33 31 1 090 274 33 31 1 090 956	532
300 333 1601/HD	33 31 0 392 927 33 31 0 403 287 33 31 1 096 772 33 31 6 770 750	535
300 333 1905	33 31 9 059 300	536
300 333 1906	33 31 9 059 301	536
300 333 2102	33 32 1 092 248 33 32 1 138 383 33 32 6 770 824	493
300 333 2103	33 32 1 136 311 33 32 6 771 828	494
300 333 2104/HD	33 32 1 097 009 33 32 1 137 806 33 32 2 228 153 33 32 6 757 885 33 32 6 770 786 33 32 6 770 817	536
300 333 2105	33 32 1 092 247 33 32 1 137 571	493
300 333 2901	33 32 1 123 462 33 32 1 125 563	537

MEYLE no.	Ref. no.	Page
BMW		
	33 32 1 137 459 33 32 9 058 823 33 32 9 061 946	
300 333 2902	33 32 1 110 115 33 32 1 117 259 33 32 1 123 774 33 32 1 137 564 33 32 9 058 821 33 32 9 061 945	540
300 334 1100	33 41 1 123 426 33 41 1 131 670 33 41 1 133 123 33 41 1 133 124 33 41 1 134 549	593
300 334 1100/S	33 41 1 123 426 33 41 1 131 670 33 41 1 133 123 33 41 1 134 549	595
300 334 1101	33 41 1 124 358 33 41 1 468 928	593
300 334 1101/S	33 41 1 124 358*	595
300 334 1102	31 21 1 129 256 31 21 1 132 284 33 41 1 130 617 33 41 1 468 747	591
300 334 1102/S	31 21 1 129 256 31 21 1 132 284 33 41 1 130 617 33 41 1 468 747 33 41 2 220 987	595
300 334 1103	33 41 1 123 415	592
300 334 1103/S	33 41 1 123 415*	594
300 334 1105	33 41 1 090 505* 33 41 1 137 685 33 41 1 468 904	594
300 335 1104/HD	33 52 1 132 078 33 52 1 132 270	587
300 335 2104/HD	33 52 1 132 078 33 52 1 132 270	587
300 335 2106	33 52 1 091 710	585
300 335 2108	33 52 1 091 238 33 52 1 094 091	586
300 335 2109	33 52 1 097 272 33 52 6 773 669	588
300 335 2110	33 52 1 093 416	586
300 335 2111	33 52 1 136 283	552

MEYLE no.	Ref. no.	Page
BMW		
300 335 3101	33 53 1 136 395	559
300 335 3103	33 53 1 135 624	559
300 335 3104	33 53 1 091 031	558
300 335 5101	33 55 1 131 131 33 55 1 135 307	528
300 335 5102	33 55 1 124 375 33 55 1 126 932	527
300 335 5103	33 55 1 093 663	510
300 335 5105	33 55 1 092 292 33 55 1 095 532	526
300 335 5107	33 55 1 131 155	511
300 335 9102/HD	33 50 4 035 929 33 50 4 035 931 33 52 1 092 362 33 52 1 125 554 33 52 1 128 819 33 52 1 137 972 33 52 6 754 096 33 52 6 779 670 37 12 1 133 412	585
300 343 0000	34 35 6 759 917 34 35 6 764 298 34 35 6 768 595 34 35 6 776 421 34 35 6 789 492	232
300 343 0001	34 35 6 759 918 34 35 6 764 299 34 35 6 768 596 34 35 6 776 422 34 35 6 789 493	233
300 343 0002	34 35 6 763 667 34 35 6 768 597 34 35 6 776 423 34 35 6 789 494	234
300 343 1101	33 41 1 093 102 33 41 1 093 725 33 41 1 095 652 33 41 1 095 654	605
300 343 1101/S	33 41 1 093 102 33 41 1 093 725 33 41 1 095 652 33 41 1 095 654	606
300 343 2100	34 32 1 108 134 34 32 1 115 697 34 32 1 153 107 34 32 1 159 881	147

MEYLE no.	Ref. no.	Page
BMW		
	34 32 4 051 524	
300 343 2102	34 32 1 154 327 34 32 1 154 904 34 32 1 159 890	148
300 343 2103	34 32 1 113 184 34 32 1 115 694 34 32 1 159 879	147
300 343 2104	34 32 1 159 889	148
300 343 2105	34 32 1 156 157 34 32 1 159 891	149
300 343 2106	34 32 1 113 183 34 32 1 159 878	147
300 343 2107	34 32 1 159 717	146
300 343 2108	34 32 1 159 524	146
300 343 2109	34 30 1 165 249	140
300 343 2110	34 32 1 162 616	150
300 343 2111	34 32 1 162 612	150
300 343 2112	34 30 1 163 080	138
300 343 2113	34 30 1 163 155	138
300 343 2114	34 30 1 165 190	139
300 343 2117	34 32 1 165 587 34 32 6 766 966	152
300 343 2118	34 30 1 165 174	139
300 343 2121	34 30 1 166 118	141
300 343 5101	34 11 2 225 107 34 35 1 179 820 34 35 1 180 432 34 35 1 180 781	226
300 343 5103	34 35 1 181 342 34 35 1 181 344	227
300 343 5104	34 35 1 181 802	227
300 343 5107	34 35 1 181 337 34 35 1 181 338	226
300 343 5108	34 35 1 182 533	228
300 343 5110	34 35 1 182 064	227
300 343 5112	34 35 1 182 065	228
300 343 5113	34 35 1 163 065 34 35 2 229 018	228
300 343 5114	34 35 1 164 371	225
300 343 5115	34 35 1 164 372	225
300 343 5116	34 35 1 163 207	224
300 343 5117	34 35 6 751 311	230
300 343 5120	34 35 1 165 580	226
300 343 5163	34 35 1 163 066	224
300 349 5119	34 35 1 165 579	225
300 352 1101	35 21 1 108 634	27, 37

MEYLE no.	Ref. no.	Page
BMW		
300 352 1101	35 21 1 108 634	27, 37
300 355 2105/HD	33 52 1 132 088	586
300 371 2102/HD	37 12 1 129 867	588
300 372 1102	37 21 1 124 595 37 21 1 132 043	553
300 513 2100	51 32 1 938 884	6
300 525 0002	34 32 6 760 909 34 32 6 767 390	152
300 525 0003	34 32 2 228 295	151
300 525 0004	34 30 6 767 458	143
300 525 0005	34 30 6 767 458 34 30 6 771 720 34 30 6 790 550	144
300 525 0006	34 30 6 762 838 34 30 6 789 433 34 30 6 798 523	143
300 525 0007	34 30 6 762 837 34 30 6 768 851 34 30 6 789 431 34 30 6 792 253	143
300 525 0008	34 32 6 753 610	151
300 525 0011	34 32 1 163 759	150
300 610 0001	31 12 1 136 531 31 12 1 136 532	438
300 620 0000	32 10 6 765 234 32 10 6 782 252	399
300 643 0000	31 32 1 125 878	552
300 652 0001	31 22 6 757 024	603
300 652 0001/S	31 22 6 757 024	604
300 750 0001	33 41 6 762 321 33 41 6 762 322	597
300 919 0001	65 81 6 905 133	211
312 132 2007	13 71 1 736 675 13 72 1 433 933 13 72 1 702 158 13 72 1 733 562 13 72 1 736 562 13 72 1 736 675 13 72 1 747 280	338
312 132 2015	13 72 1 247 637	337
312 133 2001	13 32 2 243 653	343
312 133 2002	13 32 2 240 791 13 32 2 240 798 13 32 2 240 802 13 32 2 245 006 13 32 2 246 135	344

MEYLE no.	Ref. no.	Page
BMW		
	13 32 2 248 279 13 32 7 786 647	
312 137 1001	13 71 2 243 783 13 71 2 246 416	327
312 137 2003	13 72 1 707 021 13 72 1 714 952	337
312 137 2004	13 71 1 247 465 13 72 1 247 842 13 72 1 287 681 13 72 1 707 050 13 72 1 715 880 13 72 1 715 881 13 72 1 734 682	327
312 137 2005	13 72 1 730 946 13 72 1 738 462	338
312 137 2008	13 71 1 247 405 13 72 1 247 404 13 72 1 247 405	336
312 137 2010	13 72 1 311 880 13 72 1 726 916	338
312 137 2011	13 72 1 702 907 13 72 1 742 201	337
312 137 2012	13 72 1 744 869	339
312 319 0001	64 11 1 393 489 64 11 9 069 895	29
312 319 0002	64 31 1 000 004 64 31 8 361 899 64 31 9 071 934 64 31 9 216 591	31
312 319 0003	64 31 1 390 836	31
312 319 0004/S	64 31 8 391 198 64 31 9 069 927 64 31 9 216 589	33
312 319 0005/S	64 31 9 069 926	34
312 319 0006	64 11 6 915 763 64 31 6 915 763	31
312 319 0007/S	64 31 6 935 822 64 31 9 174 370	36
312 319 0012/S	64 11 6 921 018	28
312 319 0013	64 31 8 409 043 64 31 9 224 084	33
312 319 0015	64 31 6 946 629 64 31 6 962 548 64 31 6 962 551 64 31 9 142 114 64 31 9 313 517	35

MEYLE no.	Ref. no.	Page
BMW		
312 319 0016/S	64 11 8 363 274 64 31 9 071 933	35
312 319 0019	64 11 8 391 914 64 11 8 391 915 64 31 9 069 925	34
312 319 0020/S	64 11 8 391 385	29
312 319 0021	64 11 9 237 554	30
312 319 0023/S	64 31 9 237 158	37
312 320 0002	64 11 9 907 450 64 31 2 182 458 64 31 9 071 935 64 31 9 216 590 64 31 9 257 504	35
312 320 0004/S	64 11 0 008 138 64 11 2 182 533 64 11 8 391 200 64 11 9 070 073 64 11 9 216 588 64 31 2 207 985	28
312 320 0005/S	64 11 8 390 447 64 31 9 070 072 64 31 9 272 810	34
312 320 0006	64 11 6 915 764 64 31 6 915 764	32
312 320 0007/S	64 31 6 913 506 64 31 6 935 823 64 31 9 171 858	36
312 320 0008/S	64 11 9 163 329 64 11 9 272 642	29
312 320 0012/S	64 11 6 921 019 64 11 9 272 643	30
312 320 0013	64 31 8 409 044 64 31 9 218 706 64 31 9 224 085	33
312 320 0015	64 31 6 946 549 64 31 6 946 628 64 31 9 142 115	36
312 320 0021	64 11 9 237 555	30
312 320 0023/S	64 31 9 237 157	37
312 321 0000	13 71 2 246 997	327
312 321 0001	13 71 2 247 444	328
312 321 0002	13 71 7 503 141	329
312 321 0003	13 71 7 521 033 13 71 7 521 038	330
312 321 0004	13 71 7 532 754	331
312 321 0005	13 71 7 256 008	329

MEYLE no.	Ref. no.	Page
BMW		
	13 71 7 505 007 13 71 7 526 008	
312 321 0006	13 71 7 542 545	332
312 321 0007	13 71 7 542 294	332
312 321 0008	13 71 7 521 023 13 71 7 521 037	330
312 321 0011	13 71 7 509 544	330
312 321 0013	13 71 7 797 465	335
312 321 0016	13 71 7 524 412	331
312 321 0017	13 71 7 793 647	334
312 321 0020	13 71 7 536 006	331
312 321 0021	13 71 7 571 355	333
312 321 0022	13 71 3 419 934	328
312 321 0023	13 71 3 428 558	329
312 321 0024	13 71 7 548 888	332
312 321 0026	13 71 7 582 908	334
312 321 0027	13 72 7 834 714	339
312 321 0028	13 71 7 548 897	333
312 321 0029	13 71 7 548 898	333
312 321 0033	13 71 7 800 151	335
312 321 0034	13 72 7 838 804	340
312 321 0035	13 71 7 811 026	335
312 321 0036	13 72 7 834 715	340
312 321 0037	13 71 8 511 668	336
313 011 0000	11 51 0 393 730 11 51 7 785 015 11 51 7 786 736	314
313 011 1100	11 51 0 393 340 11 51 1 742 598 11 51 1 742 647	313
313 011 1200	11 51 0 393 731 11 51 2 246 961 11 51 2 247 552	314
313 011 1300	11 51 0 393 339 11 51 1 704 702 11 51 1 741 980	313
313 011 1900	11 51 1 258 147 11 51 1 258 701 11 51 1 258 933 11 51 1 259 660 11 51 9 070 749 11 51 9 070 752	319
313 011 2001	11 51 1 433 712 11 51 1 433 828 11 51 1 437 648 11 51 1 722 536	315

MEYLE no.	Ref. no.	Page
BMW		
	11 51 1 730 414 11 51 1 740 241 11 51 1 744 243 11 51 7 503 884 11 51 7 504 040 11 51 7 527 799 11 51 7 527 910 11 53 1 433 828	
313 011 2100	11 51 0 007 039 11 51 1 727 123 11 51 1 734 269	311
313 011 2201	11 51 1 284 247 11 51 1 284 580 11 51 1 285 510 11 51 1 287 580 11 51 2 241 641 11 51 2 242 675 11 51 9 070 764 11 51 9 570 765	322
313 011 2300	11 51 1 251 230 11 51 1 253 143 11 51 1 263 934 11 51 1 266 096 11 51 1 705 236 11 51 1 705 273 11 51 9 070 756 11 51 9 070 757	320
313 011 2400	11 51 1 271 436 11 51 1 272 613 11 51 1 286 417 11 51 1 707 190 11 51 1 707 191 11 51 1 707 192 11 51 1 707 193 11 51 1 720 881 11 51 1 720 883 11 51 1 720 892 11 51 1 720 893 11 51 9 061 160 11 51 9 070 761	320
313 011 2500	11 51 1 271 435 11 51 1 272 616 11 51 1 706 564 11 51 1 706 588 11 51 1 706 624 11 51 1 711 492	321

MEYLE no.	Ref. no.	Page
BMW		
	11 51 9 058 996 11 51 9 071 562	
313 011 2600	11 51 1 719 836 11 51 1 720 609 11 51 9 070 758 11 51 9 070 759	320
313 011 2700	11 51 1 274 583 11 51 1 274 584 11 51 1 286 355 11 51 1 286 358 11 51 1 711 477 11 51 1 721 477 11 51 9 070 755	319
313 011 2900	11 51 1 715 292 11 51 1 721 337 11 51 9 070 763	321
313 011 3100	11 51 0 007 042 11 51 1 704 600 11 51 1 731 680 11 51 1 736 146 11 51 1 741 001 11 51 1 742 498	312
313 011 3300	11 51 0 007 043 11 51 1 736 203 11 51 1 741 002 11 51 1 742 517	312
313 011 3400	11 51 0 393 338 11 51 1 721 872 11 51 1 727 468 11 51 1 734 595 11 51 1 734 602	313
313 011 3800	11 51 0 032 679 11 51 2 243 003 11 51 2 244 333 11 51 2 245 687 11 51 2 245 745 11 51 2 246 128 11 51 9 068 606 11 51 9 069 529	319
313 011 4200	11 51 2 242 176 11 51 2 242 677 11 51 9 071 564	322
313 011 4300	11 51 0 393 336 11 51 1 713 266	312
313 061 0002	61 66 1 377 830 61 66 1 380 066	21

MEYLE no.	Ref. no.	Page
BMW		
313 067 0001	67 12 6 973 097 67 12 8 362 157 67 12 8 377 430 67 12 8 377 613	12
313 220 0001	11 51 7 788 305 11 51 7 790 322 11 51 7 791 833 11 51 7 805 808	317
313 220 0004	11 51 2 248 996 11 51 2 354 055 11 51 2 354 057 11 51 7 786 192	316
313 220 0005	11 51 7 511 220 11 51 7 511 221	315
313 220 0006	11 51 7 790 135 11 51 7 791 834 11 51 7 801 609 11 51 7 805 810	317
313 220 0007	11 51 1 401 284 11 51 1 402 427 11 51 1 406 650	315
313 220 0009	11 51 7 788 306 11 51 7 794 247 11 51 7 806 349	317
313 220 0011	11 51 7 789 411	316
313 220 0012	11 51 7 807 311	318
313 220 0016	11 51 7 823 429	318
314 009 0001	11 28 1 440 378	268
314 023 0000	12 23 2 248 059	247
314 030 0001	22 11 1 092 508 22 11 1 094 159 22 11 1 094 248	370
314 030 0002	22 11 6 750 109 22 11 6 765 186 22 11 6 773 903	379
314 030 0003	11 81 1 136 542 11 81 2 228 298 11 81 2 283 798 11 81 7 837 985	369
314 030 0005	11 81 1 137 138 11 81 1 139 606 11 81 1 142 031	367
314 030 0006	22 11 6 750 862	374
314 030 0010	22 11 6 785 601	381
314 030 0011	22 11 6 785 602	381
314 031 0001	31 33 1 133 336	542

MEYLE no.	Ref. no.	Page
BMW		
	31 33 1 134 386	
314 033 0003	33 53 1 132 248	544
314 033 0004	31 33 1 090 760 31 33 1 090 761	541
314 034 0001	16 14 1 180 504 16 14 1 182 842 16 14 1 182 843 16 14 1 183 139 16 14 6 758 736	347
314 034 0003	16 14 1 178 839 16 14 1 180 316 16 14 1 181 354	349
314 034 0004	16 14 1 184 276 16 14 6 752 499 16 14 6 766 942	350
314 034 0005	16 14 1 183 178	349
314 034 0006	16 14 1 181 944 16 14 1 182 079 16 14 1 182 618 16 14 1 184 748	348
314 034 0007	16 14 1 183 845 16 14 1 184 279 16 14 6 750 839 16 14 6 755 878 16 14 6 768 488	348
314 034 0008	16 11 6 752 626 16 11 6 753 898 16 11 6 755 043* 16 11 6 755 044* 16 14 6 750 604	348
314 034 0009	16 11 6 752 626 16 11 6 753 898 16 11 6 755 043 16 11 6 755 044 16 14 6 750 604	347
314 036 0000	11 61 7 501 566	326
314 036 0005	11 15 1 247 133 11 15 7 501 567	325
314 036 0006	11 61 7 501 562	352
314 036 0007	11 61 7 501 563	352
314 036 0008	11 15 1 703 484	325
314 038 0002	11 12 7 793 164	364
314 040 0000	11 12 7 547 058	325
314 042 0005	34 41 1 160 729 34 41 1 160 924 34 41 6 761 289	135

MEYLE no.	Ref. no.	Page
BMW		
314 042 0006	34 41 1 163 244 34 41 1 163 255 34 41 1 165 968 34 41 6 755 273 34 41 6 761 290 34 41 6 761 291	136
314 042 0006/S	34 41 1 163 244 34 41 1 163 255 34 41 1 165 968 34 41 6 755 273 34 41 6 761 290 34 41 6 761 291	136
314 042 0007	34 41 1 163 988 34 41 6 761 292	136
314 042 0007/S	34 41 1 163 988 34 41 6 761 292	137
314 042 0008	34 41 0 393 646 34 41 1 156 962 34 41 1 165 546 34 41 1 165 962 34 41 6 756 538 34 41 6 761 293 34 41 6 780 041 34 41 6 790 186	137
314 112 0000	11 28 1 726 343 11 28 1 748 131	269
314 112 0001	11 28 1 726 181 11 28 1 738 061 11 28 1 738 605 11 28 1 748 130 11 28 7 841 228	269
314 112 0002	11 28 2 245 087	270
314 112 0003	11 28 1 731 220	270
314 112 0004	11 28 1 731 838	268
314 112 0005	11 28 2 245 166	270
314 112 0006	11 28 1 704 500	268
314 113 1112	11 31 1 721 259 11 31 1 721 264 11 31 1 727 141	271
314 113 1113	11 31 1 708 806 11 31 1 709 646	271
314 114 0001	11 42 2 247 018	358
314 114 0002	11 42 1 285 749 11 42 1 285 751 11 42 2 241 165 11 42 9 064 275	362

MEYLE no.	Ref. no.	Page
BMW		
314 114 0003	11 42 7 787 697	361
314 114 0004	11 42 1 435 101 11 42 1 745 390 11 42 1 745 391 11 42 7 510 717	359
314 114 0005	11 42 7 508 969	359
314 114 0006	11 42 7 788 454 11 42 7 788 460 11 42 7 788 461 11 42 8 513 377	361
314 114 0007	11 42 1 264 508 11 42 1 266 773	356
314 114 0008	11 42 2 243 359 11 42 2 244 332	358
314 115 2101	11 52 1 271 416 11 52 1 287 829 11 52 1 289 120 11 52 1 466 000 11 52 1 706 619 11 52 1 719 042 11 52 1 719 266 11 52 1 723 027 11 52 1 723 918 11 52 1 723 919 11 52 1 723 920 11 52 1 723 921 11 52 1 740 962 11 52 9 055 969	287
314 115 2105	11 52 1 723 829 11 52 1 737 489 11 52 1 745 134 11 52 7 500 339 11 52 7 502 804	288
314 115 2106	11 52 2 243 303	286
314 115 2201	11 52 2 241 290 11 52 2 243 304 11 52 2 244 413 11 52 2 245 195 11 52 2 245 496 11 52 2 245 498	287
314 115 2203	11 52 2 246 042	287
314 115 2204	11 52 2 249 216	288
314 115 2701	11 52 1 709 499 11 52 1 719 269 11 52 1 740 963 11 52 7 505 302	289

MEYLE no.	Ref. no.	Page
BMW		
314 115 9401	34 41 1 159 468 34 41 6 761 294	138
314 115 9402	34 41 1 118 053 34 41 1 157 823 34 41 1 159 467	135
314 126 0000	12 62 1 710 535 12 62 1 747 281	251
314 126 1101	12 61 1 710 160 12 61 1 710 509 12 61 7 568 480	363
314 131 0000	12 13 1 404 309 12 13 1 703 227 12 13 1 703 228 12 13 1 703 825 12 13 1 748 017 12 13 1 748 018 12 13 9 067 830	248
314 131 0001	12 13 1 404 309* 12 13 1 703 227* 12 13 1 703 228* 12 13 1 703 825* 12 13 1 748 017* 12 13 1 748 018* 12 13 9 067 830*	249
314 133 2106	13 32 1 713 807 13 32 1 713 808 13 32 1 720 101 13 32 1 720 102	343
314 133 2107	13 32 1 268 231 13 32 1 270 038 13 32 9 063 165	341
314 133 2108	13 32 1 268 231 13 32 1 270 038 13 32 9 063 165	341
314 133 2109	13 32 1 702 632 13 32 1 740 985 13 32 1 740 986	342
314 136 2101	13 62 1 357 414	252
314 136 2102	13 62 1 284 397 13 62 1 709 966	253
314 136 2103	13 62 1 433 076	252
314 137 0001	24 34 1 422 673	187
314 137 0002	24 11 7 507 790 24 11 7 510 011 24 11 7 533 700 24 11 7 557 069	184

MEYLE no.	Ref. no.	Page
BMW		
314 137 0003	24 11 1 423 605	189
	24 11 7 507 643	
	24 11 7 510 010	
	24 11 7 533 657	
	24 11 7 557 071	
314 137 0003/S	24 11 1 423 605	185
	24 11 7 507 643	
	24 11 7 510 010	
	24 11 7 533 657	
	24 11 7 557 071	
314 137 0005	24 11 7 581 604	189
	24 11 7 593 565	
314 137 0005/S	24 11 7 581 604	185
	24 11 7 593 565	
314 139 0000	12 13 1 317 232	248
	12 13 1 317 585	
	12 13 1 402 440	
	12 13 1 402 713	
	12 13 1 404 102	
	12 13 1 703 359	
	12 13 1 720 166	
	12 13 1 726 177	
	12 13 1 726 178	
	12 13 1 727 108	
	12 13 1 729 842	
	12 13 1 730 765	
	12 13 1 730 766	
	12 13 1 731 884	
	12 13 1 734 468	
	12 13 1 748 394	
	12 13 1 748 395	
	12 13 1 777 666	
	12 13 7 599 218	
	12 13 9 066 468	
314 139 0001	24 11 1 423 587	355
	24 11 7 524 707	
314 139 0002	24 11 1 422 676	354
314 139 0003	24 11 7 543 484	355
314 139 0004	24 11 1 218 850	353
	24 11 1 421 367	
314 139 0005	24 10 1 423 380	353
314 152 0001	26 11 1 204 294	175
	26 11 1 207 785	
	26 11 1 225 624	
314 152 0002	26 11 1 227 410	175
314 152 0003	26 11 1 227 869	176

MEYLE no.	Ref. no.	Page
BMW		
314 152 0004	26 11 1 227 690	176
	26 11 1 229 065	
314 152 0005	26 11 1 227 717	176
	26 11 1 229 080	
	26 11 1 229 360	
314 152 0007	26 11 7 503 159	177
314 152 0008	26 11 1 209 168	178
	26 11 1 227 420	
	26 11 7 511 454	
314 152 0012	26 11 7 542 238	179
314 152 0013	26 11 2 226 527	177
314 152 1006	26 11 1 229 754	180
	26 11 7 572 664	
314 152 1009	26 11 7 512 619	180
	26 11 7 573 276	
314 152 1010	26 11 7 527 392	179
314 152 1011	26 11 7 522 027	179
314 154 0001	34 21 1 154 236	154
314 159 0000	34 21 1 159 569	155
314 171 0000	17 11 1 712 196	279
314 171 0001	17 11 1 741 167	280
314 223 0000	17 11 7 573 751	280
	17 11 7 573 781	
	17 13 7 787 039	
314 223 0001	17 11 7 573 780	281
	17 13 7 787 040	
314 223 0002	17 11 1 436 381	279
314 223 0003	17 10 7 514 964	278
314 223 0004	17 13 7 519 368	282
	17 13 7 543 026	
	17 13 7 567 462	
	17 13 7 607 482	
314 223 0005	17 13 7 519 219	282
	17 13 7 542 986	
314 223 0006	17 13 7 543 003	283
	17 13 8 600 275	
314 223 0007	17 13 7 501 959	281
314 223 0008	17 13 7 552 546	282
314 223 0009	17 13 7 601 950	283
	17 13 7 647 284	
314 226 0002	11 53 1 708 808	274
314 226 0003	11 53 1 714 738	275
314 226 0004	11 53 1 743 199	277
314 226 0005	11 53 1 743 329	277
314 226 0006	11 53 1 743 679	277
314 226 0007	11 53 7 505 055	278

MEYLE no.	Ref. no.	Page
BMW		
	11 53 7 560 130	
314 226 0008	11 53 1 722 531	276
314 226 0009	11 53 1 709 232	275
314 226 0010	11 53 1 247 122	274
314 226 0011	11 53 1 739 208	276
314 231 4101	23 14 1 221 706 23 14 1 434 584 23 14 7 506 637 23 14 7 524 811	266
314 236 0008	64 11 8 372 493	263
314 236 0010	17 11 7 590 699 17 42 7 523 259	289
314 238 0000	17 11 0 141 325 17 11 1 712 788 17 12 7 515 488	274
314 238 0001	11 51 1 730 554	272
314 238 0002	11 51 1 436 590	272
314 238 0003	17 13 7 516 004	289
314 261 1101	26 11 1 107 832	174
314 261 1104	26 11 1 105 398 26 11 7 518 304	178
314 316 0001	24 11 7 543 550	188
314 316 7501	31 60 7 507 403 31 60 7 565 315	164
314 319 0000/S	64 11 6 945 593 64 31 6 945 585	32
314 320 0000/S	64 11 6 945 594 64 31 6 945 586	32
314 322 0000	11 42 7 541 827 11 42 7 566 327	360
314 322 0001	11 42 2 246 131	358
314 322 0002	11 42 7 808 443	361
314 323 0000	13 32 7 785 350 13 32 7 787 825	344
314 323 0001	13 32 7 793 672	345
314 323 0002	13 32 7 787 476 13 32 7 794 549	345
314 323 0003	13 32 1 277 497 13 32 1 278 272	342
314 323 0006	13 32 1 439 407 13 32 7 512 017 13 32 7 512 018 13 32 7 512 019	344
314 323 0007	16 12 6 765 756	346
314 323 0008	16 12 6 754 016	346
314 323 0009	13 32 1 709 535	342

MEYLE no.	Ref. no.	Page
BMW		
314 323 0011	13 32 7 788 700 13 32 7 811 227 13 32 7 811 401	346
314 352 0000	34 35 2 229 780	229
314 353 0000	34 35 3 411 756	229
314 353 0002	34 35 3 411 757	230
314 356 0000	34 35 6 755 266 34 35 6 778 037	233
314 356 0001	34 35 6 755 267 34 35 6 778 038	233
314 356 0002	34 35 6 757 896	231
314 356 0005	34 35 6 762 252 34 35 6 789 439	231
314 356 0006	34 35 6 762 253 34 35 6 789 445	231
314 356 0007	34 35 6 764 851 34 35 6 777 650 34 35 6 789 441	234
314 495 0001	33 21 9 067 819	172
314 495 0002	33 21 1 229 589 33 21 7 529 920	167
314 495 0003	33 21 1 229 590	168
314 495 0004	33 21 1 229 372	166
314 495 0005	33 21 1 229 373	166
314 495 0006	33 21 1 229 379	167
314 495 0008	33 21 1 229 378	167
314 495 0011	33 21 7 504 524	169
314 495 0012	31 60 7 544 433 31 60 7 570 270	164
314 498 0005	31 60 7 505 005 31 60 7 505 006 31 60 7 561 341 31 60 7 561 342 31 60 7 565 313* 31 60 7 565 314	174
314 525 0000/S	34 30 1 165 766	141
314 525 0001	34 30 1 165 075 34 30 1 166 248	141
314 525 0003	34 30 3 411 443	142
314 525 0004	34 30 3 411 444	142
314 525 0005	34 32 6 757 744	152
314 525 0006/S	34 30 1 165 765	140
314 525 0007	34 32 1 162 479	149
314 525 0008	34 32 1 162 477	149
314 525 0009	34 30 6 771 690	144
314 525 0010	34 51 1 090 565	154

MEYLE no.	Ref. no.	Page
BMW		
314 525 0012	34 30 6 782 862 34 32 6 765 398	145
314 525 0013	34 30 6 778 260	145
314 525 0014	34 30 6 776 293 34 30 6 788 437	144
314 525 0015	34 32 6 768 124	153
314 525 0016	34 30 6 787 512	145
314 525 0017	34 30 6 799 424	146
314 525 0018	34 32 6 776 867 34 32 6 788 439	153
314 525 0019	34 32 6 776 868 34 32 6 788 438 34 32 6 853 746	153
314 527 0001	34 35 6 771 766 34 35 6 780 699 34 35 6 789 505	235
314 527 0003	34 35 6 772 008 34 35 6 789 501	235
314 527 0004	34 35 6 773 008 34 35 6 789 502	235
314 527 0006	34 35 6 777 649 34 35 6 779 619 34 35 6 789 440	234
314 527 0007	34 35 2 282 935	229
314 527 0008	34 35 3 414 662	230
314 527 0009	34 35 6 792 567	240
314 527 0010	34 35 6 792 571 34 35 6 854 168	241
314 527 0011	34 35 6 792 559	238
314 527 0012	34 35 6 792 564	239
314 527 0013	34 35 6 792 568	240
314 527 0015	34 35 6 791 962	237
314 527 0016	34 35 6 791 958	236
314 527 0017	34 35 6 791 961	237
314 527 0019	34 35 6 775 850	232
314 527 0020	34 35 6 792 289	238
314 527 0021	34 35 6 792 292	238
314 527 0022	34 35 6 775 858	232
314 527 0024	34 35 6 792 565	240
314 527 0025	34 35 6 791 960	236
314 527 0026	34 35 7 836 795	241
314 527 0027	34 35 6 792 560	239
314 527 0028	34 35 6 792 561	239
314 527 0029	34 35 6 791 963	237
314 527 0031	34 35 6 790 341	236
314 600 0001	33 52 1 126 351	553

MEYLE no.	Ref. no.	Page
BMW		
	33 52 1 128 734 33 52 6 772 864	
314 610 0000/HD	31 12 0 302 754 31 12 0 304 308 31 12 0 305 612 31 12 0 393 540 31 12 0 398 350 31 12 6 765 991 31 12 6 765 992 31 12 6 767 992	481
314 610 0001	31 12 6 763 699 31 12 6 763 700 31 12 6 765 597 31 12 6 770 849* 31 12 6 770 850*	483
314 610 0004/HD	31 10 6 778 015	479
314 610 0005	31 10 6 771 897	479
314 610 0006	31 10 6 771 194	479
314 610 0007	31 12 6 768 989*	483
314 610 0008/HD	31 12 6 775 967* 31 12 6 779 871* 31 12 6 779 908*	483
314 610 0012	31 12 6 775 963* 31 12 6 775 964* 31 12 6 784 569 31 12 6 794 203* 31 12 6 794 204* 31 12 6 798 107* 31 12 6 798 108* 31 12 6 850 781* 31 12 6 850 782*	484
314 610 0013	31 12 6 775 963* 31 12 6 775 964* 31 12 6 775 980 31 12 6 791 455 31 12 6 794 203* 31 12 6 794 204* 31 12 6 798 107* 31 12 6 798 108* 31 12 6 850 781* 31 12 6 850 782*	485
314 610 0014	31 12 6 775 971* 31 12 6 775 972*	484
314 610 0019	31 10 6 786 951	480
314 610 0021	31 10 6 786 959 31 12 6 792 277	480

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 852 991*	
	31 12 6 852 992*	
	31 12 6 854 727*	
	31 12 6 854 728*	
314 613 1101	23 14 1 135 071 23 14 1 352 153 23 14 1 354 071 61 31 1 352 153	265
314 613 1303	61 31 1 387 916	264
314 613 1304	61 31 1 393 361	264
314 613 1801	61 31 8 360 420	261
314 615 0001	31 35 1 095 271	507
314 615 0002	31 35 1 093 108	506
314 615 0003	31 35 1 097 179 33 55 6 751 269	508
314 615 0004	31 35 6 753 928 31 35 6 761 589 31 35 6 761 591 31 35 6 763 267 31 35 6 764 113 31 35 6 766 509	510
314 615 0005	31 35 6 765 574	510
314 615 0007	31 35 1 090 263	504
314 615 0008	31 35 1 090 186	504
314 615 0009	31 35 1 094 554 31 35 1 094 555	506
314 615 0010	31 35 1 094 556 31 35 1 096 061	507
314 615 0011	31 30 3 404 065	503
314 615 0012	31 30 3 413 134	503
314 615 0013	31 35 1 090 300	505
314 615 0014	31 35 1 091 228	505
314 615 0016	31 35 1 090 186	504
314 615 0018	31 35 1 090 268	505
314 615 0019	31 35 1 140 188	509
314 620 0001/S	32 11 1 137 070 32 21 1 139 786	400
314 631 0000	32 41 1 092 433 32 41 1 092 954	385
314 631 0001	32 41 1 137 835 32 41 1 138 122 32 41 1 141 039 32 41 1 141 040 32 41 1 141 045 32 41 1 141 046 32 41 1 141 417	388

MEYLE no.	Ref. no.	Page
BMW		
	32 41 1 141 419	
314 631 0002	32 41 1 093 360 32 41 1 093 577	386
314 631 0003	32 41 1 094 962 32 41 6 750 111	386
314 631 0004	32 41 1 094 965	386
314 631 0006	32 41 1 133 158 32 41 1 133 386	387
314 631 0007	32 41 1 092 741 32 41 1 092 742 32 41 1 093 040 32 41 1 094 098 32 41 1 097 149	385
314 631 0008	32 41 1 092 135 32 41 1 093 578	385
314 631 0009	32 41 1 126 845 32 41 1 127 046 32 41 1 128 040 32 41 1 132 189 32 41 1 132 936 32 41 1 133 969 32 41 1 133 970 32 41 1 136 205 32 41 1 141 243	387
314 631 0014	32 41 1 095 155 32 41 1 095 748 32 41 1 095 749 32 41 3 413 807 32 41 3 450 765 32 41 6 754 172 32 41 6 756 575 32 41 6 756 930 32 41 6 757 465	387
314 631 0015	32 41 6 750 423 32 41 6 760 036	388
314 632 0000	32 41 1 097 164 32 41 6 851 217	396
314 639 0001	31 33 1 093 070 31 33 1 096 184	542
314 639 0002	31 33 1 093 069	542
314 639 0006	31 33 1 091 517 31 33 1 091 530	541
314 640 0000	-	545
314 640 0001	-	546
314 640 0002	-	546
314 640 0003	-	546

MEYLE no.	Ref. no.	Page
BMW		
314 640 0004	-	547
314 640 0005	-	547
314 640 0007	-	548
314 641 0001	31 33 1 090 467 31 33 1 092 885 31 33 1 135 582 31 33 6 759 871 31 33 6 764 947 31 33 6 769 585 31 33 6 779 613	584
314 641 0003	31 30 6 767 451 31 30 6 775 098	581
314 642 0001	31 33 1 094 751 31 33 6 778 544	557
314 642 0002	31 33 1 094 750	554
314 642 0003	31 33 6 750 892	555
314 642 0004	31 33 6 764 085	556
314 642 0005	31 30 6 757 046 31 33 6 757 046	554
314 642 0006	31 33 6 767 320 31 33 6 771 352	556
314 642 0007	31 30 3 411 973	554
314 642 0009	31 33 6 771 380	557
314 652 0002	31 22 6 750 217	603
314 698 0006	34 11 1 153 195 34 11 1 157 038	133
314 710 0000	33 31 6 758 259	538
314 710 0001	33 31 6 758 260	538
314 710 0002	33 17 6 760 287	530
314 710 0003	33 17 6 760 288 33 17 6 770 866	531
314 710 0004	33 32 6 763 093 33 32 6 770 829	540
314 710 0005	33 32 6 763 473* 33 32 6 777 980*	486
314 710 0006	33 32 6 763 473* 33 32 6 777 980*	486
314 739 0000	33 53 1 095 732	544
314 739 0002	33 53 1 096 187 33 53 6 750 756	545
314 739 0003	33 53 1 093 632 33 53 1 093 633 33 53 1 093 634 33 53 1 093 940	543
314 739 0009	33 53 1 091 548	543
314 739 0010	33 53 1 093 939	543

MEYLE no.	Ref. no.	Page
BMW		
314 739 0013	33 53 1 094 740 33 53 1 095 736	544
314 740 0001	-	548
314 740 0002	33 53 1 091 640	545
314 740 0003	-	548
314 740 0004	-	549
314 740 0005	-	549
314 740 0006	-	549
314 740 0007	-	550
314 740 0008	-	550
314 740 0009	-	550
314 740 0010	-	551
314 740 0011	-	551
314 740 0012	-	551
314 741 0000	33 52 6 753 810 33 52 6 769 744 33 52 6 779 611	588
314 741 0001	33 52 6 768 544 33 52 6 772 811	587
314 742 0000	33 53 6 761 027	559
314 742 0001	33 50 6 757 368 33 53 6 757 368	558
314 742 0002	33 50 6 757 047 33 53 6 757 047	557
314 742 0003	33 50 4 034 410 33 53 6 767 334	560
314 742 0005	33 53 6 767 335	560
314 742 0006	33 53 6 771 381	560
314 742 0007	33 50 6 773 628	558
314 750 0000	33 41 6 762 317*	596
314 750 0004	33 41 6 770 974 33 41 6 795 961	597
314 752 0001	33 41 1 095 238*	605
314 752 0002	33 41 6 762 314*	596
314 752 0003	33 41 1 093 567 33 41 1 136 180	604
314 752 0006	33 41 6 760 056	606
314 800 0021	61 31 8 376 440	259
314 800 0037	13 62 7 792 256	256
314 800 0038	13 62 7 794 646	256
314 800 0041	34 52 1 164 643	212
314 800 9001	11 12 1 715 318 11 12 1 727 696 11 12 1 733 713 11 12 1 739 340 11 12 1 743 294	356

MEYLE no.	Ref. no.	Page
BMW		
	11 12 1 747 157 11 12 7 500 568 11 12 7 509 328	
314 800 9004	17 11 1 742 231	283
314 800 9005	17 11 1 719 167 17 11 1 742 232 17 11 4 379 048	284
314 800 9018	61 31 1 384 739	257
314 800 9019	61 31 8 360 417	260
314 810 0000	61 31 8 360 857	259
314 810 0001	13 62 1 703 993	253
314 830 0002	12 36 1 729 005 12 63 1 711 266 61 36 1 729 004	251
314 850 0000	61 31 8 363 668	262
314 850 0001	61 31 8 363 662	261
314 850 0002	61 31 8 363 669	262
314 850 0003	61 31 8 363 664	262
314 860 0001	12 23 7 786 869	246
314 860 0002	12 23 7 788 957	247
314 862 0000	12 13 1 404 309* 12 13 1 703 227* 12 13 1 703 228* 12 13 1 703 825* 12 13 1 740 477 12 13 1 748 017* 12 13 1 748 018* 12 13 9 067 830* 12 13 9 067 831	258
314 870 0000	67 12 8 360 244	22
314 870 0001	67 12 6 934 159 67 12 7 302 589	21
314 870 0002	61 66 1 380 068 61 66 8 360 614	21
314 880 0000	64 11 6 920 365 64 11 6 923 204 64 11 6 929 486 64 11 6 931 680 64 11 8 364 173 64 11 8 377 579 64 11 8 385 549	263
314 885 0000	12 13 1 712 219 12 13 1 712 223 12 13 7 551 260	249
314 885 0001	12 13 7 551 049 12 13 7 562 744	250

MEYLE no.	Ref. no.	Page
BMW		
	12 13 7 571 643 12 13 7 594 936 12 13 7 594 937	
314 899 0001	34 52 1 163 027 34 52 1 163 188 34 52 1 165 519	212
314 899 0002	34 52 1 181 126 34 52 1 181 971 34 52 1 182 063 34 52 1 182 067	223
314 899 0004	12 14 1 247 259	241
314 899 0005	12 14 1 713 007 12 14 1 720 852	242
314 899 0007	12 14 1 714 763 12 14 1 720 853	243
314 899 0010	12 14 1 703 221	253
314 899 0022	34 52 1 164 651 34 52 1 165 609	212
314 899 0023	12 14 1 731 887	244
314 899 0024	34 52 0 025 723 34 52 1 165 534 34 52 6 756 375	217
314 899 0025	12 61 7 508 002	258
314 899 0027	34 52 0 025 724 34 52 1 165 535 34 52 6 756 376	218
314 899 0029	12 14 1 435 351 12 14 1 438 082 12 14 7 506 273 12 14 7 518 628	255
314 899 0030	34 52 1 182 159	214
314 899 0031	34 52 6 771 702	220
314 899 0032	34 52 6 771 703	221
314 899 0033	34 52 6 762 465	219
314 899 0034	34 52 6 762 466	219
314 899 0035	34 52 1 182 076	213
314 899 0036	34 52 1 182 077	214
314 899 0037	12 14 1 703 277	242
314 899 0038	12 14 7 539 165	255
314 899 0039	34 52 1 182 160	214
314 899 0040	12 14 1 730 027	244
314 899 0041	12 14 1 715 030 12 14 1 720 854	243
314 899 0042	17 11 7 506 601 17 13 0 409 622 17 13 7 524 812	257

MEYLE no.	Ref. no.	Page
BMW		
	17 13 7 553 919	
314 899 0043	61 31 8 360 876	257
314 899 0044	12 14 1 742 185	254
314 899 0045	34 52 6 760 424 34 52 6 785 020	222
314 899 0046	34 52 0 025 722 34 52 1 165 533 34 52 6 756 374	217
314 899 0047	34 52 0 025 720 34 52 1 165 536 34 52 6 756 377	218
314 899 0048	34 52 1 164 652	213
314 899 0049	34 52 6 752 681 34 52 6 792 897	223
314 899 0050	34 52 6 752 682 34 52 6 792 896	216
314 899 0051	34 52 6 752 683	216
314 899 0052	12 14 1 709 616 12 14 1 744 492	242
314 899 0053	13 62 7 787 192 13 62 7 809 334	245
314 899 0054	17 11 7 546 548	211
314 899 0055	12 14 1 743 072	255
314 899 0056	34 52 6 752 016 34 52 6 756 379	218
314 899 0059	34 52 6 761 651 34 52 6 761 801 34 52 6 771 709	221
314 899 0060	34 52 0 025 726 34 52 6 756 380 34 52 6 756 573	219
314 899 0061	34 52 0 025 721 34 52 1 165 532 34 52 6 756 373	216
314 899 0062	34 52 6 760 425 34 52 6 785 021	222
314 899 0063	34 52 3 405 906 34 52 3 420 330	215
314 899 0064	34 52 6 760 534 34 52 6 771 705	221
314 899 0065	34 52 6 762 476 34 52 6 785 022	223
314 899 0066	34 52 3 405 907 34 52 3 420 331	215
314 899 0068	34 52 6 760 047 34 52 6 771 701	220

MEYLE no.	Ref. no.	Page
BMW		
314 899 0069	12 14 1 740 959 12 14 1 748 400	254
314 899 0070	67 11 1 387 606 67 11 1 387 726 67 11 8 353 012	264
314 899 0071	67 11 8 352 165	265
314 899 0072	67 11 1 387 607 67 11 1 393 999 67 11 8 353 011	265
314 899 0073	37 14 0 141 444 37 14 1 093 697 37 14 1 093 699 37 14 6 778 811 37 14 6 784 696	267
314 899 8003	12 14 1 726 066	244
314 906 4201	34 21 9 064 270	134
314 906 8101	34 21 9 067 127	134
314 909 0000	51 33 1 977 609	12
314 909 0002	51 33 1 977 610	12
314 909 0003	51 33 8 252 393	16
314 909 0004	51 33 8 159 832 51 33 8 236 860 51 33 8 252 394	16
314 909 0006	51 35 8 212 099	19
314 909 0007	51 35 8 212 100	19
314 909 0008	51 33 7 024 811 51 33 7 138 861 51 33 7 202 479	14
314 909 0009	51 33 7 024 812 51 33 7 138 862 51 33 7 202 480	15
314 909 0010	51 33 8 254 911	16
314 909 0011	51 33 8 254 912	17
314 909 0012	51 35 7 125 059 51 35 8 254 913	17
314 909 0013	51 35 7 125 060 51 35 8 254 914	17
314 909 0018	51 35 8 159 835	18
314 909 0019	51 35 8 159 836	19
314 909 0020	51 35 8 252 429	20
314 909 0021	51 35 8 252 430	20
314 909 0027	51 33 7 140 587	13
314 909 0028	51 33 7 140 588	13
314 909 0029	51 35 7 140 589	18
314 909 0030	51 35 7 140 590	18
314 909 0031	51 33 7 075 667	14

MEYLE no.	Ref. no.	Page
BMW		
	51 33 7 184 383	
314 909 0032	51 33 7 075 668 51 33 7 184 384	14
314 909 0033	51 33 8 229 105	15
314 909 0034	51 33 8 229 106	15
314 919 0000	16 12 1 115 862 16 14 1 178 751 16 14 1 179 232	349
314 919 0001	16 14 1 179 711 16 14 1 179 992 16 14 1 184 022 16 14 2 226 815	350
315 521 0002/PD	34 11 6 770 729 34 11 6 855 000	65
315 521 0003/PD	34 11 6 774 875 34 11 6 792 219 34 11 6 855 006	66
315 521 0004/PD	34 11 6 771 985 34 11 6 793 245	69
315 521 0005/PD	34 11 6 771 986 34 11 6 793 244	69
315 521 0006/PD	34 11 6 771 982 34 11 6 793 243	68
315 521 0012/PD	34 10 6 787 490	42
315 521 0013/PD	34 11 6 792 215	67
315 521 0014/PD	34 11 6 792 217	67
315 521 0016/PD	34 11 6 792 221	68
315 521 3001	34 11 1 154 749 34 11 1 154 750 34 11 1 160 847 34 11 1 160 915	42
315 521 3004	34 11 1 151 655 34 11 1 151 656 34 11 1 163 135 34 11 1 163 136	44
315 521 3005	34 11 1 155 322 34 11 1 157 391 34 11 1 158 038 34 11 1 159 896 34 11 6 756 090	52
315 521 3006	34 11 1 158 042 34 11 1 159 898 34 11 1 161 693	43
315 521 3007	34 11 1 160 673 34 11 6 757 750	55
315 521 3007/PD	34 11 1 160 673	55

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 757 750	
315 521 3008	34 11 1 157 503 34 11 1 158 040 34 11 1 159 897 34 11 1 160 936	43
315 521 3009	34 11 1 154 747 34 11 6 752 434	51
315 521 3011	34 11 1 160 674 34 11 1 162 282 34 11 1 162 288 34 11 1 164 199 34 11 1 164 431 34 11 1 164 921 34 11 1 165 455 34 11 6 766 239 34 11 6 794 301 34 11 6 855 153	46
315 521 3011/PD	34 11 1 160 674 34 11 1 162 282 34 11 1 162 288 34 11 1 164 199 34 11 1 164 431 34 11 1 164 921 34 11 1 165 455 34 11 6 766 239 34 11 6 794 301 34 11 6 855 153	47
315 521 3012	34 11 1 116 675 34 11 1 119 248 34 11 1 163 128	44
315 521 3014	34 11 1 121 902 34 11 1 152 297 34 11 1 154 974 34 11 1 163 141 34 11 1 163 142	45
315 521 3015	34 11 1 162 093 34 11 6 757 752	56
315 521 3015/PD	34 11 1 162 093 34 11 6 757 752	56
315 521 3019	34 11 1 163 013 34 11 1 163 081 34 11 1 164 839 34 11 6 767 061	63
315 521 3019/PD	34 11 1 163 013 34 11 1 163 081 34 11 1 164 839	63

MEYLE no.	Ref. no.	Page
BMW		
	34 11 6 767 061	
315 521 3020	34 11 1 164 539 34 11 6 757 526 34 11 6 766 224 34 11 6 794 302 34 11 6 855 152 34 11 6 864 058	45
315 521 3020/PD	34 11 1 164 539 34 11 6 757 526 34 11 6 766 224 34 11 6 794 302 34 11 6 855 152 34 11 6 864 058	46
315 521 3023	34 11 1 159 895 34 11 6 757 746	54
315 521 3023/PD	34 11 1 159 895 34 11 6 757 746	54
315 521 3024	34 11 1 165 859 34 11 6 767 059	62
315 521 3024/PD	34 11 1 165 859 34 11 6 767 059	62
315 521 3025	34 11 6 750 713 34 11 6 756 045 34 11 6 765 457 34 11 6 766 036 34 11 6 794 300 34 11 6 859 679	70
315 521 3025/PD	34 11 6 750 713 34 11 6 756 045 34 11 6 765 457 34 11 6 766 036 34 11 6 794 300 34 11 6 859 679	70
315 521 3029	34 10 1 166 071 34 11 6 769 305 34 11 6 855 156	41
315 521 3029/PD	34 10 1 166 071 34 11 6 769 305 34 11 6 855 156	41
315 521 3050	34 11 1 161 372 34 11 1 164 973 34 11 6 757 756	57
315 521 3050/PD	34 11 1 161 372 34 11 1 164 973 34 11 6 757 756	57
315 521 3051	34 11 2 227 171	47

MEYLE no.	Ref. no.	Page
BMW		
315 521 3051/PD	34 11 2 227 171	48
315 521 3052	34 11 2 227 172	48
315 521 3052/PD	34 11 2 227 172	49
315 521 3058	34 11 6 750 265	50
315 521 3058/PD	34 11 6 750 265	51
315 521 3059	34 11 6 750 267 34 11 6 864 057	71
315 521 3059/PD	34 11 6 750 267 34 11 6 864 057	71
315 521 3060	34 11 6 753 221 34 11 6 767 269 34 11 6 864 905	64
315 521 3060/PD	34 11 6 753 221 34 11 6 767 269 34 11 6 864 905	52
315 521 3061	34 11 6 764 021 34 11 6 864 059	72
315 521 3061/PD	34 11 6 764 021 34 11 6 864 059	72
315 521 3062	34 11 6 764 629 34 11 6 854 996	58
315 521 3062/PD	34 11 6 764 629 34 11 6 854 996	58
315 521 3063	34 11 6 764 641 34 11 6 854 997	59
315 521 3063/PD	34 11 6 764 641 34 11 6 854 997	59
315 521 3064	34 11 6 764 645 34 11 6 854 999	60
315 521 3064/PD	34 11 6 764 645 34 11 6 854 999	60
315 521 3070	34 11 6 756 847	53
315 521 3070/PD	34 11 6 756 847	53
315 521 3074	34 11 3 400 151	49
315 521 3074/PD	34 11 3 400 151	50
315 521 3076	34 11 6 753 091 34 11 6 766 107	61
315 521 3076/PD	34 11 6 753 091 34 11 6 766 107	61
315 521 3082	34 11 6 767 353	64
315 523 0001/PD	34 21 6 778 051 34 21 6 855 005	100
315 523 0004/PD	34 21 6 771 970 34 21 6 793 247	104
315 523 0005/PD	34 21 6 771 971 34 21 6 793 246	103

MEYLE no.	Ref. no.	Page
BMW		
315 523 0006/PD	34 21 6 778 649	100
315 523 0007/PD	34 21 6 763 345	88
315 523 0013/PD	34 21 6 752 545 34 21 6 766 225 34 21 6 794 306	95
315 523 0014/PD	34 21 6 754 137 34 21 6 766 219 34 21 6 794 303	84
315 523 0015/PD	34 20 6 790 362	74
315 523 0016/PD	34 21 6 792 225	101
315 523 0017/PD	34 21 6 792 227	102
315 523 0018/PD	34 21 6 792 229	102
315 523 0019/PD	34 21 6 792 233 34 21 6 864 899	103
315 523 0020/PD	34 21 6 787 931 34 21 6 795 755	101
315 523 3001	34 21 1 119 581 34 21 6 755 407	85
315 523 3002	34 21 1 121 387 34 21 1 152 571 34 21 1 153 140 34 21 1 162 968 34 21 1 163 140	75
315 523 3004	34 21 1 156 668 34 21 1 162 305	74
315 523 3005	34 21 1 158 936 34 21 1 162 289 34 21 1 165 457	78
315 523 3005/PD	34 21 1 158 936 34 21 1 162 289 34 21 1 165 457	79
315 523 3006	34 21 1 157 781 34 21 1 165 259	78
315 523 3007	34 21 1 155 499 34 21 1 157 360 34 21 1 165 257	77
315 523 3008/PD	34 21 1 155 501 34 21 1 162 967 34 21 1 163 138	75
315 523 3009	34 21 1 157 953 34 21 1 159 900 34 21 6 757 748	86
315 523 3009/PD	34 21 1 157 953 34 21 1 159 900 34 21 6 757 748	87
315 523 3012	34 21 1 163 153	96

MEYLE no.	Ref. no.	Page
BMW		
	34 21 1 164 175 34 21 1 164 840 34 21 6 767 060	
315 523 3012/PD	34 21 1 163 153 34 21 1 164 175 34 21 1 164 840 34 21 6 767 060	97
315 523 3018	34 21 1 163 669 34 21 1 163 835 34 21 1 164 129 34 21 6 767 049	95
315 523 3018/PD	34 21 1 163 669 34 21 1 163 835 34 21 1 164 129 34 21 6 767 049	96
315 523 3021	34 21 1 162 315 34 21 1 165 211 34 21 6 855 155	76
315 523 3021/PD	34 21 1 162 315 34 21 1 165 211 34 21 6 855 155	77
315 523 3022	34 21 1 165 563 34 21 6 855 154	79
315 523 3022/PD	34 21 6 855 154	105
315 523 3026	34 21 1 164 911 34 21 6 765 458	92
315 523 3026/PD	34 21 1 164 911 34 21 6 765 458	93
315 523 3030	34 20 1 166 073 34 21 6 855 157	73
315 523 3030/PD	34 20 1 166 073 34 21 6 855 157	73
315 523 3055	34 21 1 160 809 34 21 6 758 552	87
315 523 3055/PD	34 21 1 160 809 34 21 6 758 552	88
315 523 3056	34 21 1 158 556	133
315 523 3058	34 21 1 163 845 34 21 1 164 399 34 21 6 794 298	76
315 523 3059	34 11 6 764 643 34 11 6 772 669 34 11 6 854 998	65
315 523 3059/PD	34 11 6 764 643 34 11 6 772 669 34 11 6 854 998	66

MEYLE no.	Ref. no.	Page
BMW		
315 523 3060	34 21 1 166 127	80
315 523 3060/PD	34 21 1 166 127	80
315 523 3061	34 21 1 166 129	81
315 523 3061/PD	34 21 1 166 129	81
315 523 3062	34 21 6 753 215 34 21 6 772 085	98
315 523 3062/PD	34 21 6 753 215 34 21 6 772 085	99
315 523 3063	34 21 6 764 647 34 21 6 855 001	89
315 523 3063/PD	34 21 6 764 647 34 21 6 855 001	89
315 523 3064	34 21 6 764 651 34 21 6 855 007	90
315 523 3064/PD	34 21 6 764 651 34 21 6 855 007	90
315 523 3065	34 21 6 764 653 34 21 6 855 008 34 21 6 864 901	104
315 523 3065/PD	34 21 6 764 653 34 21 6 855 008	91
315 523 3066	34 21 6 764 655 34 21 6 855 004	91
315 523 3066/PD	34 21 6 764 655 34 21 6 855 004	92
315 523 3067	34 21 6 765 889	93
315 523 3067/PD	34 21 6 765 889	94
315 523 3068	34 21 4 031 725 34 21 6 764 649 34 21 6 769 271	97
315 523 3068/PD	34 21 4 031 725 34 21 6 764 649 34 21 6 769 271	98
315 523 3071	34 21 2 227 178	83
315 523 3072	34 21 2 227 177	82
315 523 3075	34 21 3 332 217	83
315 523 3075/PD	34 21 3 332 217	84
315 523 3078	34 21 6 756 849	85
315 523 3078/PD	34 21 6 756 849	86
315 523 3079	34 21 1 159 486	134
315 523 3080	34 21 1 166 131	82
315 523 3081/PD	34 21 6 765 891	94
315 523 3082/PD	34 21 6 775 291	99
316 010 0002	31 12 1 096 425 31 12 6 756 491	435
316 010 0003/HD	31 12 1 096 685	435

MEYLE no.	Ref. no.	Page
BMW		
	31 12 1 140 398 31 12 6 758 510	
316 010 0004	33 32 1 138 722 33 32 1 140 345 33 32 6 775 551	590
316 010 0008	31 10 3 412 726 31 10 3 418 341	433
316 010 0011	31 10 0 363 476 31 10 3 438 623	433
316 010 0012	33 32 6 770 985	589
316 010 0014	31 12 6 775 967* 31 12 6 779 871* 31 12 6 779 908*	436
316 010 0015	31 12 6 768 988	436
316 010 0016	31 12 6 777 753	437
316 010 0141	31 13 1 103 834 31 13 1 108 439	437
316 010 4305/HD	31 12 1 094 465* 31 12 1 094 466* 31 12 1 752 717* 31 12 2 282 121* 31 12 2 282 122* 31 12 6 750 223* 31 12 6 750 224* 31 12 6 751 317* 31 12 6 751 318* 31 12 6 752 717* 31 12 6 752 718* 31 12 6 758 519* 31 12 6 758 520* 31 12 6 770 247* 31 12 6 770 248* 31 12 6 774 819* 31 12 6 774 820* 31 12 6 777 851* 31 12 6 777 852*	434
316 010 4306	31 12 1 127 725* 31 12 1 127 726*	433
316 010 4307	31 12 1 126 254 31 12 1 127 725* 31 12 1 127 726*	434
316 010 4345	31 12 6 758 513* 31 12 6 758 514*	435
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 6 750 371	497, 540, 589

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 767 748	
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 6 750 371 33 32 6 767 748	497, 540, 589
316 010 4347	33 32 1 090 504 33 32 1 095 631 33 32 6 750 371 33 32 6 767 748	497, 540, 589
316 020 0002	32 11 1 094 673*	427
316 020 0003	32 11 1 094 674*	428
316 020 0005/HD	32 10 6 774 335 32 21 1 096 327 32 21 6 760 354	423
316 020 0006	32 30 3 418 202 32 41 3 413 476	432
316 020 0007/HD	32 10 6 765 089 32 10 6 767 781	421
316 020 0008/HD	32 10 6 765 090 32 10 6 767 782	421
316 020 0009	32 10 6 769 074 32 10 6 793 624	425
316 020 0010	32 10 6 769 073 32 10 6 793 623	425
316 020 0011	32 21 6 767 860	432
316 020 0014	32 10 6 774 320 32 21 6 751 041	423
316 020 0015	32 10 6 774 321 32 21 6 751 042	423
316 020 0020	32 10 6 780 984 32 10 6 793 497 32 21 6 773 739	424
316 020 0023	32 10 6 784 796	425
316 020 0024	32 10 6 784 790	424
316 020 0025	32 10 6 799 967	427
316 020 0026	32 10 6 799 966	426
316 020 0027	32 10 6 797 618	426
316 020 0028	32 10 6 797 617	426
316 020 3042	32 11 1 116 463	428
316 020 4215	32 21 1 127 917 32 21 1 130 004 32 21 1 135 820	430
316 020 4216	32 21 1 127 918 32 21 1 130 001 32 21 1 135 819	430
316 020 4302	32 11 1 126 757	429

MEYLE no.	Ref. no.	Page
BMW		
316 020 4341	32 11 1 139 313	429
316 020 4344	32 11 1 139 314	429
316 020 4350	32 21 1 141 345	431
316 020 4351	32 21 1 141 346	431
316 020 4374	32 11 1 091 770 32 11 1 094 676 32 21 1 091 724	428
316 020 4375	32 21 1 091 723	430
316 020 4603	32 10 6 774 220 32 21 1 095 957	422
316 020 4604	32 10 6 774 221 32 21 1 095 958	422
316 030 0000	32 11 1 091 767 32 11 1 091 768 32 11 1 091 769 32 11 1 093 769 32 11 1 093 770 32 11 1 094 673* 32 11 1 094 674*	405
316 030 0001	32 10 6 774 360 32 10 6 777 268 32 21 6 756 368	413
316 030 0002	32 10 6 774 361 32 10 6 776 946 32 21 6 756 369	424
316 030 0004	32 10 6 774 222 32 10 6 777 503 32 11 1 096 897 32 21 1 095 955 32 21 1 096 897	414
316 030 0005	32 10 6 774 223 32 10 6 777 504 32 11 1 096 898 32 21 1 095 956 32 21 1 096 898	415
316 030 0006	32 10 6 774 318 32 21 6 751 039	412
316 030 0009	32 10 3 412 798 32 10 3 444 999 32 30 3 418 204	410
316 030 0010/HD	32 10 6 774 336 32 21 6 751 277 32 21 6 760 470	413
316 030 0011	32 10 6 774 347 32 10 6 777 479 32 21 6 762 403	414

MEYLE no.	Ref. no.	Page
BMW		
316 030 0012/HD	32 21 6 762 243	420
316 030 0013/HD	32 21 6 762 244	420
316 030 0014	32 10 6 768 879 32 10 6 793 621	411
316 030 0015	32 10 6 768 880 32 10 6 793 622	412
316 030 0016	32 21 6 767 861 32 21 6 777 451	421
316 030 0017/HD	32 10 6 765 235	410
316 030 0018/HD	32 10 6 765 236	411
316 030 0021	32 10 6 780 985 32 10 6 793 496 32 21 6 773 741	415
316 030 0024	32 10 6 774 319 32 10 6 774 919 32 21 6 751 040	413
316 030 0138	32 21 1 103 076 32 21 2 775 000 32 21 2 775 002	418
316 030 3042	32 10 6 774 360 32 10 6 777 268* 32 21 6 756 368	403
316 030 3044	32 10 3 412 798* 32 10 3 444 999* 32 10 6 780 985* 32 10 6 793 496* 32 21 6 751 277* 32 21 6 773 741* 32 30 3 418 204*	402
316 030 3049	32 21 1 117 212 32 21 1 118 619	419
316 030 4210	32 11 1 115 229	416
316 030 4214	32 21 1 124 231 32 21 1 129 020 32 21 1 135 666 32 21 1 135 668	419
316 030 4301	32 11 1 125 186	417
316 030 4303	32 11 1 125 186* 32 11 1 126 620	406
316 030 4304	32 11 1 125 187	417
316 030 4305	32 11 1 125 187*	406
316 030 4339	32 11 1 139 315 32 11 1 139 317	418
316 030 4340	32 11 1 139 316	418
316 030 4342	32 11 1 139 315* 32 11 1 139 316*	406

MEYLE no.	Ref. no.	Page
BMW		
316 030 4354	32 11 1 091 768 32 11 1 093 770 32 11 1 094 674 32 21 1 094 674	416
316 030 4355	32 11 1 091 767 32 11 1 093 769 32 11 1 094 673 32 21 1 094 673	416
316 030 4600	32 10 6 774 222* 32 10 6 774 223* 32 10 6 777 503* 32 10 6 777 504* 32 11 1 096 897* 32 21 1 096 898*	404
316 031 0003	32 10 6 774 347 32 10 6 777 479* 32 21 6 762 403 32 21 6 767 861 32 21 6 777 451*	404
316 031 0004	32 21 6 762 243* 32 21 6 762 244*	407
316 031 0005	32 10 6 765 235* 32 10 6 765 236*	402
316 031 0008	32 10 6 768 879* 32 10 6 768 880*	402
316 031 0010	32 10 6 774 318* 32 10 6 774 319*	403
316 031 0011	32 10 6 784 716* 32 10 6 784 719*	404
316 031 0012	32 10 6 799 960* 32 10 6 799 965*	405
316 031 0013	32 10 6 792 029* 32 10 6 792 030*	405
316 035 0000	33 32 1 095 414 33 32 6 768 269 33 32 6 770 742 33 32 6 774 796	500
316 035 0001	33 32 0 300 946 33 32 0 398 361 33 32 0 403 294 33 32 0 414 345 33 32 0 421 750 33 32 1 096 797 33 32 2 282 065 33 32 2 779 820 33 32 6 763 324	502

MEYLE no.	Ref. no.	Page
BMW		
	33 32 6 768 268 33 32 6 770 753 33 32 6 774 795 33 32 6 777 424	
316 035 0005/HD	31 12 4 036 269 31 12 6 763 703 31 12 6 763 707 31 12 6 769 797 31 12 6 769 801	461
316 035 0006/HD	31 12 4 036 270 31 12 6 763 704 31 12 6 763 708 31 12 6 769 798 31 12 6 769 802	461
316 035 0007	33 32 1 095 412 33 32 6 768 274 33 32 6 770 748 33 32 6 770 860	476
316 035 0008	33 32 1 095 411 33 32 6 768 273 33 32 6 770 747 33 32 6 770 859	476
316 035 0010	33 32 6 775 083	501
316 035 0011	33 32 6 775 084	501
316 039 3807	33 32 1 090 745 33 32 1 097 264 33 32 6 768 791	500
316 040 0137	32 21 1 103 077 32 21 1 107 076 32 21 1 145 106 32 21 9 057 204	409
316 040 4226	32 21 1 124 232 32 21 1 124 906 32 21 1 127 136 32 21 1 127 272 32 21 1 129 014	408
316 040 4315	32 21 1 138 850	408
316 040 4331	32 21 1 130 661 32 21 1 133 615 32 21 1 136 685 32 21 1 138 854 32 21 1 138 864	409
316 040 4336	32 21 1 130 662 32 21 1 133 618 32 21 1 136 686 32 21 1 138 855	409

MEYLE no.	Ref. no.	Page
BMW		
316 040 4349	32 21 1 091 913 32 21 1 091 917 32 21 1 093 433 32 21 1 093 435 32 21 1 096 057	407
316 040 4353	32 21 1 091 914 32 21 1 091 918 32 21 1 093 434 32 21 1 093 436 32 21 1 096 058	407
316 050 0000/HD	31 12 6 758 623	492
316 050 0001	31 12 1 141 961	453
316 050 0002	31 12 1 141 962	454
316 050 0003/HD	31 12 1 094 465 31 12 1 096 985 31 12 1 752 717 31 12 2 282 121 31 12 6 750 223 31 12 6 751 317 31 12 6 752 717 31 12 6 758 519 31 12 6 770 247 31 12 6 774 819 31 12 6 777 851	455
316 050 0004/HD	31 12 1 094 466 31 12 1 096 986 31 12 2 282 122 31 12 6 750 224 31 12 6 751 318 31 12 6 752 718 31 12 6 758 520 31 12 6 770 248 31 12 6 774 820 31 12 6 777 852	456
316 050 0007/HD	31 12 1 096 169 31 12 6 769 717	460
316 050 0008/HD	31 12 1 096 170 31 12 6 769 718	460
316 050 0009	31 12 1 096 315 31 12 6 760 275	457
316 050 0010	31 12 1 096 316 31 12 6 760 276	458
316 050 0011/HD	31 12 4 025 453 31 12 4 025 454 31 12 4 026 453 31 12 6 756 101	466

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 760 519 31 12 6 765 993 31 12 6 774 831	
316 050 0012/HD	31 12 4 026 454 31 12 4 046 442 31 12 6 756 102 31 12 6 760 520 31 12 6 765 994 31 12 6 774 832	466
316 050 0013	31 12 6 755 835 31 12 6 770 121 31 12 6 770 771 31 12 6 770 837 31 12 6 777 937 31 12 6 777 939	469
316 050 0014	31 12 6 755 836 31 12 6 770 122 31 12 6 770 772 31 12 6 770 838 31 12 6 777 938 31 12 6 777 940	470
316 050 0015/HD	31 10 3 412 135 31 10 3 415 027 31 10 3 418 337 31 10 3 426 433 31 10 3 451 881 31 12 0 360 275	440
316 050 0016/HD	31 10 3 412 136 31 10 3 415 028 31 10 3 418 338 31 10 3 426 434 31 10 3 451 882	441
316 050 0017	31 12 6 760 181 31 12 6 768 297	458
316 050 0018	31 12 6 760 182 31 12 6 768 298	459
316 050 0019/HD	31 10 4 026 719 31 12 4 046 437 31 12 6 760 183 31 12 6 765 995 31 12 6 774 825	465
316 050 0020/HD	31 10 4 026 720 31 12 4 046 438 31 12 6 760 184 31 12 6 765 996 31 12 6 774 826	465

MEYLE no.	Ref. no.	Page
BMW		
316 050 0021	31 12 6 763 700 31 12 6 770 850	462
316 050 0022	31 12 6 763 699 31 12 6 770 849	462
316 050 0023/HD	-	493
316 050 0024	33 32 6 765 425 33 32 6 765 535 33 32 6 782 237 33 32 6 782 238	499
316 050 0025	33 32 6 763 473 33 32 6 777 980	502
316 050 0026	33 32 6 763 471	499
316 050 0027/HD	31 10 0 363 477 31 10 3 443 127	439
316 050 0028/HD	31 10 0 363 478 31 10 3 443 128	440
316 050 0029/HD	31 12 1 092 609 31 12 1 092 819	442
316 050 0030/HD	31 12 1 092 610 31 12 1 092 820	443
316 050 0033	31 12 6 776 418	469
316 050 0034	31 12 6 776 417	468
316 050 0035	31 12 6 771 894	463
316 050 0036	31 12 6 771 893	463
316 050 0037/HD	31 12 6 773 950	464
316 050 0038/HD	31 12 6 773 949	464
316 050 0039	33 32 4 046 917 33 32 6 770 963 33 32 6 779 387	478
316 050 0040	33 32 4 046 918 33 32 6 770 964 33 32 6 779 388	478
316 050 0041	33 32 6 770 969	477
316 050 0042	33 32 6 770 970	477
316 050 0044/HD	31 12 6 775 967 31 12 6 779 871 31 12 6 779 908 31 12 6 854 613 31 12 6 854 614 31 12 6 857 516	467
316 050 0045	31 12 6 768 989	459
316 050 0048	31 12 6 794 203	471
316 050 0049	31 12 6 794 204	472
316 050 0050	31 12 6 775 971	467
316 050 0051	31 12 6 775 972	468
316 050 0054	33 30 6 772 241	473

MEYLE no.	Ref. no.	Page
BMW		
	33 30 6 773 941 33 32 1 090 815 33 32 1 094 209 33 32 6 758 141 33 32 6 759 157 33 32 6 767 753 33 32 6 767 759 33 32 6 767 831 33 32 6 767 967 33 32 6 768 789 33 32 6 769 971 33 32 6 770 775 33 32 6 770 839 33 32 6 774 793 33 32 6 774 841 33 32 6 777 425	
316 050 0055	33 30 6 772 242 33 30 6 773 942 33 32 1 090 816 33 32 1 094 210 33 32 6 758 142 33 32 6 759 158 33 32 6 767 754 33 32 6 767 760 33 32 6 767 832 33 32 6 767 968 33 32 6 768 790 33 32 6 769 972 33 32 6 770 776 33 32 6 770 840 33 32 6 774 794 33 32 6 774 842 33 32 6 777 426	474
316 050 0056	31 12 6 775 963 31 12 6 798 107 31 12 6 850 781	472
316 050 0057	31 12 6 775 964 31 12 6 798 108 31 12 6 850 782	473
316 050 0058	31 10 6 787 669 31 12 6 787 669	470
316 050 0059	31 10 6 787 670 31 12 6 787 670	471
316 050 0060	31 10 6 787 673	441
316 050 0061	31 10 6 787 674	442
316 050 0071/HD	31 12 4 036 269	489

MEYLE no.	Ref. no.	Page
BMW		
	31 12 4 036 270 31 12 6 763 699 31 12 6 763 700 31 12 6 763 703 31 12 6 763 704 31 12 6 763 707 31 12 6 763 708 31 12 6 769 797 31 12 6 769 798 31 12 6 769 801 31 12 6 769 802 31 12 6 770 849 31 12 6 770 850	
316 050 0072/HD	31 12 4 036 269 31 12 4 036 270 31 12 6 763 699 31 12 6 763 700 31 12 6 763 703 31 12 6 763 704 31 12 6 763 707 31 12 6 763 708 31 12 6 769 797 31 12 6 769 798 31 12 6 769 801 31 12 6 769 802 31 12 6 770 849 31 12 6 770 850	490
316 050 0073/HD	31 12 1 092 023 31 12 1 092 024 31 12 1 093 449 31 12 1 093 450 31 12 1 094 233 31 12 1 094 234 31 12 1 141 717 31 12 1 141 718 31 12 2 341 296 31 12 9 069 568	488
316 050 0074/HD	31 10 4 026 719 31 10 4 026 720 31 12 4 046 437 31 12 4 046 438 31 12 6 760 181 31 12 6 760 182 31 12 6 760 183 31 12 6 760 184 31 12 6 765 995	489

MEYLE no.	Ref. no.	Page
BMW		
	31 12 6 765 996 31 12 6 768 297 31 12 6 768 298 31 12 6 774 825 31 12 6 774 826	
316 050 0075/HD	31 12 4 025 453 31 12 4 025 454 31 12 4 026 453 31 12 4 026 454 31 12 4 046 442 31 12 6 755 835 31 12 6 755 836 31 12 6 756 101 31 12 6 756 102 31 12 6 760 519 31 12 6 760 520 31 12 6 765 993 31 12 6 765 994 31 12 6 770 121 31 12 6 770 122 31 12 6 770 771 31 12 6 770 772 31 12 6 770 837 31 12 6 770 838 31 12 6 774 831 31 12 6 774 832 31 12 6 777 937 31 12 6 777 938 31 12 6 777 939 31 12 6 777 940	492
316 050 0076/HD	31 12 1 096 169 31 12 1 096 170 31 12 1 096 315 31 12 1 096 316 31 12 6 760 275 31 12 6 760 276 31 12 6 769 717 31 12 6 769 718	488
316 050 0077/HD	31 10 0 363 477 31 10 0 363 478 31 10 3 412 135 31 10 3 412 136 31 10 3 415 027 31 10 3 415 028 31 10 3 418 337 31 10 3 418 338	487

MEYLE no.	Ref. no.	Page
BMW		
	31 10 3 426 433 31 10 3 426 434 31 10 3 443 127 31 10 3 443 128 31 10 3 451 881 31 10 3 451 882 31 12 0 360 275	
316 050 0078/HD	31 12 6 771 893 31 12 6 771 894 31 12 6 773 949 31 12 6 773 950 31 12 6 776 417 31 12 6 776 418	491
316 050 0079/HD	31 12 6 771 893 31 12 6 771 894 31 12 6 773 949 31 12 6 773 950 31 12 6 776 417 31 12 6 776 418	491
316 050 2100	33 30 3 411 651 33 32 1 092 237 33 32 1 138 380 33 32 6 760 675 33 32 6 770 813	498
316 050 3601/HD	31 12 1 092 276 31 12 1 136 530 31 12 1 140 400 31 12 1 140 958 31 12 6 758 514 31 12 6 758 516	457
316 050 3602/HD	31 12 1 094 275 31 12 1 136 529 31 12 1 140 399 31 12 1 140 957 31 12 6 758 513 31 12 6 758 515	456
316 050 3807	33 32 1 090 905 33 32 6 770 059	474
316 050 3808	33 32 1 090 906 33 32 6 770 060	475
316 050 3901	31 12 1 093 449 31 12 1 094 233 31 12 9 069 568	443
316 050 3902	31 12 1 093 450 31 12 1 094 234 31 12 2 341 296	444

MEYLE no.	Ref. no.	Page
BMW		
	31 12 9 069 568	
316 050 3903/HD	31 12 1 092 023 31 12 1 141 717	451
316 050 3904/HD	31 12 1 092 024 31 12 1 141 718	452
316 050 4206	31 12 1 123 025	444
316 050 4207	31 12 1 123 026 31 12 1 123 027	445
316 050 4217	31 12 1 124 401 31 12 1 131 587 31 12 1 139 991	448
316 050 4218	31 12 1 124 402 31 12 1 131 582 31 12 1 131 588 31 12 1 139 992	449
316 050 4223/HD	31 12 1 124 954 31 12 1 125 549 31 12 1 125 551 31 12 1 127 141 31 12 1 129 245 31 12 1 132 345 31 12 1 132 353	446
316 050 4224/HD	31 12 1 124 955 31 12 1 125 550 31 12 1 125 552 31 12 1 127 142 31 12 1 129 246 31 12 1 132 346 31 12 1 132 354	447
316 050 4317/HD	31 12 1 130 089 31 12 1 130 597 31 12 1 139 999	449
316 050 4318/HD	31 12 1 130 090 31 12 1 130 598 31 12 1 133 490 31 12 1 140 000	450
316 050 4332/HD	31 12 1 132 159 31 12 1 133 711 31 12 1 141 097	450
316 050 4333/HD	31 12 1 132 160 31 12 1 133 712 31 12 1 141 098	451
316 050 4360	31 12 1 142 088	455
316 050 4361	31 12 1 142 087	454
316 050 4362/HD	31 12 1 141 722 31 12 1 141 724	453

MEYLE no.	Ref. no.	Page
BMW		
316 050 4363/HD	31 12 1 141 721 31 12 1 141 723	452
316 050 4366	31 12 1 127 726 31 12 1 701 060	446
316 050 4367	31 12 1 127 725 31 12 1 701 059	445
316 050 4370	31 12 1 133 238 31 12 1 139 988 32 21 1 139 988	448
316 050 4371	31 12 1 133 237 31 12 1 139 987 32 21 1 139 987	447
316 060 0000/HD	33 50 6 781 538 33 55 6 757 460	524
316 060 0001/HD	31 35 2 227 203	518
316 060 0002/HD	31 35 1 092 304 31 35 1 095 664	516
316 060 0003/HD	31 30 6 781 545 31 35 6 753 767 31 35 6 778 069	512
316 060 0004/HD	31 30 6 781 546 31 35 6 753 768 31 35 6 778 070	512
316 060 0005/HD	31 35 6 750 703	518
316 060 0006/HD	31 35 6 750 704	519
316 060 0007/HD	31 35 1 701 066	517
316 060 0008/HD	33 55 1 096 735	527
316 060 0009/HD	31 35 6 751 079	519
316 060 0010/HD	31 35 6 751 080	519
316 060 0011/HD	33 50 3 412 794 33 50 3 413 197 33 50 3 414 297	523
316 060 0012/HD	33 50 6 781 540 33 55 6 761 000	525
316 060 0013/HD	31 30 6 781 547 31 35 4 014 531 31 35 6 760 985 31 35 6 769 499	513
316 060 0014/HD	31 30 6 781 548 31 35 4 014 532 31 35 6 760 986 31 35 6 769 500	513
316 060 0016/HD	31 35 6 765 933	520
316 060 0017/HD	31 35 6 765 934	520
316 060 0018/HD	31 30 3 413 201 31 30 3 414 299	511

MEYLE no.	Ref. no.	Page
BMW		
316 060 0019/HD	31 30 3 413 202	511
	31 30 3 414 300	
316 060 0020/HD	33 55 6 764 428	528
316 060 0024/HD	33 50 6 781 539	524
	33 55 6 753 770	
316 060 0025/HD	31 35 6 768 771	521
316 060 0026/HD	31 35 6 768 772	521
316 060 0029/HD	33 50 6 781 537	523
	33 55 6 771 937	
316 060 0030	31 35 6 773 023	522
	31 35 6 857 623	
316 060 0031	31 35 6 773 024	523
	31 35 6 857 624	
316 060 0033/HD	31 35 6 777 319	521
316 060 0036	37 11 6 771 929	528
	37 11 6 857 627	
316 060 0037	37 11 6 771 930	529
	37 11 6 857 628	
316 060 0038/HD	31 30 6 787 163	513
316 060 0039/HD	31 30 6 787 164	514
316 060 0040/HD	31 30 6 792 211	514
316 060 0041/HD	31 30 6 792 212	515
316 060 0042/HD	33 50 6 785 607	525
316 060 0043/HD	33 50 6 785 608	525
316 060 4225	33 32 1 123 463	498
	33 32 1 125 665	
	33 32 1 126 476	
316 060 4311/HD	31 35 1 091 764	515
	31 35 1 127 689	
	31 35 1 128 737	
316 060 4322/HD	31 35 1 124 380	517
	31 35 1 127 194	
	31 35 1 128 050	
	31 35 1 130 075	
	31 35 1 134 582	
316 060 4358/HD	31 35 1 091 856	516
	31 35 1 095 662	
316 060 4359/HD	31 35 1 091 855	515
	31 35 1 095 661	
316 060 4364/HD	31 35 1 091 496	517
	31 35 1 095 695	
316 060 4365/HD	33 55 1 091 497	527
	33 55 1 095 696	
316 060 4607/HD	31 35 1 095 694	522
	31 35 6 780 847	
316 060 4610	33 55 1 094 619	526

MEYLE no.	Ref. no.	Page
BMW		
316 322 1101	32 21 1 123 881	397
	32 21 1 129 051	
	32 21 1 129 978	
	32 21 1 130 661	
	32 21 1 131 067	
	32 21 1 133 699	
316 333 2101	32 21 1 136 450	475
	33 32 1 090 030	
	33 32 1 091 620	
316 710 0000	33 32 6 770 749	539
	33 32 6 763 092	
316 710 0001	33 32 6 756 249	590
	33 32 6 775 552	
	33 32 6 792 553	
317 215 1000	21 21 1 203 694	272
	21 21 1 205 289	
	21 21 1 206 189	
	21 21 1 206 190	
	21 21 1 208 699	
	21 21 1 209 167	
	21 21 1 223 083	
	21 21 1 223 084	
	21 21 1 223 086	
	21 21 1 223 087	
	21 21 1 223 575	
21 21 1 225 784		
21 21 1 225 788		
317 228 1000	21 21 0 670 024	273
	21 21 0 670 025	
	21 21 1 203 149	
	21 21 1 203 696	
	21 21 1 203 996	
	21 21 1 204 034	
	21 21 1 207 321	
	21 21 1 207 540	
	21 21 1 207 545	
	21 21 1 207 546	
	21 21 1 223 041	
	21 21 1 223 052	
	21 21 1 223 097	
	21 21 1 223 098	
	21 21 1 223 136	
	21 21 1 223 137	
	21 21 1 223 174	
21 21 1 223 175		
21 21 1 223 671		

MEYLE no.	Ref. no.	Page
BMW		
	21 21 1 225 046	
	21 21 1 225 215	
	21 21 1 225 562	
	21 21 1 225 563	
	21 21 1 225 653	
	21 21 1 225 781	
	21 21 1 225 782	
	21 21 1 225 936	
319 036 0001	11 15 1 739 557	323
319 036 0002	11 15 1 743 386	323
319 115 3000	11 53 1 721 708	296
319 115 3002	11 53 1 741 404 11 53 1 747 845	301
319 115 3100	11 53 1 265 448	291
319 115 3105	11 53 1 279 895	291
319 115 3106	11 53 1 286 307 11 53 1 287 999	292
319 115 3109	11 53 1 287 651	292
319 115 3112	11 53 1 250 387 11 53 1 266 459	291
319 115 3129	11 53 1 278 924 11 53 1 286 915 11 53 1 287 924 11 53 1 289 257	293
319 115 3134	11 53 1 713 221	294
319 115 3138	11 53 1 720 524	295
319 115 3139	11 53 1 720 678 11 53 2 483 283	295
319 115 3141	11 53 1 722 215	296
319 115 3142	11 53 1 718 997 11 53 1 722 218	297
319 115 3143	11 53 1 726 344	298
319 115 3146	11 53 1 720 720	295
319 115 3168	11 53 1 741 407	302
319 115 3180	11 53 1 711 002	294
319 115 3183	11 53 1 718 982	294
319 115 3184	11 53 1 721 711	296
319 115 3185	11 53 1 718 917 11 53 1 722 682	297
319 115 3187	11 53 1 722 852	297
319 115 3188	11 53 1 726 506 11 53 1 738 054	300
319 115 3189	11 53 1 730 928	299
319 115 3190	11 53 1 433 340 11 53 1 708 499 11 53 1 720 722	293

MEYLE no.	Ref. no.	Page
BMW		
319 115 3197	11 53 1 745 595	303
319 115 3198	11 53 1 740 832	301
319 115 3199	11 53 1 740 481	301
319 115 3204	11 53 1 727 448	298
319 115 3206	11 53 1 731 319 11 53 1 741 312 11 53 1 741 405	302
319 115 3210	11 53 1 730 351	299
319 115 3211	11 53 1 738 053	300
319 115 3213	11 53 1 247 398 11 53 1 247 915	290
319 115 3214	11 53 1 741 409	303
319 115 3215	11 53 1 741 408	302
319 135 4103	13 54 1 703 865	304
319 135 4107	13 54 1 735 173	304
319 135 4108	13 54 1 735 174	305
319 171 1102	17 11 1 427 156	273
319 171 1103	17 11 1 723 521	305
319 222 0008	11 53 1 730 286 11 53 1 738 055	300
319 222 0010	11 53 1 743 192	303
319 222 0011	11 53 1 247 203	290
319 222 0012	11 53 1 727 449 11 53 1 734 455	299
319 222 0018	11 53 1 727 638	298
319 222 0019	11 53 1 705 223	293
319 222 0020	11 53 7 500 733	304
319 222 0021	17 12 7 507 748 17 12 7 520 668	306
319 222 0022	17 12 7 531 581	306
319 222 0023	17 12 7 519 256	305
319 222 0024	17 12 7 531 769	306
319 222 0025	17 12 7 564 480	307
319 222 0026	17 12 7 540 127	307
319 642 1106	64 21 1 387 010	38
319 642 1114	64 21 1 387 424	38
319 642 1116	64 21 1 394 295	39
319 642 1119	64 21 1 387 425 64 21 1 394 292	39
319 642 1120	64 21 1 387 423 64 21 1 394 293	39
319 642 1803	64 21 8 409 062	40
319 642 1804	64 21 8 409 063	40
319 642 1805	64 21 8 409 064	40
326 623 0000	31 31 1 094 561 31 31 1 096 849	563

MEYLE no.	Ref. no.	Page
BMW		
326 623 0003	31 31 1 093 644	564
	31 31 1 094 041	
	31 31 1 096 858	
	31 31 1 096 862	
326 623 0010	31 31 1 091 503	561
	31 31 1 091 569	
326 623 0011	31 31 1 091 504	561
	31 31 1 091 570	
326 623 0013	31 30 6 754 341	567
	31 30 6 754 343	
	31 31 1 096 271	
	31 31 6 764 603	
	31 33 6 750 359	
326 623 0014	31 30 6 754 342	568
	31 30 6 754 344	
	31 31 1 096 272	
	31 31 6 764 604	
	31 33 6 750 360	
326 623 0016	31 31 1 094 562	563
	31 31 1 096 850	
326 623 0017	31 31 6 759 562	567
326 623 0018	31 31 6 759 561	567
326 623 0019	31 30 6 757 044	564
	31 31 1 094 564	
	31 31 1 096 368	
	31 31 1 096 852	
	31 31 1 096 856	
	31 31 2 282 098	
	31 31 2 282 102	
	31 31 2 282 460	
	31 31 6 750 788	
	31 31 6 750 792	
	31 31 6 750 792	
326 623 0020	31 30 6 757 043	563
	31 31 1 094 563	
	31 31 1 096 367	
	31 31 1 096 851	
	31 31 1 096 855	
	31 31 2 282 097	
	31 31 2 282 101	
	31 31 2 282 459	
	31 31 6 750 787	
	31 31 6 750 791	
	31 31 6 750 791	
326 623 0026	31 31 1 092 307	561
	31 31 1 092 487	
326 623 0027	31 31 1 092 308	562
	31 31 1 092 488	

MEYLE no.	Ref. no.	Page
BMW		
326 623 0030	31 30 6 771 177	570
	31 31 6 768 211	
	31 31 6 771 723	
	31 31 6 772 917	
	31 31 6 772 921	
	31 31 6 780 075	
	31 31 6 786 001	
	31 31 6 786 005	
	31 31 6 786 009	
	31 31 6 786 013	
	31 31 6 786 013	
326 623 0031	31 30 6 771 178	570
	31 31 6 768 212	
	31 31 6 768 216	
	31 31 6 771 724	
	31 31 6 772 918	
	31 31 6 772 922	
	31 31 6 780 076	
	31 31 6 785 590	
	31 31 6 786 002	
	31 31 6 786 006	
	31 31 6 786 010	
	31 31 6 786 014	
	31 31 6 786 014	
326 623 0032	31 31 6 766 993	568
	31 31 6 768 795	
	31 31 6 768 797	
	31 31 6 775 055	
	31 31 6 775 057	
	31 32 6 764 457	
	31 32 6 764 459	
326 623 0033	31 31 6 766 994	569
	31 31 6 768 796	
	31 31 6 768 798	
	31 31 6 775 056	
	31 31 6 775 058	
	31 32 6 764 458	
	31 32 6 764 460	
326 623 0038	31 31 6 773 255	569
	31 31 6 775 099	
	31 31 6 780 193	
326 623 0039	31 31 6 773 256	569
	31 31 6 775 100	
	31 31 6 780 194	
326 623 0042	31 31 6 768 915	571
	31 31 6 771 553	
	31 31 6 786 017	
326 623 0043	31 31 6 768 916	571

MEYLE no.	Ref. no.	Page
BMW		
	31 31 6 771 554 31 31 6 786 018	
326 623 0044	31 31 6 778 676 31 32 4 048 550 31 32 6 780 486 31 32 6 781 918	574
326 623 0048	31 31 6 752 597 31 31 6 753 187 31 31 6 762 727 31 31 6 770 165 31 31 6 786 531 31 31 6 786 533 31 31 6 786 535 31 31 6 786 539	566
326 623 0049	31 31 6 752 598 31 31 6 753 188 31 31 6 762 728 31 31 6 770 166 31 31 6 786 532 31 31 6 786 534 31 31 6 786 536 31 31 6 786 540	566
326 623 0050	31 30 3 411 619 31 30 3 413 145 31 30 3 449 389 31 30 3 451 393 31 30 3 451 395 31 31 3 412 397 31 31 3 453 521 31 31 3 453 523	565
326 623 0051	31 30 3 411 620 31 30 3 413 146 31 30 3 449 390 31 30 3 451 394 31 30 3 451 396 31 31 3 412 398 31 31 3 453 522 31 31 3 453 524	565
326 623 0052	31 31 1 091 703 31 31 1 094 189	562
326 623 0053	31 31 1 091 704 31 31 1 094 190	562
326 624 0000	31 32 1 132 540	572
326 624 0001	31 32 1 133 224 31 32 1 133 232	572
326 624 0002	31 32 1 134 565	572

MEYLE no.	Ref. no.	Page
BMW		
	31 32 1 134 573 31 32 1 135 675	
326 624 0003	31 31 1 133 517	565
326 624 0004	31 30 1 133 438 31 32 1 125 151 31 32 1 125 475 31 32 1 128 126 31 32 1 131 111 31 32 1 132 249 31 32 1 133 181 31 32 1 135 465 31 32 1 135 635 31 32 1 135 892	573
326 624 0006	31 31 1 138 667 31 32 1 092 284 31 32 1 139 408 31 32 1 139 409 31 32 1 139 411 31 32 1 140 160	573
326 624 0007	31 32 1 091 000 31 32 1 092 283 31 32 1 138 836 31 32 1 139 407 31 32 1 139 410	571
326 624 0008	31 32 1 135 416 31 32 1 135 858	573
326 725 0000	33 52 1 095 647 33 52 1 096 366 33 52 2 282 099 33 52 6 750 782 33 52 6 750 784 33 52 6 757 045	578
326 725 0002	33 52 1 092 278 33 52 1 133 596 33 52 1 133 601 33 52 1 135 613 33 52 1 135 860 33 52 1 138 669	575
326 725 0004	31 31 1 125 156 33 52 1 091 629 33 52 1 125 156 33 52 1 127 491 33 52 1 128 130 33 52 1 131 085 33 52 1 131 112 33 52 1 132 250	578

MEYLE no.	Ref. no.	Page
BMW		
	33 52 1 132 489 33 52 1 133 182 33 52 1 133 225 33 52 1 133 231 33 52 1 133 233 33 52 1 133 564 33 52 1 135 180 33 52 1 135 466 33 52 1 135 636 33 52 1 135 888	
326 725 0006	33 52 1 126 561 33 52 1 133 519	577
326 725 0007	33 52 1 093 646 33 52 1 094 467	576
326 725 0008	33 52 1 090 826 33 52 1 090 830 33 52 1 091 095 33 52 1 091 274 33 52 1 092 309 33 52 1 092 489 33 52 1 095 646 33 52 1 095 913 33 52 1 137 927 33 52 1 138 158 33 52 2 282 100 33 52 2 282 461 33 52 6 750 781 33 52 6 750 783 33 52 6 757 365 33 52 6 757 366 33 52 6 759 099 33 52 6 759 100	576
326 725 0010	33 52 1 091 421	575
326 725 0012	33 50 6 751 543 33 50 6 751 544 33 52 1 096 278 33 52 6 750 361 33 52 6 755 839 33 52 6 764 875 33 52 6 767 702	574
326 725 0013	33 52 1 131 395	577
326 725 0016	33 50 4 035 261 33 50 4 035 872 33 52 6 768 917 33 52 6 768 921 33 52 6 771 555	578

MEYLE no.	Ref. no.	Page
BMW		
	33 52 6 771 725 33 52 6 771 729 33 52 6 772 916 33 52 6 780 077 33 52 6 780 081	
326 725 0017	33 52 6 766 065 33 52 6 766 605 33 52 6 775 059 33 52 6 785 982	580
326 725 0018	33 52 6 766 587 33 52 6 786 524	580
326 725 0019	33 52 6 773 253 33 52 6 779 985	579
326 725 0020	33 52 4 048 553 33 52 6 778 677 33 52 6 780 489 33 52 6 781 921	579
326 725 0021	33 52 4 048 554 33 52 6 778 678 33 52 6 780 490 33 52 6 781 922	580
326 725 0025	33 50 3 413 789 33 50 3 413 790 33 50 3 449 392 33 50 3 451 402 33 50 3 451 404 33 52 0 363 604 33 52 0 363 605 33 52 3 413 234 33 52 3 413 259 33 52 3 413 789 33 52 3 413 790 33 52 3 414 164	574
326 725 0026	33 52 1 092 575 33 52 1 094 187 33 52 1 095 061 33 52 1 095 788	576
328 228 0001	11 53 1 720 173	311
340 160 0102	51 23 8 119 558	4
340 160 0104	51 24 8 222 913	9
340 160 0106	51 24 8 190 688	1
340 160 0110	51 23 8 174 866	5
340 160 0111	51 23 8 150 077	5
340 160 0118	51 24 8 230 070	10
340 160 0120	51 24 8 171 158 51 24 8 217 305	11

MEYLE no.	Ref. no.	Page
BMW		
	51 24 8 245 031	
340 160 0712	51 24 8 227 895	10
340 160 1381	51 23 8 202 688	5
340 160 2696	51 23 1 908 465	2
340 160 3072	11 81 1 869 147 51 23 1 869 147	1
340 160 3717	11 81 1 906 286 51 23 1 906 286	1
340 160 3718	51 23 1 868 555 51 23 1 907 262 51 23 1 907 962 51 23 1 927 129	2
340 160 9829	51 24 8 232 873	10
340 160 9832	51 24 4 212 802 51 24 8 220 075 51 24 8 254 281	11
340 161 0022	51 24 1 960 862	7
340 161 0065	51 23 1 944 119	2
340 161 0310	51 24 1 934 270 51 24 8 110 327	9
340 161 0535	51 24 1 908 431	7
340 161 0612	51 23 1 960 852	3
340 910 0000	51 23 8 240 596	6
340 910 0001	51 23 7 008 745	3
340 910 0002	51 23 7 118 370	4
340 910 0003	51 23 8 402 551	6
340 910 0004	51 23 7 060 550	4
340 910 0005	51 24 8 402 405	11
340 910 0006	51 24 7 060 622	8
340 910 0007	51 24 7 127 875	9
340 910 0008	51 24 4 365 788 51 24 4 394 052 51 24 7 060 623 51 24 7 250 308	8
340 910 0009	51 24 7 008 764	8
340 910 0010	51 23 3 400 352	3
340 910 0011	51 24 3 400 379	7
359 001 0001	11 36 1 703 464	363
359 202 0001	32 41 1 093 130 32 41 1 095 526	393
359 202 0002	32 41 1 093 929	391
359 202 0003	32 41 1 093 460	390
359 202 0005	32 41 1 093 727	390
359 202 0007	32 41 1 094 841	392
359 202 0008	32 41 1 093 728	391
359 202 0010	32 41 1 138 419	393

MEYLE no.	Ref. no.	Page
BMW		
359 202 0016	32 41 1 141 716	394
359 202 0018	32 41 1 141 859	395
359 202 0019	32 41 1 141 953	395
359 202 0020	32 41 1 094 949 32 41 6 764 725	395
359 202 0021	32 41 1 141 858	394
359 203 0001	32 41 1 091 975	388
359 203 0002	32 41 1 091 976	389
359 203 0003	32 41 1 091 974 32 41 1 093 129	389
359 203 0004	32 41 1 093 149	389
359 203 0005	32 41 1 092 087 32 41 1 093 247	390
359 203 0006	32 41 1 094 306	391
359 203 0011	32 41 1 141 505	393
359 203 0012	32 41 1 141 714	394
359 203 0013	32 41 1 095 515	392
359 203 0014	11 61 7 504 536	324
359 632 0002	32 41 1 094 951	392

Ref. no.	MEYLE no.	Page
BMW		
11 12 1 715 318	314 800 9001	356
11 12 1 727 696	314 800 9001	356
11 12 1 733 713	314 800 9001	356
11 12 1 739 340	314 800 9001	356
11 12 1 743 294	314 800 9001	356
11 12 1 747 157	314 800 9001	356
11 12 7 500 568	314 800 9001	356
11 12 7 509 328	314 800 9001	356
11 12 7 547 058	314 040 0000	325
11 12 7 793 164	314 038 0002	364
11 15 1 247 133	314 036 0005	325
11 15 1 437 641	014 036 0011	323
11 15 1 703 484	314 036 0008	325
11 15 1 703 775	014 036 0010	322
11 15 1 739 557	319 036 0001	323
11 15 1 743 386	319 036 0002	323
11 15 7 501 567	314 036 0005	325
11 15 7 532 649	014 036 0011	323
11 28 1 440 378	314 009 0001	268
11 28 1 704 500	314 112 0006	268
11 28 1 726 181	314 112 0001	269
11 28 1 726 343	314 112 0000	269
11 28 1 731 220	314 112 0003	270
11 28 1 731 838	314 112 0004	268
11 28 1 738 061	314 112 0001	269
11 28 1 738 605	314 112 0001	269
11 28 1 748 130	314 112 0001	269
11 28 1 748 131	314 112 0000	269
11 28 2 245 087	314 112 0002	270
11 28 2 245 166	314 112 0005	270
11 28 7 841 228	314 112 0001	269
11 31 1 708 806	314 113 1113	271
11 31 1 709 646	314 113 1113	271
11 31 1 721 259	314 113 1112	271
11 31 1 721 264	314 113 1112	271
11 31 1 727 141	314 113 1112	271
11 36 1 703 464	359 001 0001	363
11 42 1 264 508	314 114 0007	356
11 42 1 266 773	314 114 0007	356
11 42 1 267 268	300 114 2901	362
11 42 1 285 749	314 114 0002	362
11 42 1 285 751	314 114 0002	362
11 42 1 427 908	300 114 2701	360
11 42 1 432 097	300 114 2102	357
11 42 1 435 101	314 114 0004	359
11 42 1 436 982	300 114 2101	355

Ref. no.	MEYLE no.	Page
BMW		
11 42 1 709 514	300 114 2103	357
11 42 1 709 856	300 114 2103	357
11 42 1 709 865	300 114 2103	357
11 42 1 711 568	300 114 2104	357
11 42 1 716 192	300 114 2102	357
11 42 1 718 816	300 114 2901	362
11 42 1 727 300	300 114 2103	357
11 42 1 730 389	300 114 2104	357
11 42 1 740 534	300 114 2701	360
11 42 1 745 390	314 114 0004	359
11 42 1 745 391	314 114 0004	359
11 42 2 241 165	314 114 0002	362
11 42 2 243 359	314 114 0008	358
11 42 2 244 332	314 114 0008	358
11 42 2 246 131	314 322 0001	358
11 42 2 247 018	314 114 0001	358
11 42 2 247 392	300 114 2200	359
11 42 7 508 969	314 114 0005	359
11 42 7 509 430	300 114 2701	360
11 42 7 510 717	314 114 0004	359
11 42 7 512 300	300 114 2701	360
11 42 7 541 827	314 322 0000	360
11 42 7 566 327	314 322 0000	360
11 42 7 787 697	314 114 0003	361
11 42 7 788 454	314 114 0006	361
11 42 7 788 460	314 114 0006	361
11 42 7 788 461	314 114 0006	361
11 42 7 808 443	314 322 0002	361
11 42 7 833 768	300 114 2104	357
11 42 8 513 375	300 114 2200	359
11 42 8 513 376	300 114 2200	359
11 42 8 513 377	314 114 0006	361
11 42 9 061 199	300 114 2901	362
11 42 9 063 138	300 114 2901	362
11 42 9 064 275	314 114 0002	362
11 51 0 007 039	313 011 2100	311
11 51 0 007 042	313 011 3100	312
11 51 0 007 043	313 011 3300	312
11 51 0 032 679	313 011 3800	319
11 51 0 393 336	313 011 4300	312
11 51 0 393 338	313 011 3400	313
11 51 0 393 339	313 011 1300	313
11 51 0 393 340	313 011 1100	313
11 51 0 393 730	313 011 0000	314
11 51 0 393 731	313 011 1200	314
11 51 1 251 230	313 011 2300	320

Ref. no.	MEYLE no.	Page
BMW		
11 51 1 253 143	313 011 2300	320
11 51 1 258 147	313 011 1900	319
11 51 1 258 701	313 011 1900	319
11 51 1 258 933	313 011 1900	319
11 51 1 259 660	313 011 1900	319
11 51 1 263 934	313 011 2300	320
11 51 1 266 096	313 011 2300	320
11 51 1 271 435	313 011 2500	321
11 51 1 271 436	313 011 2400	320
11 51 1 272 613	313 011 2400	320
11 51 1 272 616	313 011 2500	321
11 51 1 274 583	313 011 2700	319
11 51 1 274 584	313 011 2700	319
11 51 1 284 247	313 011 2201	322
11 51 1 284 580	313 011 2201	322
11 51 1 285 510	313 011 2201	322
11 51 1 286 355	313 011 2700	319
11 51 1 286 358	313 011 2700	319
11 51 1 286 417	313 011 2400	320
11 51 1 287 580	313 011 2201	322
11 51 1 401 284	313 220 0007	315
11 51 1 402 427	313 220 0007	315
11 51 1 406 650	313 220 0007	315
11 51 1 433 712	313 011 2001	315
11 51 1 433 828	313 011 2001	315
11 51 1 436 590	314 238 0002	272
11 51 1 437 648	313 011 2001	315
11 51 1 704 600	313 011 3100	312
11 51 1 704 702	313 011 1300	313
11 51 1 705 236	313 011 2300	320
11 51 1 705 273	313 011 2300	320
11 51 1 706 564	313 011 2500	321
11 51 1 706 588	313 011 2500	321
11 51 1 706 624	313 011 2500	321
11 51 1 707 190	313 011 2400	320
11 51 1 707 191	313 011 2400	320
11 51 1 707 192	313 011 2400	320
11 51 1 707 193	313 011 2400	320
11 51 1 711 477	313 011 2700	319
11 51 1 711 492	313 011 2500	321
11 51 1 713 266	313 011 4300	312
11 51 1 715 292	313 011 2900	321
11 51 1 719 836	313 011 2600	320
11 51 1 720 609	313 011 2600	320
11 51 1 720 881	313 011 2400	320
11 51 1 720 883	313 011 2400	320

Ref. no.	MEYLE no.	Page
BMW		
11 51 1 720 892	313 011 2400	320
11 51 1 720 893	313 011 2400	320
11 51 1 721 337	313 011 2900	321
11 51 1 721 477	313 011 2700	319
11 51 1 721 872	313 011 3400	313
11 51 1 722 536	313 011 2001	315
11 51 1 727 123	313 011 2100	311
11 51 1 727 468	313 011 3400	313
11 51 1 730 414	313 011 2001	315
11 51 1 730 554	314 238 0001	272
11 51 1 731 680	313 011 3100	312
11 51 1 734 269	313 011 2100	311
11 51 1 734 595	313 011 3400	313
11 51 1 734 602	313 011 3400	313
11 51 1 736 146	313 011 3100	312
11 51 1 736 203	313 011 3300	312
11 51 1 740 241	313 011 2001	315
11 51 1 741 001	313 011 3100	312
11 51 1 741 002	313 011 3300	312
11 51 1 741 980	313 011 1300	313
11 51 1 742 498	313 011 3100	312
11 51 1 742 517	313 011 3300	312
11 51 1 742 598	313 011 1100	313
11 51 1 742 647	313 011 1100	313
11 51 1 744 243	313 011 2001	315
11 51 2 241 641	313 011 2201	322
11 51 2 242 176	313 011 4200	322
11 51 2 242 675	313 011 2201	322
11 51 2 242 677	313 011 4200	322
11 51 2 243 003	313 011 3800	319
11 51 2 244 333	313 011 3800	319
11 51 2 245 687	313 011 3800	319
11 51 2 245 745	313 011 3800	319
11 51 2 246 128	313 011 3800	319
11 51 2 246 961	313 011 1200	314
11 51 2 247 552	313 011 1200	314
11 51 2 248 996	313 220 0004	316
11 51 2 354 055	313 220 0004	316
11 51 2 354 057	313 220 0004	316
11 51 7 503 884	313 011 2001	315
11 51 7 504 040	313 011 2001	315
11 51 7 511 220	313 220 0005	315
11 51 7 511 221	313 220 0005	315
11 51 7 527 799	313 011 2001	315
11 51 7 527 910	313 011 2001	315
11 51 7 785 015	313 011 0000	314

Ref. no.	MEYLE no.	Page
BMW		
11 51 7 786 192	313 220 0004	316
11 51 7 786 736	313 011 0000	314
11 51 7 788 305	313 220 0001	317
11 51 7 788 306	313 220 0009	317
11 51 7 789 411	313 220 0011	316
11 51 7 790 135	313 220 0006	317
11 51 7 790 322	313 220 0001	317
11 51 7 791 833	313 220 0001	317
11 51 7 791 834	313 220 0006	317
11 51 7 794 247	313 220 0009	317
11 51 7 801 609	313 220 0006	317
11 51 7 805 808	313 220 0001	317
11 51 7 805 810	313 220 0006	317
11 51 7 806 349	313 220 0009	317
11 51 7 807 311	313 220 0012	318
11 51 7 823 429	313 220 0016	318
11 51 9 058 996	313 011 2500	321
11 51 9 061 160	313 011 2400	320
11 51 9 068 606	313 011 3800	319
11 51 9 069 529	313 011 3800	319
11 51 9 070 749	313 011 1900	319
11 51 9 070 752	313 011 1900	319
11 51 9 070 755	313 011 2700	319
11 51 9 070 756	313 011 2300	320
11 51 9 070 757	313 011 2300	320
11 51 9 070 758	313 011 2600	320
11 51 9 070 759	313 011 2600	320
11 51 9 070 761	313 011 2400	320
11 51 9 070 763	313 011 2900	321
11 51 9 070 764	313 011 2201	322
11 51 9 071 562	313 011 2500	321
11 51 9 071 564	313 011 4200	322
11 51 9 570 765	313 011 2201	322
11 52 1 271 416	314 115 2101	287
11 52 1 278 716	300 115 0003	285
11 52 1 284 681	300 115 0003	285
11 52 1 287 829	314 115 2101	287
11 52 1 289 120	314 115 2101	287
11 52 1 466 000	314 115 2101	287
11 52 1 706 619	314 115 2101	287
11 52 1 709 499	314 115 2701	289
11 52 1 712 058	300 115 0002	284
11 52 1 712 110	300 115 0005	285
11 52 1 719 040	300 115 0003	285
11 52 1 719 042	314 115 2101	287
11 52 1 719 265	300 115 0004	285

Ref. no.	MEYLE no.	Page
BMW		
11 52 1 719 266	314 115 2101	287
11 52 1 719 267	300 115 0003	285
11 52 1 719 269	314 115 2701	289
11 52 1 723 027	314 115 2101	287
11 52 1 723 363	300 115 0004	285
11 52 1 723 573	300 115 0004	285
11 52 1 723 829	314 115 2105	288
11 52 1 723 918	314 115 2101	287
11 52 1 723 919	314 115 2101	287
11 52 1 723 920	314 115 2101	287
11 52 1 723 921	314 115 2101	287
11 52 1 737 489	314 115 2105	288
11 52 1 740 962	314 115 2101	287
11 52 1 740 963	314 115 2701	289
11 52 1 745 134	314 115 2105	288
11 52 2 241 290	314 115 2201	287
11 52 2 243 303	314 115 2106	286
11 52 2 243 304	314 115 2201	287
11 52 2 244 413	314 115 2201	287
11 52 2 245 195	314 115 2201	287
11 52 2 245 496	314 115 2201	287
11 52 2 245 498	314 115 2201	287
11 52 2 246 042	314 115 2203	287
11 52 2 249 216	314 115 2204	288
11 52 7 500 339	314 115 2105	288
11 52 7 502 804	314 115 2105	288
11 52 7 505 302	314 115 2701	289
11 52 9 055 969	314 115 2101	287
11 53 1 247 122	314 226 0010	274
11 53 1 247 125	028 295 0001	309
11 53 1 247 203	319 222 0011	290
11 53 1 247 398	319 115 3213	290
11 53 1 247 915	319 115 3213	290
11 53 1 250 387	319 115 3112	291
11 53 1 265 448	319 115 3100	291
11 53 1 266 459	319 115 3112	291
11 53 1 278 924	319 115 3129	293
11 53 1 279 895	319 115 3105	291
11 53 1 286 307	319 115 3106	292
11 53 1 286 915	319 115 3129	293
11 53 1 287 651	319 115 3109	292
11 53 1 287 924	319 115 3129	293
11 53 1 287 999	319 115 3106	292
11 53 1 289 257	319 115 3129	293
11 53 1 432 881	028 295 0001	309
11 53 1 433 340	319 115 3190	293

Ref. no.	MEYLE no.	Page
BMW		
11 53 1 433 828	313 011 2001	315
11 53 1 571 083	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 705 223	319 222 0019	293
11 53 1 708 499	319 115 3190	293
11 53 1 708 808	314 226 0002	274
11 53 1 709 232	314 226 0009	275
11 53 1 710 953	028 271 0005 028 280 0004	308
11 53 1 710 954	028 271 0005 028 280 0004	308
11 53 1 711 002	319 115 3180	294
11 53 1 712 043	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 713 040	028 271 0005 028 280 0004	308
11 53 1 713 221	319 115 3134	294
11 53 1 714 738	314 226 0003	275
11 53 1 718 917	319 115 3185	297
11 53 1 718 982	319 115 3183	294
11 53 1 718 997	319 115 3142	297
11 53 1 720 173	328 228 0001	311
11 53 1 720 524	319 115 3138	295
11 53 1 720 678	319 115 3139	295
11 53 1 720 720	319 115 3146	295
11 53 1 720 722	319 115 3190	293
11 53 1 721 002	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 721 003	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 721 004	028 265 0003 028 271 0004 028 275 0003 028 288 0000	309-311

Ref. no.	MEYLE no.	Page
BMW		
	028 292 0005	
11 53 1 721 708	319 115 3000	296
11 53 1 721 711	319 115 3184	296
11 53 1 722 215	319 115 3141	296
11 53 1 722 218	319 115 3142	297
11 53 1 722 531	314 226 0008	276
11 53 1 722 682	319 115 3185	297
11 53 1 722 852	319 115 3187	297
11 53 1 726 344	319 115 3143	298
11 53 1 726 506	319 115 3188	300
11 53 1 727 448	319 115 3204	298
11 53 1 727 449	319 222 0012	299
11 53 1 727 638	319 222 0018	298
11 53 1 730 286	319 222 0008	300
11 53 1 730 351	319 115 3210	299
11 53 1 730 928	319 115 3189	299
11 53 1 731 319	319 115 3206	302
11 53 1 733 803	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 734 455	319 222 0012	299
11 53 1 738 053	319 115 3211	300
11 53 1 738 054	319 115 3188	300
11 53 1 738 055	319 222 0008	300
11 53 1 739 208	314 226 0011	276
11 53 1 739 755	028 295 0001	309
11 53 1 740 478	300 115 3102	276
11 53 1 740 481	319 115 3199	301
11 53 1 740 832	319 115 3198	301
11 53 1 741 312	319 115 3206	302
11 53 1 741 404	319 115 3002	301
11 53 1 741 405	319 115 3206	302
11 53 1 741 407	319 115 3168	302
11 53 1 741 408	319 115 3215	302
11 53 1 741 409	319 115 3214	303
11 53 1 743 192	319 222 0010	303
11 53 1 743 199	314 226 0004	277
11 53 1 743 329	314 226 0005	277
11 53 1 743 528	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 1 743 542	028 265 0003	309-311

Ref. no.	MEYLE no.	Page
BMW		
	028 271 0004 028 275 0003 028 288 0000 028 292 0005	
11 53 1 743 679	314 226 0006	277
11 53 1 745 595	319 115 3197	303
11 53 1 747 845	319 115 3002	301
11 53 2 483 283	319 115 3139	295
11 53 7 500 733	319 222 0020	304
11 53 7 505 055	314 226 0007	278
11 53 7 511 083	028 265 0003 028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-311
11 53 7 511 580	028 271 0004 028 275 0003 028 288 0000 028 292 0005	309-310
11 53 7 560 130	314 226 0007	278
11 61 1 432 559	014 036 0012	324
11 61 7 501 562	314 036 0006	352
11 61 7 501 563	314 036 0007	352
11 61 7 501 566	314 036 0000	326
11 61 7 504 536	359 203 0014	324
11 76 1 277 565	100 900 0000	250
11 81 1 092 583	300 118 1107	380
11 81 1 094 149	300 118 1123	364
11 81 1 094 150	300 118 1124	364
11 81 1 128 932	300 118 1103	365
11 81 1 129 286	300 118 1102	365
11 81 1 130 428	300 118 1100	366
11 81 1 132 321	300 118 1105	366
11 81 1 132 323	300 118 1101	366
11 81 1 133 364	300 118 1120	367
11 81 1 135 773	300 118 1127	367
11 81 1 136 542	314 030 0003	369
11 81 1 137 138	314 030 0005	367
11 81 1 138 879	300 118 1126	368
11 81 1 139 606	314 030 0005	367
11 81 1 139 819	300 118 1123	364
11 81 1 139 820	300 118 1124	364
11 81 1 139 883	300 221 1601	368
11 81 1 140 985	300 118 1107	380
11 81 1 141 889	300 118 1115	368
11 81 1 142 031	314 030 0005	367

Ref. no.	MEYLE no.	Page
BMW		
11 81 1 175 212	300 118 1105	366
11 81 1 175 736	300 118 1111	369
11 81 1 175 979	300 118 1100	366
11 81 1 176 077	300 118 1103	365
11 81 1 176 141	300 118 1103	365
11 81 1 176 211	300 118 1100	366
11 81 1 176 212	300 118 1100	366
11 81 1 176 387	300 118 1102	365
11 81 1 246 437	300 118 1101	366
11 81 1 869 147	340 160 3072	1
11 81 1 906 286	340 160 3717	1
11 81 2 228 298	314 030 0003	369
11 81 2 283 798	314 030 0003	369
11 81 2 294 282	300 221 1600	375
11 81 4 407 513	300 118 1123	364
11 81 4 407 514	300 118 1124	364
11 81 7 837 985	314 030 0003	369
12 12 1 286 059	014 020 1039	245
12 12 1 288 161	014 020 1039	245
12 13 1 317 232	314 139 0000	248
12 13 1 317 585	314 139 0000	248
12 13 1 402 440	314 139 0000	248
12 13 1 402 713	314 139 0000	248
12 13 1 404 102	314 139 0000	248
12 13 1 404 309	314 131 0000	248-249, 258
12 13 1 404 309*	314 131 0001 314 862 0000	248-249, 258
12 13 1 703 227	314 131 0000	248-249, 258
12 13 1 703 227*	314 131 0001 314 862 0000	248-249, 258
12 13 1 703 228	314 131 0000	248-249, 258
12 13 1 703 228*	314 131 0001 314 862 0000	248-249, 258
12 13 1 703 359	314 139 0000	248
12 13 1 703 825	314 131 0000	248-249, 258
12 13 1 703 825*	314 131 0001 314 862 0000	248-249, 258
12 13 1 712 219	314 885 0000	249
12 13 1 712 223	314 885 0000	249
12 13 1 720 166	314 139 0000	248
12 13 1 726 177	314 139 0000	248
12 13 1 726 178	314 139 0000	248
12 13 1 727 108	314 139 0000	248
12 13 1 729 842	314 139 0000	248
12 13 1 730 765	314 139 0000	248
12 13 1 730 766	314 139 0000	248

Ref. no.	MEYLE no.	Page
BMW		
12 13 1 731 884	314 139 0000	248
12 13 1 734 468	314 139 0000	248
12 13 1 740 477	314 862 0000	258
12 13 1 748 017	314 131 0000	248–249, 258
12 13 1 748 017*	314 131 0001 314 862 0000	248–249, 258
12 13 1 748 018	314 131 0000	248–249, 258
12 13 1 748 018*	314 131 0001 314 862 0000	248–249, 258
12 13 1 748 394	314 139 0000	248
12 13 1 748 395	314 139 0000	248
12 13 1 777 666	314 139 0000	248
12 13 7 551 049	314 885 0001	250
12 13 7 551 260	314 885 0000	249
12 13 7 562 744	314 885 0001	250
12 13 7 571 643	314 885 0001	250
12 13 7 594 936	314 885 0001	250
12 13 7 594 937	314 885 0001	250
12 13 7 599 218	314 139 0000	248
12 13 9 066 468	314 139 0000	248
12 13 9 067 830	314 131 0000	248–249, 258
12 13 9 067 830*	314 131 0001 314 862 0000	248–249, 258
12 13 9 067 831	314 862 0000	258
12 14 1 247 259	314 899 0004	241
12 14 1 435 351	314 899 0029	255
12 14 1 438 082	314 899 0029	255
12 14 1 703 221	314 899 0010	253
12 14 1 703 277	314 899 0037	242
12 14 1 709 616	314 899 0052	242
12 14 1 713 007	314 899 0005	242
12 14 1 714 763	314 899 0007	243
12 14 1 715 030	314 899 0041	243
12 14 1 720 852	314 899 0005	242
12 14 1 720 853	314 899 0007	243
12 14 1 720 854	314 899 0041	243
12 14 1 726 066	314 899 8003	244
12 14 1 730 027	314 899 0040	244
12 14 1 731 887	314 899 0023	244
12 14 1 740 959	314 899 0069	254
12 14 1 742 185	314 899 0044	254
12 14 1 743 072	314 899 0055	255
12 14 1 744 492	314 899 0052	242
12 14 1 748 400	314 899 0069	254
12 14 7 506 273	314 899 0029	255
12 14 7 518 628	314 899 0029	255

Ref. no.	MEYLE no.	Page
BMW		
12 14 7 539 165	314 899 0038	255
12 23 1 288 245	014 020 1039	245
12 23 2 241 387	300 022 0163	246
12 23 2 241 389	300 022 0163	246
12 23 2 248 059	314 023 0000	247
12 23 7 786 869	314 860 0001	246
12 23 7 788 957	314 860 0002	247
12 31 1 172 002	014 731 1021 014 731 1023	260
12 31 1 268 433	300 123 1101	382
12 31 1 268 435	300 123 1102	383
12 31 1 271 664	014 731 1021 014 731 1023	260
12 31 1 710 732	014 731 1090	259
12 31 1 715 490	300 123 1103	383
12 31 1 715 491	300 123 1104	383
12 31 1 722 755	014 731 1021 014 731 1023	260
12 31 1 726 022	014 731 1021 014 731 1023	260
12 31 8 602 181	300 123 1101	382
12 32 1 279 548	014 731 1021 014 731 1023	260
12 32 1 711 399	014 731 1021 014 731 1023	260
12 36 1 729 005	314 830 0002	251
12 61 1 710 160	314 126 1101	363
12 61 1 710 509	314 126 1101	363
12 61 7 508 002	314 899 0025	258
12 61 7 568 480	314 126 1101	363
12 62 1 288 158	100 919 0013	251
12 62 1 710 535	314 126 0000	251
12 62 1 747 281	314 126 0000	251
12 63 1 711 266	314 830 0002	251
13 32 1 268 231	314 133 2107 314 133 2108	341
13 32 1 270 038	314 133 2107 314 133 2108	341
13 32 1 277 497	314 323 0003	342
13 32 1 278 272	314 323 0003	342
13 32 1 439 407	314 323 0006	344
13 32 1 702 632	314 133 2109	342
13 32 1 709 535	314 323 0009	342
13 32 1 713 807	314 133 2106	343
13 32 1 713 808	314 133 2106	343
13 32 1 720 101	314 133 2106	343

Ref. no.	MEYLE no.	Page
BMW		
13 32 1 720 102	314 133 2106	343
13 32 1 740 985	314 133 2109	342
13 32 1 740 986	314 133 2109	342
13 32 2 240 791	312 133 2002	344
13 32 2 240 798	312 133 2002	344
13 32 2 240 802	312 133 2002	344
13 32 2 243 653	312 133 2001	343
13 32 2 245 006	312 133 2002	344
13 32 2 246 135	312 133 2002	344
13 32 2 248 279	312 133 2002	344
13 32 7 512 017	314 323 0006	344
13 32 7 512 018	314 323 0006	344
13 32 7 512 019	314 323 0006	344
13 32 7 785 350	314 323 0000	344
13 32 7 786 647	312 133 2002	344
13 32 7 787 476	314 323 0002	345
13 32 7 787 825	314 323 0000	344
13 32 7 788 700	314 323 0011	346
13 32 7 793 672	314 323 0001	345
13 32 7 794 549	314 323 0002	345
13 32 7 811 227	314 323 0011	346
13 32 7 811 401	314 323 0011	346
13 32 9 063 165	314 133 2107 314 133 2108	341
13 54 1 703 865	319 135 4103	304
13 54 1 726 634	300 135 4103	351
13 54 1 735 173	319 135 4107	304
13 54 1 735 174	319 135 4108	305
13 54 1 738 757	300 135 4101	352
13 62 1 284 397	314 136 2102	253
13 62 1 288 158	100 919 0013	251
13 62 1 357 414	314 136 2101	252
13 62 1 433 076	314 136 2103	252
13 62 1 703 993	314 810 0001	253
13 62 1 709 966	314 136 2102	253
13 62 7 787 192	314 899 0053	245
13 62 7 792 256	314 800 0037	256
13 62 7 794 646	314 800 0038	256
13 62 7 809 334	314 899 0053	245
13 71 1 247 405	312 137 2008	336
13 71 1 247 465	312 137 2004	327
13 71 1 726 205	300 137 1107	351
13 71 1 726 208	300 137 1102	351
13 71 1 726 325	300 137 1107	351
13 71 1 736 675	312 132 2007	338
13 71 2 243 783	312 137 1001	327

Ref. no.	MEYLE no.	Page
BMW		
13 71 2 246 416	312 137 1001	327
13 71 2 246 997	312 321 0000	327
13 71 2 247 444	312 321 0001	328
13 71 3 419 934	312 321 0022	328
13 71 3 428 558	312 321 0023	329
13 71 7 256 008	312 321 0005	329
13 71 7 503 141	312 321 0002	329
13 71 7 505 007	312 321 0005	329
13 71 7 509 544	312 321 0011	330
13 71 7 521 023	312 321 0008	330
13 71 7 521 033	312 321 0003	330
13 71 7 521 037	312 321 0008	330
13 71 7 521 038	312 321 0003	330
13 71 7 524 412	312 321 0016	331
13 71 7 526 008	312 321 0005	329
13 71 7 532 754	312 321 0004	331
13 71 7 536 006	312 321 0020	331
13 71 7 542 294	312 321 0007	332
13 71 7 542 545	312 321 0006	332
13 71 7 548 888	312 321 0024	332
13 71 7 548 897	312 321 0028	333
13 71 7 548 898	312 321 0029	333
13 71 7 571 355	312 321 0021	333
13 71 7 582 908	312 321 0026	334
13 71 7 793 647	312 321 0017	334
13 71 7 797 465	312 321 0013	335
13 71 7 800 151	312 321 0033	335
13 71 7 811 026	312 321 0035	335
13 71 8 511 668	312 321 0037	336
13 72 1 247 404	312 137 2008	336
13 72 1 247 405	312 137 2008	336
13 72 1 247 637	312 132 2015	337
13 72 1 247 842	312 137 2004	327
13 72 1 287 681	312 137 2004	327
13 72 1 311 880	312 137 2010	338
13 72 1 433 933	312 132 2007	338
13 72 1 702 158	312 132 2007	338
13 72 1 702 907	312 137 2011	337
13 72 1 707 021	312 137 2003	337
13 72 1 707 050	312 137 2004	327
13 72 1 714 952	312 137 2003	337
13 72 1 715 880	312 137 2004	327
13 72 1 715 881	312 137 2004	327
13 72 1 726 916	312 137 2010	338
13 72 1 730 946	312 137 2005	338
13 72 1 733 562	312 132 2007	338

Ref. no.	MEYLE no.	Page
BMW		
13 72 1 734 682	312 137 2004	327
13 72 1 736 562	312 132 2007	338
13 72 1 736 675	312 132 2007	338
13 72 1 738 462	312 137 2005	338
13 72 1 742 201	312 137 2011	337
13 72 1 744 869	312 137 2012	339
13 72 1 747 280	312 132 2007	338
13 72 7 834 714	312 321 0027	339
13 72 7 834 715	312 321 0036	340
13 72 7 838 804	312 321 0034	340
16 11 1 106 487	014 910 1000	340
16 11 6 752 626	314 034 0008 314 034 0009	347–348
16 11 6 753 898	314 034 0008 314 034 0009	347–348
16 11 6 755 043	314 034 0009	347–348
16 11 6 755 043*	314 034 0008	347–348
16 11 6 755 044	314 034 0009	347–348
16 11 6 755 044*	314 034 0008	347–348
16 12 1 115 862	314 919 0000	349
16 12 6 754 016	314 323 0008	346
16 12 6 765 756	314 323 0007	346
16 14 1 178 751	314 919 0000	349
16 14 1 178 839	314 034 0003	349
16 14 1 179 232	314 919 0000	349
16 14 1 179 711	314 919 0001	350
16 14 1 179 992	314 919 0001	350
16 14 1 180 316	314 034 0003	349
16 14 1 180 504	314 034 0001	347
16 14 1 181 354	314 034 0003	349
16 14 1 181 944	314 034 0006	348
16 14 1 182 079	314 034 0006	348
16 14 1 182 618	314 034 0006	348
16 14 1 182 842	314 034 0001	347
16 14 1 182 843	314 034 0001	347
16 14 1 183 139	314 034 0001	347
16 14 1 183 178	314 034 0005	349
16 14 1 183 845	314 034 0007	348
16 14 1 184 022	314 919 0001	350
16 14 1 184 276	314 034 0004	350
16 14 1 184 279	314 034 0007	348
16 14 1 184 748	314 034 0006	348
16 14 2 226 815	314 919 0001	350
16 14 6 750 604	314 034 0008 314 034 0009	347–348
16 14 6 750 839	314 034 0007	348

Ref. no.	MEYLE no.	Page
BMW		
16 14 6 752 499	314 034 0004	350
16 14 6 755 878	314 034 0007	348
16 14 6 758 736	314 034 0001	347
16 14 6 766 942	314 034 0004	350
16 14 6 768 488	314 034 0007	348
17 10 7 514 964	314 223 0003	278
17 11 0 141 325	314 238 0000	274
17 11 1 427 156	319 171 1102	273
17 11 1 436 381	314 223 0002	279
17 11 1 712 196	314 171 0000	279
17 11 1 712 660	300 171 1101	307
17 11 1 712 788	314 238 0000	274
17 11 1 712 835	300 171 1104	279
17 11 1 719 167	314 800 9005	284
17 11 1 723 520	300 171 1103	280
17 11 1 723 521	319 171 1103	305
17 11 1 741 167	314 171 0001	280
17 11 1 742 231	314 800 9004	283
17 11 1 742 232	314 800 9005	284
17 11 4 379 048	314 800 9005	284
17 11 7 506 601	314 899 0042	257
17 11 7 546 548	314 899 0054	211
17 11 7 573 751	314 223 0000	280
17 11 7 573 780	314 223 0001	281
17 11 7 573 781	314 223 0000	280
17 11 7 590 699	314 236 0010	289
17 12 7 507 748	319 222 0021	306
17 12 7 515 488	314 238 0000	274
17 12 7 519 256	319 222 0023	305
17 12 7 520 668	319 222 0021	306
17 12 7 531 581	319 222 0022	306
17 12 7 531 769	319 222 0024	306
17 12 7 540 127	319 222 0026	307
17 12 7 564 480	319 222 0025	307
17 13 0 409 622	314 899 0042	257
17 13 7 501 959	314 223 0007	281
17 13 7 516 004	314 238 0003	289
17 13 7 519 219	314 223 0005	282
17 13 7 519 368	314 223 0004	282
17 13 7 524 812	314 899 0042	257
17 13 7 542 986	314 223 0005	282
17 13 7 543 003	314 223 0006	283
17 13 7 543 026	314 223 0004	282
17 13 7 552 546	314 223 0008	282
17 13 7 553 919	314 899 0042	257
17 13 7 567 462	314 223 0004	282

Ref. no.	MEYLE no.	Page
BMW		
17 13 7 601 950	314 223 0009	283
17 13 7 607 482	314 223 0004	282
17 13 7 647 284	314 223 0009	283
17 13 7 787 039	314 223 0000	280
17 13 7 787 040	314 223 0001	281
17 13 8 600 275	314 223 0006	283
17 41 7 504 732	300 115 0006	286
17 42 7 523 259	314 236 0010	289
18 21 1 245 113	014 049 0008	326
21 21 0 670 024	317 228 1000	273
21 21 0 670 025	317 228 1000	273
21 21 1 203 149	317 228 1000	273
21 21 1 203 694	317 215 1000	272
21 21 1 203 696	317 228 1000	273
21 21 1 203 996	317 228 1000	273
21 21 1 204 034	317 228 1000	273
21 21 1 205 289	317 215 1000	272
21 21 1 206 189	317 215 1000	272
21 21 1 206 190	317 215 1000	272
21 21 1 207 321	317 228 1000	273
21 21 1 207 540	317 228 1000	273
21 21 1 207 545	317 228 1000	273
21 21 1 207 546	317 228 1000	273
21 21 1 208 699	317 215 1000	272
21 21 1 209 167	317 215 1000	272
21 21 1 223 041	317 228 1000	273
21 21 1 223 052	317 228 1000	273
21 21 1 223 083	317 215 1000	272
21 21 1 223 084	317 215 1000	272
21 21 1 223 086	317 215 1000	272
21 21 1 223 087	317 215 1000	272
21 21 1 223 097	317 228 1000	273
21 21 1 223 098	317 228 1000	273
21 21 1 223 136	317 228 1000	273
21 21 1 223 137	317 228 1000	273
21 21 1 223 174	317 228 1000	273
21 21 1 223 175	317 228 1000	273
21 21 1 223 575	317 215 1000	272
21 21 1 223 671	317 228 1000	273
21 21 1 225 046	317 228 1000	273
21 21 1 225 215	317 228 1000	273
21 21 1 225 562	317 228 1000	273
21 21 1 225 563	317 228 1000	273
21 21 1 225 653	317 228 1000	273
21 21 1 225 781	317 228 1000	273
21 21 1 225 782	317 228 1000	273

Ref. no.	MEYLE no.	Page
BMW		
21 21 1 225 784	317 215 1000	272
21 21 1 225 788	317 215 1000	272
21 21 1 225 936	317 228 1000	273
22 11 1 091 971	300 221 1600	375
22 11 1 092 508	314 030 0001	370
22 11 1 092 823	300 221 1103	369
22 11 1 092 824	300 221 1104	370
22 11 1 092 895	300 221 1103	369
22 11 1 092 896	300 221 1104	370
22 11 1 094 073	300 221 1600	375
22 11 1 094 159	314 030 0001	370
22 11 1 094 248	314 030 0001	370
22 11 1 094 364	300 221 1600	375
22 11 1 094 365	300 221 1600	375
22 11 1 094 813	300 221 1101	381
22 11 1 094 814	300 221 1102	380
22 11 1 095 444	300 118 1107	380
22 11 1 095 517	300 221 1600	375
22 11 1 096 514	300 221 1128	370
22 11 1 097 153	300 221 1127	374
22 11 1 097 267	300 221 1600	375
22 11 1 141 791	300 221 1103	369
22 11 1 141 792	300 221 1104	370
22 11 3 400 335	300 221 1132	372
22 11 3 400 336	300 221 1133	373
22 11 3 400 339	300 221 1130	371
22 11 3 400 340	300 221 1131	371
22 11 3 400 341	300 221 1110	373
22 11 3 400 342	300 221 1111	373
22 11 3 414 583	300 221 1135	371
22 11 3 414 584	300 221 1136	372
22 11 3 415 176	300 221 1134	372
22 11 3 421 295	300 221 1132	372
22 11 3 421 296	300 221 1133	373
22 11 3 421 299	300 221 1110	373
22 11 3 421 300	300 221 1111	373
22 11 3 428 397	300 221 1136	372
22 11 3 428 398	300 221 1135	371
22 11 3 453 257	300 221 1112	374
22 11 4 000 410	300 221 1600	375
22 11 4 048 652	300 221 1138	379
22 11 4 414 035	300 221 1600	375
22 11 4 414 037	300 221 1600	375
22 11 4 438 631	300 221 1600	375
22 11 4 438 907	300 221 1600	375
22 11 4 516 677	300 221 1600	375

Ref. no.	MEYLE no.	Page
BMW		
22 11 6 750 039	300 221 1127	374
22 11 6 750 109	314 030 0002	379
22 11 6 750 862	314 030 0006	374
22 11 6 751 281	300 221 1127	374
22 11 6 752 741	300 221 1149	382
22 11 6 752 742	300 221 1150	382
22 11 6 754 608	300 221 1600	375
22 11 6 756 018	300 221 1140	378
22 11 6 758 428	300 221 1123	377
22 11 6 758 430	300 221 1120	378
22 11 6 760 330	300 221 1139	375
22 11 6 761 089	300 221 1124	375
22 11 6 761 090	300 221 1125	376
22 11 6 761 092	300 221 1118	380
22 11 6 765 186	314 030 0002	379
22 11 6 768 799	300 221 1113	376
22 11 6 768 800	300 221 1114	376
22 11 6 768 852	300 221 1115	377
22 11 6 768 853	300 221 1116	377
22 11 6 770 725	300 221 1117	379
22 11 6 770 726	300 221 1118	380
22 11 6 770 793	300 221 1123	377
22 11 6 770 794	300 221 1120	378
22 11 6 771 359	300 221 1101	381
22 11 6 771 360	300 221 1102	380
22 11 6 771 361	300 118 1107	380
22 11 6 771 362	300 221 1140	378
22 11 6 772 152	300 221 1138	379
22 11 6 773 742	300 221 1126	378
22 11 6 773 744	300 221 1138	379
22 11 6 773 903	314 030 0002	379
22 11 6 774 619	300 221 1117	379
22 11 6 774 620	300 221 1118	380
22 11 6 779 970	300 118 1107	380
22 11 6 779 971	300 221 1101	381
22 11 6 779 972	300 221 1102	380
22 11 6 785 583	300 221 1101	381
22 11 6 785 601	314 030 0010	381
22 11 6 785 602	314 030 0011	381
22 11 7 761 091	300 221 1117	379
22 31 1 094 916	300 223 1101	194, 201
22 31 3 400 343	300 237 1113	192, 200
22 31 3 421 301	300 237 1113	192, 200
22 31 3 451 444	300 221 1137	192
22 31 6 750 858	300 221 1144	194, 202
22 31 6 751 760	300 223 1601	193, 201

Ref. no.	MEYLE no.	Page
BMW		
22 31 6 753 316	300 223 1600	195, 202
22 31 6 754 088	300 223 1601	193, 201
22 31 6 770 289	300 221 1142	193, 201
22 31 6 771 130	300 223 1602	193
22 31 6 771 219	300 237 1101	195, 203
22 31 6 771 220	300 223 1600	195, 202
22 31 6 771 221	300 223 1101	194, 201
22 31 6 773 125	300 221 1144	194, 202
22 31 6 773 693	300 221 1144	194, 202
22 31 6 799 330	300 223 1600	195, 202
22 31 6 799 331	300 237 1101	195, 203
22 31 6 799 411	300 223 1603	195
22 31 6 799 845	300 223 1604	196, 203
22 32 1 092 897	300 223 1602	193
23 14 1 135 071	314 613 1101	265
23 14 1 221 706	314 231 4101	266
23 14 1 352 153	314 613 1101	265
23 14 1 354 071	314 613 1101	265
23 14 1 434 584	314 231 4101	266
23 14 7 506 637	314 231 4101	266
23 14 7 524 811	314 231 4101	266
23 70 1 138 517	300 223 1600	195, 202
23 70 1 141 532	300 237 0100	196, 203
23 70 1 141 614	300 237 0100	196, 203
23 71 1 130 205	300 223 1101	194, 201
23 71 1 131 664	300 223 1101	194, 201
23 71 1 133 487	300 237 0100	196, 203
23 71 1 137 817	300 237 1101	195, 203
23 71 1 175 939	300 237 1104	197, 204
23 71 1 176 041	300 237 1105	197, 204
24 10 1 423 380	314 139 0005	353
24 11 0 403 404	300 325 0000	181
24 11 1 217 082	300 241 1107	353
24 11 1 218 850	314 139 0004	353
24 11 1 218 899	300 241 1106 300 241 1106/S	183, 188
24 11 1 421 367	314 139 0004	353
24 11 1 421 599	300 241 1401	354
24 11 1 422 676	314 139 0002	354
24 11 1 423 587	314 139 0001	355
24 11 1 423 604	300 241 1701	184
24 11 1 423 605	314 137 0003 314 137 0003/S	185, 189
24 11 7 507 643	314 137 0003 314 137 0003/S	185, 189
24 11 7 507 790	314 137 0002	184

Ref. no.	MEYLE no.	Page
BMW		
24 11 7 508 517	300 241 1701	184
24 11 7 510 010	314 137 0003 314 137 0003/S	185, 189
24 11 7 510 011	314 137 0002	184
24 11 7 510 012	300 241 1701	184
24 11 7 519 359	300 325 0000	181
24 11 7 522 923	300 325 0000	181
24 11 7 524 707	314 139 0001	355
24 11 7 533 657	314 137 0003 314 137 0003/S	185, 189
24 11 7 533 699	300 241 1701	184
24 11 7 533 700	314 137 0002	184
24 11 7 536 387	300 325 0001	181
24 11 7 543 484	314 139 0003	355
24 11 7 543 550	300 135 0006 300 137 0002 314 316 0001	183, 188, 206
24 11 7 557 069	300 135 0301 314 137 0002	184, 206
24 11 7 557 070	300 135 0302 300 241 1701	184, 207
24 11 7 557 071	300 135 0303 314 137 0003 314 137 0003/S	185, 189, 207
24 11 7 571 217	300 325 0001	181
24 11 7 571 227	300 325 0000	181
24 11 7 581 604	314 137 0005 314 137 0005/S	185, 189
24 11 7 593 565	300 135 0304 314 137 0005 314 137 0005/S	185, 189, 208
24 11 7 604 960	300 325 0002	181
24 11 7 613 253	300 325 0002	181
24 11 7 624 192	300 135 0007 300 325 0002	181, 208
24 11 8 612 901	300 135 0007 300 325 0002	181, 208
24 15 2 333 825	300 135 0303	207
24 15 2 333 903	300 135 0005 300 325 0000	181, 209
24 15 2 333 907	300 135 0004 300 325 0001	181, 209
24 31 1 218 204	300 243 1102 300 243 1102/S	186, 190
24 31 1 218 550	300 243 3101/S	186
24 31 1 218 571	300 243 1102	186, 190

Ref. no.	MEYLE no.	Page
BMW		
	300 243 1102/S	
24 34 1 215 544	300 243 3101/S	186
24 34 1 219 156	300 243 4105 300 243 4105/S	187, 190
24 34 1 219 631	300 243 4105 300 243 4105/S	187, 190
24 34 1 421 200	300 243 4104 300 243 4104/S	186, 190
24 34 1 422 419	300 243 4104 300 243 4104/S	186, 190
24 34 1 422 513	300 243 4105 300 243 4105/S	187, 190
24 34 1 422 673	300 135 0002 300 243 4107 314 137 0001	187, 191, 210
24 34 1 423 109	300 243 4106	191
24 34 1 423 376	100 325 0005 300 135 0001 300 243 4108/S	188, 192, 210
24 70 1 138 427	300 247 0102	197, 205
24 70 1 138 428	300 247 0101	198, 205
24 70 1 138 435	300 247 0104	198, 205
24 71 1 128 372	300 247 1102	198
24 71 1 130 188	300 247 1100	199
24 71 1 131 663	300 247 1100	199
24 71 1 134 740	300 237 0100	196, 203
25 11 1 202 649	300 251 1100	182
25 11 1 204 422	300 251 1102	182
25 11 1 208 580	300 251 1100	182
25 11 1 220 577	300 251 1101	183
25 11 1 220 832	300 251 1101	183
25 11 1 222 039	300 251 1101	183
25 11 7 519 669	300 251 1101	183
26 11 1 105 398	314 261 1104	178
26 11 1 106 113	300 261 1003	174
26 11 1 107 832	314 261 1101	174
26 11 1 204 294	314 152 0001	175
26 11 1 207 785	314 152 0001	175
26 11 1 209 168	314 152 0008	178
26 11 1 225 624	314 152 0001	175
26 11 1 227 410	314 152 0002	175
26 11 1 227 420	314 152 0008	178
26 11 1 227 690	314 152 0004	176
26 11 1 227 717	314 152 0005	176
26 11 1 227 869	314 152 0003	176
26 11 1 229 065	314 152 0004	176

Ref. no.	MEYLE no.	Page
BMW		
26 11 1 229 080	314 152 0005	176
26 11 1 229 360	314 152 0005	176
26 11 1 229 754	314 152 1006	180
26 11 2 226 527	314 152 0013	177
26 11 7 503 159	314 152 0007	177
26 11 7 511 454	314 152 0008	178
26 11 7 512 619	314 152 1009	180
26 11 7 518 304	314 261 1104	178
26 11 7 522 027	314 152 1011	179
26 11 7 527 392	314 152 1010	179
26 11 7 542 238	314 152 0012	179
26 11 7 572 664	314 152 1006	180
26 11 7 573 276	314 152 1009	180
26 12 1 103 728	014 098 9017	163
26 12 1 209 590	014 098 9017	163
26 12 1 225 071	014 098 9017	163
26 12 1 225 152	300 261 2190/S	156
26 12 1 226 442	300 261 2103/S	156
26 12 1 226 657	300 261 2103/S	156
26 12 1 226 723	300 261 2191 300 261 2191/S	156-157
26 12 1 226 731	300 261 2104 300 261 2194/S	157
26 12 1 227 660	300 261 2106 300 261 2196/S	158
26 12 1 227 997	300 261 2110 300 261 2110/S	159
26 12 1 229 089	300 261 2108 300 261 2198/S	159-160
26 12 1 229 242	300 261 2115	160
26 12 1 229 317	300 261 2911/S	160
26 12 1 229 431	300 261 2121/S	161
26 12 1 229 492	300 261 2700 300 261 2790/S	162
26 12 1 229 726	300 261 2112/S	161
26 12 2 282 496	300 261 2117	161
26 12 7 501 257	300 261 2700 300 261 2790/S	162
26 12 7 501 258	300 261 2117	161
26 12 7 506 783	300 261 2117	161
26 12 7 507 740	300 261 2112/S	161
26 12 7 558 745	300 261 2113	162
31 10 0 363 476	316 010 0011	433
31 10 0 363 477	316 050 0027/HD 316 050 0077/HD	439, 487
31 10 0 363 478	316 050 0028/HD	440, 487

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0077/HD	
31 10 1 129 078	300 311 2906/HD	485
31 10 3 412 135	316 050 0015/HD 316 050 0077/HD	440, 487
31 10 3 412 136	316 050 0016/HD 316 050 0077/HD	441, 487
31 10 3 412 726	316 010 0008	433
31 10 3 415 027	316 050 0015/HD 316 050 0077/HD	440, 487
31 10 3 415 028	316 050 0016/HD 316 050 0077/HD	441, 487
31 10 3 418 337	316 050 0015/HD 316 050 0077/HD	440, 487
31 10 3 418 338	316 050 0016/HD 316 050 0077/HD	441, 487
31 10 3 418 341	316 010 0008	433
31 10 3 426 433	316 050 0015/HD 316 050 0077/HD	440, 487
31 10 3 426 434	316 050 0016/HD 316 050 0077/HD	441, 487
31 10 3 438 623	316 010 0011	433
31 10 3 443 127	316 050 0027/HD 316 050 0077/HD	439, 487
31 10 3 443 128	316 050 0028/HD 316 050 0077/HD	440, 487
31 10 3 451 881	316 050 0015/HD 316 050 0077/HD	440, 487
31 10 3 451 882	316 050 0016/HD 316 050 0077/HD	441, 487
31 10 4 026 719	316 050 0019/HD 316 050 0074/HD	465, 489
31 10 4 026 720	316 050 0020/HD 316 050 0074/HD	465, 489
31 10 6 771 194	314 610 0006	479
31 10 6 771 897	314 610 0005	479
31 10 6 778 015	314 610 0004/HD	479
31 10 6 786 951	314 610 0019	480
31 10 6 786 959	314 610 0021	480
31 10 6 787 669	316 050 0058	470
31 10 6 787 670	316 050 0059	471
31 10 6 787 673	316 050 0060	441
31 10 6 787 674	316 050 0061	442
31 12 0 006 482	300 311 2909/HD	480
31 12 0 302 754	314 610 0000/HD	481
31 12 0 304 308	314 610 0000/HD	481
31 12 0 305 612	314 610 0000/HD	481

Ref. no.	MEYLE no.	Page
BMW		
31 12 0 307 882	300 311 2104/HD	481
31 12 0 360 275	316 050 0015/HD 316 050 0077/HD	440, 487
31 12 0 393 540	314 610 0000/HD	481
31 12 0 398 350	314 610 0000/HD	481
31 12 1 092 010	300 311 2914/HD	486
31 12 1 092 023	316 050 0073/HD 316 050 3903/HD	451, 488
31 12 1 092 024	316 050 0073/HD 316 050 3904/HD	452, 488
31 12 1 092 276	316 050 3601/HD	457
31 12 1 092 609	316 050 0029/HD	442
31 12 1 092 610	316 050 0030/HD	443
31 12 1 092 819	316 050 0029/HD	442
31 12 1 092 820	316 050 0030/HD	443
31 12 1 093 449	316 050 0073/HD 316 050 3901	443, 488
31 12 1 093 450	316 050 0073/HD 316 050 3902	444, 488
31 12 1 093 707	300 311 2909/HD	480
31 12 1 094 233	316 050 0073/HD 316 050 3901	443, 488
31 12 1 094 234	316 050 0073/HD 316 050 3902	444, 488
31 12 1 094 235	300 311 2107	482
31 12 1 094 275	316 050 3602/HD	456
31 12 1 094 465	316 050 0003/HD	434, 455
31 12 1 094 465*	316 010 4305/HD	434, 455
31 12 1 094 466	316 050 0004/HD	434, 456
31 12 1 094 466*	316 010 4305/HD	434, 456
31 12 1 095 277	300 311 2604/HD	439
31 12 1 095 278	300 311 2604/HD	439
31 12 1 096 169	316 050 0007/HD 316 050 0076/HD	460, 488
31 12 1 096 170	316 050 0008/HD 316 050 0076/HD	460, 488
31 12 1 096 284	300 311 2604/HD	439
31 12 1 096 315	316 050 0009 316 050 0076/HD	457, 488
31 12 1 096 316	316 050 0010 316 050 0076/HD	458, 488
31 12 1 096 372	300 311 2104/HD	481
31 12 1 096 425	316 010 0002	435
31 12 1 096 685	316 010 0003/HD	435
31 12 1 096 982	300 311 2901	494
31 12 1 096 983	300 311 2604/HD	439

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 096 984	300 311 2604/HD	439
31 12 1 096 985	316 050 0003/HD	455
31 12 1 096 986	316 050 0004/HD	456
31 12 1 123 025	316 050 4206	444
31 12 1 123 026	316 050 4207	445
31 12 1 123 027	316 050 4207	445
31 12 1 124 401	316 050 4217	448
31 12 1 124 402	316 050 4218	449
31 12 1 124 622	300 311 2107	482
31 12 1 124 954	316 050 4223/HD	446
31 12 1 124 955	316 050 4224/HD	447
31 12 1 124 967	300 311 2906/HD	485
31 12 1 125 428	300 311 2906/HD	485
31 12 1 125 429	300 311 2906/HD	485
31 12 1 125 549	316 050 4223/HD	446
31 12 1 125 550	316 050 4224/HD	447
31 12 1 125 551	316 050 4223/HD	446
31 12 1 125 552	316 050 4224/HD	447
31 12 1 126 254	316 010 4307	434
31 12 1 126 302	300 311 2906/HD	485
31 12 1 126 394	300 311 2906/HD	485
31 12 1 126 416	300 311 2906/HD	485
31 12 1 126 426	300 311 2906/HD	485
31 12 1 127 141	316 050 4223/HD	446
31 12 1 127 142	316 050 4224/HD	447
31 12 1 127 377	300 311 2911	495
31 12 1 127 378	300 311 2918	495
31 12 1 127 725	316 050 4367	433–434, 445
31 12 1 127 725*	316 010 4306 316 010 4307	433–434, 445
31 12 1 127 726	316 050 4366	433–434, 446
31 12 1 127 726*	316 010 4306 316 010 4307	433–434, 446
31 12 1 129 245	316 050 4223/HD	446
31 12 1 129 246	316 050 4224/HD	447
31 12 1 130 089	316 050 4317/HD	449
31 12 1 130 090	316 050 4318/HD	450
31 12 1 130 123	300 311 2918	495
31 12 1 130 140	300 311 2918	495
31 12 1 130 587	300 311 2103/HD	482
31 12 1 130 597	316 050 4317/HD	449
31 12 1 130 598	316 050 4318/HD	450
31 12 1 131 582	316 050 4218	449
31 12 1 131 587	316 050 4217	448
31 12 1 131 588	316 050 4218	449
31 12 1 132 159	316 050 4332/HD	450

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 132 160	316 050 4333/HD	451
31 12 1 132 345	316 050 4223/HD	446
31 12 1 132 346	316 050 4224/HD	447
31 12 1 132 353	316 050 4223/HD	446
31 12 1 132 354	316 050 4224/HD	447
31 12 1 133 236	300 311 2107	482
31 12 1 133 237	316 050 4371	447
31 12 1 133 238	316 050 4370	448
31 12 1 133 488	300 311 2103/HD	482
31 12 1 133 490	316 050 4318/HD	450
31 12 1 133 710	300 311 2103/HD	482
31 12 1 133 711	316 050 4332/HD	450
31 12 1 133 712	316 050 4333/HD	451
31 12 1 135 079	300 311 2903 300 311 3003	496
31 12 1 135 352	300 311 2903 300 311 3003	496
31 12 1 136 529	316 050 3602/HD	456
31 12 1 136 530	316 050 3601/HD	457
31 12 1 136 531	300 311 0002 300 610 0001	437–438
31 12 1 136 532	300 311 0003 300 610 0001	438
31 12 1 136 605	300 311 2103/HD	482
31 12 1 136 606	300 311 2103/HD	482
31 12 1 136 607	300 311 2103/HD	482
31 12 1 139 456	300 311 2103/HD	482
31 12 1 139 826	300 311 2107	482
31 12 1 139 987	316 050 4371	447
31 12 1 139 988	316 050 4370	448
31 12 1 139 991	316 050 4217	448
31 12 1 139 992	316 050 4218	449
31 12 1 139 999	316 050 4317/HD	449
31 12 1 140 000	316 050 4318/HD	450
31 12 1 140 398	316 010 0003/HD	435
31 12 1 140 399	316 050 3602/HD	456
31 12 1 140 400	316 050 3601/HD	457
31 12 1 140 957	316 050 3602/HD	456
31 12 1 140 958	316 050 3601/HD	457
31 12 1 141 097	316 050 4332/HD	450
31 12 1 141 098	316 050 4333/HD	451
31 12 1 141 717	316 050 0073/HD 316 050 3903/HD	451, 488
31 12 1 141 718	316 050 0073/HD 316 050 3904/HD	452, 488
31 12 1 141 721	316 050 4363/HD	452

Ref. no.	MEYLE no.	Page
BMW		
31 12 1 141 722	316 050 4362/HD	453
31 12 1 141 723	316 050 4363/HD	452
31 12 1 141 724	316 050 4362/HD	453
31 12 1 141 752	300 311 2909/HD	480
31 12 1 141 961	316 050 0001	453
31 12 1 141 962	316 050 0002	454
31 12 1 142 087	316 050 4361	454
31 12 1 142 088	316 050 4360	455
31 12 1 701 059	316 050 4367	445
31 12 1 701 060	316 050 4366	446
31 12 1 752 717	316 050 0003/HD	434, 455
31 12 1 752 717*	316 010 4305/HD	434, 455
31 12 2 226 032	300 311 2907	497
31 12 2 226 160	300 311 2907	497
31 12 2 282 121	316 050 0003/HD	434, 455
31 12 2 282 121*	316 010 4305/HD	434, 455
31 12 2 282 122	316 050 0004/HD	434, 456
31 12 2 282 122*	316 010 4305/HD	434, 456
31 12 2 341 296	316 050 0073/HD 316 050 3902	444, 488
31 12 4 000 612	300 311 2901	494
31 12 4 004 359	300 311 2604/HD	439
31 12 4 004 360	300 311 2604/HD	439
31 12 4 025 453	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 4 025 454	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 4 026 453	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 4 026 454	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 4 036 269	316 035 0005/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 4 036 270	316 035 0006/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 4 046 437	316 050 0019/HD 316 050 0074/HD	465, 489
31 12 4 046 438	316 050 0020/HD 316 050 0074/HD	465, 489
31 12 4 046 442	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 6 750 057	300 311 2901	494
31 12 6 750 221	300 311 2604/HD	439
31 12 6 750 222	300 311 2604/HD	439

Ref. no.	MEYLE no.	Page
BMW		
31 12 6 750 223	316 050 0003/HD	434, 455
31 12 6 750 223*	316 010 4305/HD	434, 455
31 12 6 750 224	316 050 0004/HD	434, 456
31 12 6 750 224*	316 010 4305/HD	434, 456
31 12 6 751 317	316 050 0003/HD	434, 455
31 12 6 751 317*	316 010 4305/HD	434, 455
31 12 6 751 318	316 050 0004/HD	434, 456
31 12 6 751 318*	316 010 4305/HD	434, 456
31 12 6 751 372	300 311 2901	494
31 12 6 751 435	300 311 2604/HD	439
31 12 6 751 436	300 311 2604/HD	439
31 12 6 752 717	316 050 0003/HD	434, 455
31 12 6 752 717*	316 010 4305/HD	434, 455
31 12 6 752 718	316 050 0004/HD	434, 456
31 12 6 752 718*	316 010 4305/HD	434, 456
31 12 6 753 058	300 311 2901	494
31 12 6 753 059	300 311 2604/HD	439
31 12 6 753 060	300 311 2604/HD	439
31 12 6 754 547	300 311 2901	494
31 12 6 754 899	300 311 2604/HD	439
31 12 6 754 900	300 311 2604/HD	439
31 12 6 755 432	300 311 2901	494
31 12 6 755 835	316 050 0013 316 050 0075/HD	469, 492
31 12 6 755 836	316 050 0014 316 050 0075/HD	470, 492
31 12 6 756 101	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 6 756 102	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 6 756 491	316 010 0002	435
31 12 6 757 623	300 311 2604/HD	439, 495
31 12 6 757 623*	300 311 2919/HD	439, 495
31 12 6 758 510	316 010 0003/HD	435
31 12 6 758 513	316 050 3602/HD	435, 456
31 12 6 758 513*	316 010 4345	435, 456
31 12 6 758 514	316 050 3601/HD	435, 457
31 12 6 758 514*	316 010 4345	435, 457
31 12 6 758 515	316 050 3602/HD	456
31 12 6 758 516	316 050 3601/HD	457
31 12 6 758 519	316 050 0003/HD	434, 455
31 12 6 758 519*	316 010 4305/HD	434, 455
31 12 6 758 520	316 050 0004/HD	434, 456
31 12 6 758 520*	316 010 4305/HD	434, 456
31 12 6 758 623	316 050 0000/HD	492
31 12 6 760 181	316 050 0017	458, 489

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0074/HD	
31 12 6 760 182	316 050 0018 316 050 0074/HD	459, 489
31 12 6 760 183	316 050 0019/HD 316 050 0074/HD	465, 489
31 12 6 760 184	316 050 0020/HD 316 050 0074/HD	465, 489
31 12 6 760 275	316 050 0009 316 050 0076/HD	457, 488
31 12 6 760 276	316 050 0010 316 050 0076/HD	458, 488
31 12 6 760 519	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 6 760 520	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 6 763 699	314 610 0001 316 050 0022 316 050 0071/HD 316 050 0072/HD	462, 483, 489–490
31 12 6 763 700	314 610 0001 316 050 0021 316 050 0071/HD 316 050 0072/HD	462, 483, 489–490
31 12 6 763 703	316 035 0005/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 763 704	316 035 0006/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 763 707	316 035 0005/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 763 708	316 035 0006/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 765 597	314 610 0001	483
31 12 6 765 991	314 610 0000/HD	481
31 12 6 765 992	314 610 0000/HD	481
31 12 6 765 993	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 6 765 994	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 6 765 995	316 050 0019/HD 316 050 0074/HD	465, 489
31 12 6 765 996	316 050 0020/HD 316 050 0074/HD	465, 489

Ref. no.	MEYLE no.	Page
BMW		
31 12 6 767 992	314 610 0000/HD	481
31 12 6 768 297	316 050 0017 316 050 0074/HD	458, 489
31 12 6 768 298	316 050 0018 316 050 0074/HD	459, 489
31 12 6 768 988	316 010 0015	436
31 12 6 768 989	316 050 0045	459, 483
31 12 6 768 989*	314 610 0007	459, 483
31 12 6 769 715	300 311 2104/HD	481
31 12 6 769 717	316 050 0007/HD 316 050 0076/HD	460, 488
31 12 6 769 718	316 050 0008/HD 316 050 0076/HD	460, 488
31 12 6 769 797	316 035 0005/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 769 798	316 035 0006/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 769 801	316 035 0005/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 769 802	316 035 0006/HD 316 050 0071/HD 316 050 0072/HD	461, 489–490
31 12 6 770 121	316 050 0013 316 050 0075/HD	469, 492
31 12 6 770 122	316 050 0014 316 050 0075/HD	470, 492
31 12 6 770 247	316 050 0003/HD	434, 455
31 12 6 770 247*	316 010 4305/HD	434, 455
31 12 6 770 248	316 050 0004/HD	434, 456
31 12 6 770 248*	316 010 4305/HD	434, 456
31 12 6 770 771	316 050 0013 316 050 0075/HD	469, 492
31 12 6 770 772	316 050 0014 316 050 0075/HD	470, 492
31 12 6 770 837	316 050 0013 316 050 0075/HD	469, 492
31 12 6 770 838	316 050 0014 316 050 0075/HD	470, 492
31 12 6 770 849	316 050 0022 316 050 0071/HD 316 050 0072/HD	462, 483, 489–490
31 12 6 770 849*	314 610 0001	462, 483, 489–490
31 12 6 770 850	316 050 0021	462, 483, 489–490

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0071/HD 316 050 0072/HD	
31 12 6 770 850*	314 610 0001	462, 483, 489–490
31 12 6 771 893	316 050 0036 316 050 0078/HD 316 050 0079/HD	463, 491
31 12 6 771 894	316 050 0035 316 050 0078/HD 316 050 0079/HD	463, 491
31 12 6 773 949	316 050 0038/HD 316 050 0078/HD 316 050 0079/HD	464, 491
31 12 6 773 950	316 050 0037/HD 316 050 0078/HD 316 050 0079/HD	464, 491
31 12 6 774 819	316 050 0003/HD	434, 455
31 12 6 774 819*	316 010 4305/HD	434, 455
31 12 6 774 820	316 050 0004/HD	434, 456
31 12 6 774 820*	316 010 4305/HD	434, 456
31 12 6 774 825	316 050 0019/HD 316 050 0074/HD	465, 489
31 12 6 774 826	316 050 0020/HD 316 050 0074/HD	465, 489
31 12 6 774 831	316 050 0011/HD 316 050 0075/HD	466, 492
31 12 6 774 832	316 050 0012/HD 316 050 0075/HD	466, 492
31 12 6 775 963	316 050 0056	472, 484–485
31 12 6 775 963*	314 610 0012 314 610 0013	472, 484–485
31 12 6 775 964	316 050 0057	473, 484–485
31 12 6 775 964*	314 610 0012 314 610 0013	473, 484–485
31 12 6 775 967	316 050 0044/HD	436, 467, 483
31 12 6 775 967*	314 610 0008/HD 316 010 0014	436, 467, 483
31 12 6 775 971	316 050 0050	467, 484
31 12 6 775 971*	314 610 0014	467, 484
31 12 6 775 972	316 050 0051	468, 484
31 12 6 775 972*	314 610 0014	468, 484
31 12 6 775 980	314 610 0013	485
31 12 6 776 417	316 050 0034 316 050 0078/HD 316 050 0079/HD	468, 491
31 12 6 776 418	316 050 0033 316 050 0078/HD	469, 491

Ref. no.	MEYLE no.	Page
BMW		
	316 050 0079/HD	
31 12 6 777 753	316 010 0016	437
31 12 6 777 850	300 311 2604/HD	439, 495
31 12 6 777 850*	300 311 2919/HD	439, 495
31 12 6 777 851	316 050 0003/HD	434, 455
31 12 6 777 851*	316 010 4305/HD	434, 455
31 12 6 777 852	316 050 0004/HD	434, 456
31 12 6 777 852*	316 010 4305/HD	434, 456
31 12 6 777 937	316 050 0013 316 050 0075/HD	469, 492
31 12 6 777 938	316 050 0014 316 050 0075/HD	470, 492
31 12 6 777 939	316 050 0013 316 050 0075/HD	469, 492
31 12 6 777 940	316 050 0014 316 050 0075/HD	470, 492
31 12 6 779 871	316 050 0044/HD	436, 467, 483
31 12 6 779 871*	314 610 0008/HD 316 010 0014	436, 467, 483
31 12 6 779 908	316 050 0044/HD	436, 467, 483
31 12 6 779 908*	314 610 0008/HD 316 010 0014	436, 467, 483
31 12 6 783 376	300 311 2604/HD	439, 495
31 12 6 783 376*	300 311 2919/HD	439, 495
31 12 6 784 569	314 610 0012	484
31 12 6 787 669	316 050 0058	470
31 12 6 787 670	316 050 0059	471
31 12 6 791 455	314 610 0013	485
31 12 6 792 277	314 610 0021	480
31 12 6 794 203	316 050 0048	471, 484–485
31 12 6 794 203*	314 610 0012 314 610 0013	471, 484–485
31 12 6 794 204	316 050 0049	472, 484–485
31 12 6 794 204*	314 610 0012 314 610 0013	472, 484–485
31 12 6 798 107	316 050 0056	472, 484–485
31 12 6 798 107*	314 610 0012 314 610 0013	472, 484–485
31 12 6 798 108	316 050 0057	473, 484–485
31 12 6 798 108*	314 610 0012 314 610 0013	473, 484–485
31 12 6 850 781	316 050 0056	472, 484–485
31 12 6 850 781*	314 610 0012 314 610 0013	472, 484–485
31 12 6 850 782	316 050 0057	473, 484–485
31 12 6 850 782*	314 610 0012	473, 484–485

Ref. no.	MEYLE no.	Page
BMW		
	314 610 0013	
31 12 6 852 991*	314 610 0021	480
31 12 6 852 992*	314 610 0021	480
31 12 6 854 613	316 050 0044/HD	467
31 12 6 854 614	316 050 0044/HD	467
31 12 6 854 727*	314 610 0021	480
31 12 6 854 728*	314 610 0021	480
31 12 6 857 516	316 050 0044/HD	467
31 12 9 058 814	300 311 2911	495
31 12 9 058 815	300 311 2918	495
31 12 9 058 816	300 311 2906/HD	485
31 12 9 058 817	300 311 2906/HD	485
31 12 9 058 818	300 311 2906/HD	485
31 12 9 058 819	300 311 2906/HD	485
31 12 9 058 931	300 311 2918	495
31 12 9 059 288	300 311 2903 300 311 3003	496
31 12 9 061 222	300 311 2907	497
31 12 9 064 875	300 311 2908	497
31 12 9 068 734	300 311 2909/HD	480
31 12 9 068 753	300 311 2914/HD	486
31 12 9 069 568	316 050 0073/HD 316 050 3901 316 050 3902	443–444, 488
31 12 9 069 829	300 311 2909/HD	480
31 12 9 071 085	300 311 2909/HD	480
31 12 9 071 663	300 311 2901	494
31 12 9 071 952	300 311 2901	494
31 13 1 103 834	316 010 0141	437
31 13 1 108 439	316 010 0141	437
31 20 3 413 226	300 312 1112	597
31 20 3 450 600	300 312 1111/S	593
31 20 6 756 256	300 312 1110	598
31 20 6 768 993	300 312 1109	598
31 20 6 777 789	300 312 1103	589
31 20 6 779 735	300 312 2104	598
31 20 6 795 959	300 312 2104	598
31 21 1 101 115*	100 405 0101	591
31 21 1 128 157	300 312 1102 300 312 1102/S	599–600
31 21 1 128 569	300 312 1102 300 312 1102/S	599–600
31 21 1 129 256	300 334 1102 300 334 1102/S	591, 595
31 21 1 129 386	300 312 1101	599
31 21 1 130 124	300 312 1103	589

Ref. no.	MEYLE no.	Page
BMW		
31 21 1 131 297	300 312 1102	599–600
31 21 1 131 297*	300 312 1102/S	599–600
31 21 1 132 284	300 334 1102 300 334 1102/S	591, 595
31 21 1 137 996	300 312 2103	601
31 21 1 468 751	300 312 1101	599
31 21 2 634 103	014 098 0024	591
31 21 2 634 104	100 405 0201	592
31 21 6 765 157	300 312 1107	600
31 22 1 092 519	300 312 2103	601
31 22 1 093 427	300 312 2101	601
31 22 1 139 345	300 312 2100 300 312 2100/S	602
31 22 1 468 926	300 312 2100 300 312 2100/S	602
31 22 6 750 217	314 652 0002	603
31 22 6 751 978	300 312 1111/S	593
31 22 6 757 024	300 652 0001 300 652 0001/S	603–604
31 22 6 760 177	300 312 1106	604
31 22 6 765 601	300 312 1106	604
31 22 6 783 913	300 312 1111/S	593
31 30 1 133 438	326 624 0004	573
31 30 3 404 065	314 615 0011	503
31 30 3 411 619	326 623 0050	565
31 30 3 411 620	326 623 0051	565
31 30 3 411 973	314 642 0007	554
31 30 3 413 134	314 615 0012	503
31 30 3 413 145	326 623 0050	565
31 30 3 413 146	326 623 0051	565
31 30 3 413 201	316 060 0018/HD	511
31 30 3 413 202	316 060 0019/HD	511
31 30 3 414 299	316 060 0018/HD	511
31 30 3 414 300	316 060 0019/HD	511
31 30 3 449 389	326 623 0050	565
31 30 3 449 390	326 623 0051	565
31 30 3 451 393	326 623 0050	565
31 30 3 451 394	326 623 0051	565
31 30 3 451 395	326 623 0050	565
31 30 3 451 396	326 623 0051	565
31 30 6 754 341	326 623 0013	567
31 30 6 754 342	326 623 0014	568
31 30 6 754 343	326 623 0013	567
31 30 6 754 344	326 623 0014	568
31 30 6 757 043	326 623 0020	563
31 30 6 757 044	326 623 0019	564

Ref. no.	MEYLE no.	Page
BMW		
31 30 6 757 046	314 642 0005	554
31 30 6 767 451	314 641 0003	581
31 30 6 771 177	326 623 0030	570
31 30 6 771 178	326 623 0031	570
31 30 6 775 098	314 641 0003	581
31 30 6 779 604	300 313 3109	581
31 30 6 781 545	316 060 0003/HD	512
31 30 6 781 546	316 060 0004/HD	512
31 30 6 781 547	316 060 0013/HD	513
31 30 6 781 548	316 060 0014/HD	513
31 30 6 787 163	316 060 0038/HD	513
31 30 6 787 164	316 060 0039/HD	514
31 30 6 792 211	316 060 0040/HD	514
31 30 6 792 212	316 060 0041/HD	515
31 31 1 091 503	326 623 0010	561
31 31 1 091 504	326 623 0011	561
31 31 1 091 569	326 623 0010	561
31 31 1 091 570	326 623 0011	561
31 31 1 091 703	326 623 0052	562
31 31 1 091 704	326 623 0053	562
31 31 1 092 307	326 623 0026	561
31 31 1 092 308	326 623 0027	562
31 31 1 092 487	326 623 0026	561
31 31 1 092 488	326 623 0027	562
31 31 1 093 644	326 623 0003	564
31 31 1 094 041	326 623 0003	564
31 31 1 094 189	326 623 0052	562
31 31 1 094 190	326 623 0053	562
31 31 1 094 561	326 623 0000	563
31 31 1 094 562	326 623 0016	563
31 31 1 094 563	326 623 0020	563
31 31 1 094 564	326 623 0019	564
31 31 1 096 271	326 623 0013	567
31 31 1 096 272	326 623 0014	568
31 31 1 096 367	326 623 0020	563
31 31 1 096 368	326 623 0019	564
31 31 1 096 849	326 623 0000	563
31 31 1 096 850	326 623 0016	563
31 31 1 096 851	326 623 0020	563
31 31 1 096 852	326 623 0019	564
31 31 1 096 855	326 623 0020	563
31 31 1 096 856	326 623 0019	564
31 31 1 096 858	326 623 0003	564
31 31 1 096 862	326 623 0003	564
31 31 1 125 156	326 725 0004	578
31 31 1 127 533	300 333 1103/HD	534

Ref. no.	MEYLE no.	Page
BMW		
31 31 1 128 670	300 333 1101/HD	533
31 31 1 130 488	300 333 1103/HD	534
31 31 1 130 537	300 333 1102	534
31 31 1 133 517	326 624 0003	565
31 31 1 138 667	326 624 0006	573
31 31 2 282 097	326 623 0020	563
31 31 2 282 098	326 623 0019	564
31 31 2 282 101	326 623 0020	563
31 31 2 282 102	326 623 0019	564
31 31 2 282 459	326 623 0020	563
31 31 2 282 460	326 623 0019	564
31 31 3 412 397	326 623 0050	565
31 31 3 412 398	326 623 0051	565
31 31 3 453 521	326 623 0050	565
31 31 3 453 522	326 623 0051	565
31 31 3 453 523	326 623 0050	565
31 31 3 453 524	326 623 0051	565
31 31 6 750 787	326 623 0020	563
31 31 6 750 788	326 623 0019	564
31 31 6 750 791	326 623 0020	563
31 31 6 750 792	326 623 0019	564
31 31 6 752 597	326 623 0048	566
31 31 6 752 598	326 623 0049	566
31 31 6 753 187	326 623 0048	566
31 31 6 753 188	326 623 0049	566
31 31 6 759 561	326 623 0018	567
31 31 6 759 562	326 623 0017	567
31 31 6 762 727	326 623 0048	566
31 31 6 762 728	326 623 0049	566
31 31 6 764 603	326 623 0013	567
31 31 6 764 604	326 623 0014	568
31 31 6 766 993	326 623 0032	568
31 31 6 766 994	326 623 0033	569
31 31 6 768 211	326 623 0030	570
31 31 6 768 212	326 623 0031	570
31 31 6 768 216	326 623 0031	570
31 31 6 768 795	326 623 0032	568
31 31 6 768 796	326 623 0033	569
31 31 6 768 797	326 623 0032	568
31 31 6 768 798	326 623 0033	569
31 31 6 768 915	326 623 0042	571
31 31 6 768 916	326 623 0043	571
31 31 6 770 165	326 623 0048	566
31 31 6 770 166	326 623 0049	566
31 31 6 771 553	326 623 0042	571
31 31 6 771 554	326 623 0043	571

Ref. no.	MEYLE no.	Page
BMW		
31 31 6 771 723	326 623 0030	570
31 31 6 771 724	326 623 0031	570
31 31 6 772 917	326 623 0030	570
31 31 6 772 918	326 623 0031	570
31 31 6 772 921	326 623 0030	570
31 31 6 772 922	326 623 0031	570
31 31 6 773 255	326 623 0038	569
31 31 6 773 256	326 623 0039	569
31 31 6 775 055	326 623 0032	568
31 31 6 775 056	326 623 0033	569
31 31 6 775 057	326 623 0032	568
31 31 6 775 058	326 623 0033	569
31 31 6 775 099	326 623 0038	569
31 31 6 775 100	326 623 0039	569
31 31 6 778 676	326 623 0044	574
31 31 6 780 075	326 623 0030	570
31 31 6 780 076	326 623 0031	570
31 31 6 780 193	326 623 0038	569
31 31 6 780 194	326 623 0039	569
31 31 6 785 590	326 623 0031	570
31 31 6 786 001	326 623 0030	570
31 31 6 786 002	326 623 0031	570
31 31 6 786 005	326 623 0030	570
31 31 6 786 006	326 623 0031	570
31 31 6 786 009	326 623 0030	570
31 31 6 786 010	326 623 0031	570
31 31 6 786 013	326 623 0030	570
31 31 6 786 014	326 623 0031	570
31 31 6 786 017	326 623 0042	571
31 31 6 786 018	326 623 0043	571
31 31 6 786 531	326 623 0048	566
31 31 6 786 532	326 623 0049	566
31 31 6 786 533	326 623 0048	566
31 31 6 786 534	326 623 0049	566
31 31 6 786 535	326 623 0048	566
31 31 6 786 536	326 623 0049	566
31 31 6 786 539	326 623 0048	566
31 31 6 786 540	326 623 0049	566
31 32 1 091 000	326 624 0007	571
31 32 1 092 283	326 624 0007	571
31 32 1 092 284	326 624 0006	573
31 32 1 125 151	326 624 0004	573
31 32 1 125 475	326 624 0004	573
31 32 1 125 878	300 643 0000	552
31 32 1 128 126	326 624 0004	573
31 32 1 131 111	326 624 0004	573

Ref. no.	MEYLE no.	Page
BMW		
31 32 1 132 249	326 624 0004	573
31 32 1 132 540	326 624 0000	572
31 32 1 133 181	326 624 0004	573
31 32 1 133 224	326 624 0001	572
31 32 1 133 232	326 624 0001	572
31 32 1 134 565	326 624 0002	572
31 32 1 134 573	326 624 0002	572
31 32 1 135 416	326 624 0008	573
31 32 1 135 465	326 624 0004	573
31 32 1 135 635	326 624 0004	573
31 32 1 135 675	326 624 0002	572
31 32 1 135 858	326 624 0008	573
31 32 1 135 892	326 624 0004	573
31 32 1 138 836	326 624 0007	571
31 32 1 139 407	326 624 0007	571
31 32 1 139 408	326 624 0006	573
31 32 1 139 409	326 624 0006	573
31 32 1 139 410	326 624 0007	571
31 32 1 139 411	326 624 0006	573
31 32 1 140 160	326 624 0006	573
31 32 4 048 550	326 623 0044	574
31 32 6 764 457	326 623 0032	568
31 32 6 764 458	326 623 0033	569
31 32 6 764 459	326 623 0032	568
31 32 6 764 460	326 623 0033	569
31 32 6 780 486	326 623 0044	574
31 32 6 781 918	326 623 0044	574
31 33 1 090 467	314 641 0001	584
31 33 1 090 611	300 313 3106	581
31 33 1 090 760	314 033 0004	541
31 33 1 090 761	314 033 0004	541
31 33 1 091 517	314 639 0006	541
31 33 1 091 530	314 639 0006	541
31 33 1 091 708	300 313 3114	582
31 33 1 091 709	300 313 3103	582
31 33 1 092 885	314 641 0001	584
31 33 1 093 069	314 639 0002	542
31 33 1 093 070	314 639 0001	542
31 33 1 094 750	314 642 0002	554
31 33 1 094 751	314 642 0001	557
31 33 1 096 184	314 639 0001	542
31 33 1 096 311	300 313 3109	581
31 33 1 110 195	300 313 3101	582
31 33 1 124 449	300 313 3104	555
31 33 1 124 508	300 313 3108	584
31 33 1 125 215	300 313 3104	555

Ref. no.	MEYLE no.	Page
BMW		
31 33 1 133 292	300 313 3110/HD	583
31 33 1 133 336	314 031 0001	542
31 33 1 134 096	300 313 3110/HD	583
31 33 1 134 314	300 313 3111	552
31 33 1 134 386	314 031 0001	542
31 33 1 135 582	314 641 0001	584
31 33 1 139 437	300 313 3107/HD	583
31 33 1 139 438	300 313 3112/HD	583
31 33 1 139 452	300 313 3108	584
31 33 1 140 140	300 313 3118	555
31 33 6 750 359	326 623 0013	567
31 33 6 750 360	326 623 0014	568
31 33 6 750 892	314 642 0003	555
31 33 6 757 046	314 642 0005	554
31 33 6 759 871	314 641 0001	584
31 33 6 760 943	300 313 3601	584
31 33 6 764 085	314 642 0004	556
31 33 6 764 947	314 641 0001	584
31 33 6 767 320	314 642 0006	556
31 33 6 769 582	300 313 3601	584
31 33 6 769 584	300 313 3109	581
31 33 6 769 585	314 641 0001	584
31 33 6 771 352	314 642 0006	556
31 33 6 771 380	314 642 0009	557
31 33 6 778 544	314 642 0001	557
31 33 6 779 613	314 641 0001	584
31 35 1 090 186	314 615 0008 314 615 0016	504
31 35 1 090 263	314 615 0007	504
31 35 1 090 268	314 615 0018	505
31 35 1 090 300	314 615 0013	505
31 35 1 091 228	314 615 0014	505
31 35 1 091 496	316 060 4364/HD	517
31 35 1 091 555	300 313 5110	506
31 35 1 091 764	316 060 4311/HD	515
31 35 1 091 855	316 060 4359/HD	515
31 35 1 091 856	316 060 4358/HD	516
31 35 1 092 304	316 060 0002/HD	516
31 35 1 093 108	314 615 0002	506
31 35 1 094 554	314 615 0009	506
31 35 1 094 555	314 615 0009	506
31 35 1 094 556	314 615 0010	507
31 35 1 095 271	314 615 0001	507
31 35 1 095 661	316 060 4359/HD	515
31 35 1 095 662	316 060 4358/HD	516
31 35 1 095 664	316 060 0002/HD	516

Ref. no.	MEYLE no.	Page
BMW		
31 35 1 095 694	316 060 4607/HD	522
31 35 1 095 695	316 060 4364/HD	517
31 35 1 096 061	314 615 0010	507
31 35 1 097 021	300 313 5109	507
31 35 1 097 179	314 615 0003	508
31 35 1 124 380	316 060 4322/HD	517
31 35 1 124 998	300 313 5104	503
31 35 1 125 350	300 313 5104	503
31 35 1 126 774	300 313 5105	508
31 35 1 127 194	316 060 4322/HD	517
31 35 1 127 414	300 313 5105	508
31 35 1 127 689	316 060 4311/HD	515
31 35 1 128 050	316 060 4322/HD	517
31 35 1 128 737	316 060 4311/HD	515
31 35 1 130 075	316 060 4322/HD	517
31 35 1 131 621	300 313 5107	508
31 35 1 132 786	300 313 5107	508
31 35 1 133 738	300 313 5111	509
31 35 1 134 582	316 060 4322/HD	517
31 35 1 135 805	300 313 5106	509
31 35 1 140 188	314 615 0019	509
31 35 1 701 066	316 060 0007/HD	517
31 35 2 227 203	316 060 0001/HD	518
31 35 4 014 531	316 060 0013/HD	513
31 35 4 014 532	316 060 0014/HD	513
31 35 6 750 703	316 060 0005/HD	518
31 35 6 750 704	316 060 0006/HD	519
31 35 6 751 079	316 060 0009/HD	519
31 35 6 751 080	316 060 0010/HD	519
31 35 6 753 767	316 060 0003/HD	512
31 35 6 753 768	316 060 0004/HD	512
31 35 6 753 928	314 615 0004	510
31 35 6 760 985	316 060 0013/HD	513
31 35 6 760 986	316 060 0014/HD	513
31 35 6 761 589	314 615 0004	510
31 35 6 761 591	314 615 0004	510
31 35 6 763 267	314 615 0004	510
31 35 6 764 113	314 615 0004	510
31 35 6 765 574	314 615 0005	510
31 35 6 765 933	316 060 0016/HD	520
31 35 6 765 934	316 060 0017/HD	520
31 35 6 766 509	314 615 0004	510
31 35 6 768 771	316 060 0025/HD	521
31 35 6 768 772	316 060 0026/HD	521
31 35 6 769 499	316 060 0013/HD	513
31 35 6 769 500	316 060 0014/HD	513

Ref. no.	MEYLE no.	Page
BMW		
31 35 6 773 023	316 060 0030	522
31 35 6 773 024	316 060 0031	523
31 35 6 777 319	316 060 0033/HD	521
31 35 6 778 069	316 060 0003/HD	512
31 35 6 778 070	316 060 0004/HD	512
31 35 6 780 847	316 060 4607/HD	522
31 35 6 857 623	316 060 0030	522
31 35 6 857 624	316 060 0031	523
31 60 7 505 005	314 498 0005	174
31 60 7 505 006	314 498 0005	174
31 60 7 507 402	100 498 0091/SK	163
31 60 7 507 403	314 316 7501	164
31 60 7 544 433	314 495 0012	164
31 60 7 561 341	314 498 0005	174
31 60 7 561 342	314 498 0005	174
31 60 7 565 313*	314 498 0005	174
31 60 7 565 314	314 498 0005	174
31 60 7 565 315	314 316 7501	164
31 60 7 570 270	314 495 0012	164
32 10 3 412 798	316 030 0009	402, 410
32 10 3 412 798*	316 030 3044	402, 410
32 10 3 444 999	316 030 0009	402, 410
32 10 3 444 999*	316 030 3044	402, 410
32 10 6 765 089	316 020 0007/HD	421
32 10 6 765 090	316 020 0008/HD	421
32 10 6 765 234	300 620 0000	399
32 10 6 765 235	316 030 0017/HD	402, 410
32 10 6 765 235*	316 031 0005	402, 410
32 10 6 765 236	316 030 0018/HD	402, 411
32 10 6 765 236*	316 031 0005	402, 411
32 10 6 765 782	100 620 0007	399
32 10 6 767 781	316 020 0007/HD	421
32 10 6 767 782	316 020 0008/HD	421
32 10 6 768 879	316 030 0014	402, 411
32 10 6 768 879*	316 031 0008	402, 411
32 10 6 768 880	316 030 0015	402, 412
32 10 6 768 880*	316 031 0008	402, 412
32 10 6 769 073	316 020 0010	425
32 10 6 769 074	316 020 0009	425
32 10 6 774 220	316 020 4603	422
32 10 6 774 221	316 020 4604	422
32 10 6 774 222	316 030 0004	404, 414
32 10 6 774 222*	316 030 4600	404, 414
32 10 6 774 223	316 030 0005	404, 415
32 10 6 774 223*	316 030 4600	404, 415
32 10 6 774 318	316 030 0006	403, 412

Ref. no.	MEYLE no.	Page
BMW		
32 10 6 774 318*	316 031 0010	403, 412
32 10 6 774 319	316 030 0024	403, 413
32 10 6 774 319*	316 031 0010	403, 413
32 10 6 774 320	316 020 0014	423
32 10 6 774 321	316 020 0015	423
32 10 6 774 335	316 020 0005/HD	423
32 10 6 774 336	316 030 0010/HD	413
32 10 6 774 347	316 030 0011 316 031 0003	404, 414
32 10 6 774 360	316 030 0001 316 030 3042	403, 413
32 10 6 774 361	316 030 0002	424
32 10 6 774 919	316 030 0024	413
32 10 6 776 946	316 030 0002	424
32 10 6 777 268	316 030 0001	403, 413
32 10 6 777 268*	316 030 3042	403, 413
32 10 6 777 479	316 030 0011	404, 414
32 10 6 777 479*	316 031 0003	404, 414
32 10 6 777 503	316 030 0004	404, 414
32 10 6 777 503*	316 030 4600	404, 414
32 10 6 777 504	316 030 0005	404, 415
32 10 6 777 504*	316 030 4600	404, 415
32 10 6 780 984	316 020 0020	424
32 10 6 780 985	316 030 0021	402, 415
32 10 6 780 985*	316 030 3044	402, 415
32 10 6 782 252	300 620 0000	399
32 10 6 784 716*	316 031 0011	404
32 10 6 784 719*	316 031 0011	404
32 10 6 784 790	316 020 0024	424
32 10 6 784 796	316 020 0023	425
32 10 6 785 993	100 620 0007	399
32 10 6 792 029*	316 031 0013	405
32 10 6 792 030*	316 031 0013	405
32 10 6 793 496	316 030 0021	402, 415
32 10 6 793 496*	316 030 3044	402, 415
32 10 6 793 497	316 020 0020	424
32 10 6 793 621	316 030 0014	411
32 10 6 793 622	316 030 0015	412
32 10 6 793 623	316 020 0010	425
32 10 6 793 624	316 020 0009	425
32 10 6 797 617	316 020 0028	426
32 10 6 797 618	316 020 0027	426
32 10 6 799 960*	316 031 0012	405
32 10 6 799 965*	316 031 0012	405
32 10 6 799 966	316 020 0026	426
32 10 6 799 967	316 020 0025	427

Ref. no.	MEYLE no.	Page
BMW		
32 11 1 091 767	316 030 0000 316 030 4355	405, 416
32 11 1 091 768	316 030 0000 316 030 4354	405, 416
32 11 1 091 769	316 030 0000	405
32 11 1 091 770	316 020 4374	428
32 11 1 093 769	316 030 0000 316 030 4355	405, 416
32 11 1 093 770	316 030 0000 316 030 4354	405, 416
32 11 1 094 673	316 030 4355	405, 416, 427
32 11 1 094 673*	316 020 0002 316 030 0000	405, 416, 427
32 11 1 094 674	316 030 4354	405, 416, 428
32 11 1 094 674*	316 020 0003 316 030 0000	405, 416, 428
32 11 1 094 676	316 020 4374	428
32 11 1 096 897	316 030 0004	404, 414
32 11 1 096 897*	316 030 4600	404, 414
32 11 1 096 898	316 030 0005	415
32 11 1 115 229	316 030 4210	416
32 11 1 116 068	300 321 1101	397
32 11 1 116 318	300 321 1102	401
32 11 1 116 463	316 020 3042	428
32 11 1 117 426	300 321 1101	397
32 11 1 117 698	300 321 1101	397
32 11 1 120 433	300 321 1102	401
32 11 1 125 186	316 030 4301	406, 417
32 11 1 125 186*	316 030 4303	406, 417
32 11 1 125 187	316 030 4304	406, 417
32 11 1 125 187*	316 030 4305	406, 417
32 11 1 126 620	316 030 4303	406
32 11 1 126 757	316 020 4302	429
32 11 1 127 104	300 321 1100	397
32 11 1 137 070	300 322 1104 300 322 1104/S 314 620 0001/S	398, 400
32 11 1 139 313	316 020 4341	429
32 11 1 139 314	316 020 4344	429
32 11 1 139 315	316 030 4339	406, 418
32 11 1 139 315*	316 030 4342	406, 418
32 11 1 139 316	316 030 4340	406, 418
32 11 1 139 316*	316 030 4342	406, 418
32 11 1 139 317	316 030 4339	418
32 13 1 092 876	300 321 3106	398
32 13 1 094 629	300 321 3101	401

Ref. no.	MEYLE no.	Page
BMW		
32 13 1 132 798	300 321 3100	401
32 13 1 140 867	300 321 3101	401
32 13 6 751 026	300 321 3601	399
32 21 1 091 723	316 020 4375	430
32 21 1 091 724	316 020 4374	428
32 21 1 091 913	316 040 4349	407
32 21 1 091 914	316 040 4353	407
32 21 1 091 917	316 040 4349	407
32 21 1 091 918	316 040 4353	407
32 21 1 093 433	316 040 4349	407
32 21 1 093 434	316 040 4353	407
32 21 1 093 435	316 040 4349	407
32 21 1 093 436	316 040 4353	407
32 21 1 094 673	316 030 4355	416
32 21 1 094 674	316 030 4354	416
32 21 1 095 955	316 030 0004	414
32 21 1 095 956	316 030 0005	415
32 21 1 095 957	316 020 4603	422
32 21 1 095 958	316 020 4604	422
32 21 1 096 057	316 040 4349	407
32 21 1 096 058	316 040 4353	407
32 21 1 096 327	316 020 0005/HD	423
32 21 1 096 897	316 030 0004	414
32 21 1 096 898	316 030 0005	404, 415
32 21 1 096 898*	316 030 4600	404, 415
32 21 1 103 076	316 030 0138	418
32 21 1 103 077	316 040 0137	409
32 21 1 107 076	316 040 0137	409
32 21 1 117 212	316 030 3049	419
32 21 1 118 619	316 030 3049	419
32 21 1 123 881	316 322 1101	397
32 21 1 124 231	316 030 4214	419
32 21 1 124 232	316 040 4226	408
32 21 1 124 906	316 040 4226	408
32 21 1 127 136	316 040 4226	408
32 21 1 127 272	316 040 4226	408
32 21 1 127 917	316 020 4215	430
32 21 1 127 918	316 020 4216	430
32 21 1 129 014	316 040 4226	408
32 21 1 129 020	316 030 4214	419
32 21 1 129 051	316 322 1101	397
32 21 1 129 807	300 322 1101	396
32 21 1 129 978	316 322 1101	397
32 21 1 130 001	316 020 4216	430
32 21 1 130 004	316 020 4215	430
32 21 1 130 661	316 040 4331	397, 409

Ref. no.	MEYLE no.	Page
BMW		
	316 322 1101	
32 21 1 130 662	316 040 4336	409
32 21 1 131 067	316 322 1101	397
32 21 1 133 615	316 040 4331	409
32 21 1 133 618	316 040 4336	409
32 21 1 133 698	300 322 1101	396
32 21 1 133 699	316 322 1101	397
32 21 1 135 666	316 030 4214	419
32 21 1 135 668	316 030 4214	419
32 21 1 135 819	316 020 4216	430
32 21 1 135 820	316 020 4215	430
32 21 1 136 450	316 322 1101	397
32 21 1 136 452	300 322 1101	396
32 21 1 136 685	316 040 4331	409
32 21 1 136 686	316 040 4336	409
32 21 1 138 850	316 040 4315	408
32 21 1 138 854	316 040 4331	409
32 21 1 138 855	316 040 4336	409
32 21 1 138 864	316 040 4331	409
32 21 1 139 786	300 322 1104 300 322 1104/S 314 620 0001/S	398, 400
32 21 1 139 987	316 050 4371	447
32 21 1 139 988	316 050 4370	448
32 21 1 141 345	316 020 4350	431
32 21 1 141 346	316 020 4351	431
32 21 1 145 106	316 040 0137	409
32 21 2 775 000	316 030 0138	418
32 21 2 775 002	316 030 0138	418
32 21 6 751 039	316 030 0006	412
32 21 6 751 040	316 030 0024	413
32 21 6 751 041	316 020 0014	423
32 21 6 751 042	316 020 0015	423
32 21 6 751 277	316 030 0010/HD	402, 413
32 21 6 751 277*	316 030 3044	402, 413
32 21 6 756 368	316 030 0001 316 030 3042	403, 413
32 21 6 756 369	316 030 0002	424
32 21 6 760 354	316 020 0005/HD	423
32 21 6 760 470	316 030 0010/HD	413
32 21 6 762 243	316 030 0012/HD	407, 420
32 21 6 762 243*	316 031 0004	407, 420
32 21 6 762 244	316 030 0013/HD	407, 420
32 21 6 762 244*	316 031 0004	407, 420
32 21 6 762 403	316 030 0011 316 031 0003	404, 414

Ref. no.	MEYLE no.	Page
BMW		
32 21 6 767 860	316 020 0011	432
32 21 6 767 861	316 030 0016 316 031 0003	404, 421
32 21 6 773 739	316 020 0020	424
32 21 6 773 741	316 030 0021	402, 415
32 21 6 773 741*	316 030 3044	402, 415
32 21 6 777 451	316 030 0016	404, 421
32 21 6 777 451*	316 031 0003	404, 421
32 21 9 057 204	316 040 0137	409
32 30 3 418 202	316 020 0006	432
32 30 3 418 204	316 030 0009	402, 410
32 30 3 418 204*	316 030 3044	402, 410
32 41 1 091 974	359 203 0003	389
32 41 1 091 975	359 203 0001	388
32 41 1 091 976	359 203 0002	389
32 41 1 092 087	359 203 0005	390
32 41 1 092 135	314 631 0008	385
32 41 1 092 433	314 631 0000	385
32 41 1 092 741	314 631 0007	385
32 41 1 092 742	314 631 0007	385
32 41 1 092 954	314 631 0000	385
32 41 1 093 040	314 631 0007	385
32 41 1 093 129	359 203 0003	389
32 41 1 093 130	359 202 0001	393
32 41 1 093 149	359 203 0004	389
32 41 1 093 247	359 203 0005	390
32 41 1 093 360	314 631 0002	386
32 41 1 093 460	359 202 0003	390
32 41 1 093 577	314 631 0002	386
32 41 1 093 578	314 631 0008	385
32 41 1 093 727	359 202 0005	390
32 41 1 093 728	359 202 0008	391
32 41 1 093 929	359 202 0002	391
32 41 1 094 098	314 631 0007	385
32 41 1 094 306	359 203 0006	391
32 41 1 094 841	359 202 0007	392
32 41 1 094 949	359 202 0020	395
32 41 1 094 951	359 632 0002	392
32 41 1 094 962	314 631 0003	386
32 41 1 094 965	314 631 0004	386
32 41 1 095 155	314 631 0014	387
32 41 1 095 515	359 203 0013	392
32 41 1 095 526	359 202 0001	393
32 41 1 095 748	314 631 0014	387
32 41 1 095 749	314 631 0014	387
32 41 1 097 149	314 631 0007	385

Ref. no.	MEYLE no.	Page
BMW		
32 41 1 097 164	314 632 0000	396
32 41 1 126 845	314 631 0009	387
32 41 1 127 046	314 631 0009	387
32 41 1 128 040	314 631 0009	387
32 41 1 132 189	314 631 0009	387
32 41 1 132 936	314 631 0009	387
32 41 1 133 158	314 631 0006	387
32 41 1 133 386	314 631 0006	387
32 41 1 133 969	314 631 0009	387
32 41 1 133 970	314 631 0009	387
32 41 1 136 205	314 631 0009	387
32 41 1 137 835	314 631 0001	388
32 41 1 138 122	314 631 0001	388
32 41 1 138 419	359 202 0010	393
32 41 1 141 039	314 631 0001	388
32 41 1 141 040	314 631 0001	388
32 41 1 141 045	314 631 0001	388
32 41 1 141 046	314 631 0001	388
32 41 1 141 243	314 631 0009	387
32 41 1 141 417	314 631 0001	388
32 41 1 141 419	314 631 0001	388
32 41 1 141 505	359 203 0011	393
32 41 1 141 714	359 203 0012	394
32 41 1 141 716	359 202 0016	394
32 41 1 141 858	359 202 0021	394
32 41 1 141 859	359 202 0018	395
32 41 1 141 953	359 202 0019	395
32 41 3 413 476	316 020 0006	432
32 41 3 413 807	314 631 0014	387
32 41 3 450 765	314 631 0014	387
32 41 6 750 111	314 631 0003	386
32 41 6 750 423	314 631 0015	388
32 41 6 754 172	314 631 0014	387
32 41 6 756 575	314 631 0014	387
32 41 6 756 930	314 631 0014	387
32 41 6 757 465	314 631 0014	387
32 41 6 760 036	314 631 0015	388
32 41 6 764 725	359 202 0020	395
32 41 6 851 217	314 632 0000	396
33 17 0 392 928	300 331 7604	531
33 17 0 403 288	300 331 7604	531
33 17 1 090 099	300 331 7101	529
33 17 1 090 389	300 331 7101	529
33 17 1 091 685	300 331 7101	529
33 17 1 093 008	300 331 7100	529
33 17 1 093 175	300 331 7109	532

Ref. no.	MEYLE no.	Page
BMW		
33 17 1 093 565	300 331 7601/HD	530
33 17 1 103 842	300 331 7104	199
33 17 1 121 908	300 331 7104	199
33 17 1 126 951	300 331 7104	199
33 17 1 129 783	300 331 7105	199
33 17 1 129 786	300 331 7105	199
33 17 1 131 903	300 331 7102	530
33 17 1 135 242	300 331 7110	200
33 17 6 751 808	300 331 7601/HD	530
33 17 6 757 313	300 331 7604	531
33 17 6 757 314	300 331 7603	531
33 17 6 758 081	300 331 7602	537
33 17 6 760 287	314 710 0002	530
33 17 6 760 288	314 710 0003	531
33 17 6 770 763	300 331 7604	531
33 17 6 770 764	300 331 7603	531
33 17 6 770 768	300 331 7602	537
33 17 6 770 788	300 331 7109	532
33 17 6 770 866	314 710 0003	531
33 20 7 518 902	300 332 0701	170
33 21 1 209 551	300 332 1905 300 332 1905/SK	173
33 21 1 225 541	300 332 1901 300 332 1901/SK	170
33 21 1 226 719	300 332 1701	169
33 21 1 227 602	300 332 1903	171
33 21 1 229 205	300 332 1701 300 332 1904	169, 172
33 21 1 229 209	300 332 1102 300 332 1102/SK	164–165
33 21 1 229 213	300 332 1103	165
33 21 1 229 221	300 332 1902	171
33 21 1 229 372	314 495 0004	166
33 21 1 229 373	314 495 0005	166
33 21 1 229 375	300 332 1104	166
33 21 1 229 376	300 332 1702 300 332 1902	169, 171
33 21 1 229 378	314 495 0008	167
33 21 1 229 379	314 495 0006	167
33 21 1 229 589	314 495 0002	167
33 21 1 229 590	314 495 0003	168
33 21 1 229 593	300 332 1105	168
33 21 1 229 594	300 332 1101	168
33 21 7 504 524	314 495 0011	169
33 21 7 504 703	300 332 1701	169
33 21 7 504 704	300 332 1702	169

Ref. no.	MEYLE no.	Page
BMW		
33 21 7 529 920	314 495 0002	167
33 21 7 572 446	300 332 0701	170
33 21 9 067 810	300 332 1901 300 332 1901/SK	170
33 21 9 067 815	300 332 1902	171
33 21 9 067 817	300 332 1903	171
33 21 9 067 818	300 332 1904	172
33 21 9 067 819	314 495 0001	172
33 21 9 067 899	300 332 1904	172
33 21 9 067 906	300 332 1905 300 332 1905/SK	173
33 30 3 411 651	316 050 2100	498
33 30 6 772 241	316 050 0054	473
33 30 6 772 242	316 050 0055	474
33 30 6 773 941	316 050 0054	473
33 30 6 773 942	316 050 0055	474
33 31 0 392 927	300 333 1601/HD	535
33 31 0 403 287	300 333 1601/HD	535
33 31 1 090 274	300 333 1112	532
33 31 1 090 945	300 333 1001	532
33 31 1 090 946	300 333 1001	532
33 31 1 090 956	300 333 1112	532
33 31 1 091 422	300 333 1104	533
33 31 1 092 515	300 333 1109/HD	538
33 31 1 092 516	300 333 1110/HD	539
33 31 1 092 517	300 333 1108	535
33 31 1 093 662	300 333 1105/HD	534
33 31 1 094 036	300 333 1111/HD	533
33 31 1 096 772	300 333 1601/HD	535
33 31 1 121 041	300 333 1103/HD	534
33 31 1 126 747	300 333 1102	534
33 31 1 127 533	300 333 1103/HD	534
33 31 1 128 566	300 333 1102	534
33 31 1 128 670	300 333 1101/HD	533
33 31 1 128 702	300 333 1101/HD	533
33 31 1 129 144	300 333 1102	534
33 31 1 129 760	300 333 1101/HD	533
33 31 1 130 487	300 333 1103/HD	534
33 31 1 130 488	300 333 1103/HD	534
33 31 1 130 537	300 333 1102	534
33 31 1 132 251	300 333 1106	200
33 31 1 132 257	300 333 1106	200
33 31 6 757 393	300 333 1109/HD	538
33 31 6 757 394	300 333 1110/HD	539
33 31 6 758 259	314 710 0000	538
33 31 6 758 260	314 710 0001	538

Ref. no.	MEYLE no.	Page
BMW		
33 31 6 770 454	300 333 1105/HD	534
33 31 6 770 750	300 333 1601/HD	535
33 31 6 770 781	300 333 1108	535
33 31 6 770 783	300 333 1109/HD	538
33 31 6 770 784	300 333 1110/HD	539
33 31 9 059 300	300 333 1905	536
33 31 9 059 301	300 333 1906	536
33 32 0 300 946	316 035 0001	502
33 32 0 398 361	316 035 0001	502
33 32 0 403 294	316 035 0001	502
33 32 0 414 345	316 035 0001	502
33 32 0 421 750	316 035 0001	502
33 32 1 090 030	316 333 2101	475
33 32 1 090 504	316 010 4347	497, 540, 589
33 32 1 090 745	316 039 3807	500
33 32 1 090 815	316 050 0054	473
33 32 1 090 816	316 050 0055	474
33 32 1 090 905	316 050 3807	474
33 32 1 090 906	316 050 3808	475
33 32 1 091 620	316 333 2101	475
33 32 1 092 237	316 050 2100	498
33 32 1 092 247	300 333 2105	493
33 32 1 092 248	300 333 2102	493
33 32 1 094 209	316 050 0054	473
33 32 1 094 210	316 050 0055	474
33 32 1 095 411	316 035 0008	476
33 32 1 095 412	316 035 0007	476
33 32 1 095 414	316 035 0000	500
33 32 1 095 631	316 010 4347	497, 540, 589
33 32 1 096 797	316 035 0001	502
33 32 1 097 009	300 333 2104/HD	536
33 32 1 097 264	316 039 3807	500
33 32 1 110 115	300 333 2902	540
33 32 1 117 259	300 333 2902	540
33 32 1 123 462	300 333 2901	537
33 32 1 123 463	316 060 4225	498
33 32 1 123 774	300 333 2902	540
33 32 1 125 563	300 333 2901	537
33 32 1 125 665	316 060 4225	498
33 32 1 126 476	316 060 4225	498
33 32 1 136 311	300 333 2103	494
33 32 1 137 459	300 333 2901	537
33 32 1 137 564	300 333 2902	540
33 32 1 137 571	300 333 2105	493
33 32 1 137 806	300 333 2104/HD	536
33 32 1 138 380	316 050 2100	498

Ref. no.	MEYLE no.	Page
BMW		
33 32 1 138 383	300 333 2102	493
33 32 1 138 722	316 010 0004	590
33 32 1 140 345	316 010 0004	590
33 32 2 228 153	300 333 2104/HD	536
33 32 2 282 065	316 035 0001	502
33 32 2 779 820	316 035 0001	502
33 32 4 046 917	316 050 0039	478
33 32 4 046 918	316 050 0040	478
33 32 6 750 371	316 010 4347	497, 540, 589
33 32 6 756 249	316 710 0001	590
33 32 6 757 885	300 333 2104/HD	536
33 32 6 758 141	316 050 0054	473
33 32 6 758 142	316 050 0055	474
33 32 6 759 157	316 050 0054	473
33 32 6 759 158	316 050 0055	474
33 32 6 760 675	316 050 2100	498
33 32 6 763 092	316 710 0000	539
33 32 6 763 093	314 710 0004	540
33 32 6 763 324	316 035 0001	502
33 32 6 763 471	316 050 0026	499
33 32 6 763 473	316 050 0025	486, 502
33 32 6 763 473*	314 710 0005 314 710 0006	486, 502
33 32 6 765 425	316 050 0024	499
33 32 6 765 535	316 050 0024	499
33 32 6 767 748	316 010 4347	497, 540, 589
33 32 6 767 753	316 050 0054	473
33 32 6 767 754	316 050 0055	474
33 32 6 767 759	316 050 0054	473
33 32 6 767 760	316 050 0055	474
33 32 6 767 831	316 050 0054	473
33 32 6 767 832	316 050 0055	474
33 32 6 767 967	316 050 0054	473
33 32 6 767 968	316 050 0055	474
33 32 6 768 268	316 035 0001	502
33 32 6 768 269	316 035 0000	500
33 32 6 768 273	316 035 0008	476
33 32 6 768 274	316 035 0007	476
33 32 6 768 789	316 050 0054	473
33 32 6 768 790	316 050 0055	474
33 32 6 768 791	316 039 3807	500
33 32 6 769 971	316 050 0054	473
33 32 6 769 972	316 050 0055	474
33 32 6 770 059	316 050 3807	474
33 32 6 770 060	316 050 3808	475
33 32 6 770 742	316 035 0000	500

Ref. no.	MEYLE no.	Page
BMW		
33 32 6 770 747	316 035 0008	476
33 32 6 770 748	316 035 0007	476
33 32 6 770 749	316 333 2101	475
33 32 6 770 753	316 035 0001	502
33 32 6 770 775	316 050 0054	473
33 32 6 770 776	316 050 0055	474
33 32 6 770 786	300 333 2104/HD	536
33 32 6 770 813	316 050 2100	498
33 32 6 770 817	300 333 2104/HD	536
33 32 6 770 824	300 333 2102	493
33 32 6 770 829	314 710 0004	540
33 32 6 770 839	316 050 0054	473
33 32 6 770 840	316 050 0055	474
33 32 6 770 859	316 035 0008	476
33 32 6 770 860	316 035 0007	476
33 32 6 770 963	316 050 0039	478
33 32 6 770 964	316 050 0040	478
33 32 6 770 969	316 050 0041	477
33 32 6 770 970	316 050 0042	477
33 32 6 770 985	316 010 0012	589
33 32 6 771 828	300 333 2103	494
33 32 6 774 793	316 050 0054	473
33 32 6 774 794	316 050 0055	474
33 32 6 774 795	316 035 0001	502
33 32 6 774 796	316 035 0000	500
33 32 6 774 841	316 050 0054	473
33 32 6 774 842	316 050 0055	474
33 32 6 775 083	316 035 0010	501
33 32 6 775 084	316 035 0011	501
33 32 6 775 551	316 010 0004	590
33 32 6 775 552	316 710 0001	590
33 32 6 777 424	316 035 0001	502
33 32 6 777 425	316 050 0054	473
33 32 6 777 426	316 050 0055	474
33 32 6 777 980	316 050 0025	486, 502
33 32 6 777 980*	314 710 0005 314 710 0006	486, 502
33 32 6 779 387	316 050 0039	478
33 32 6 779 388	316 050 0040	478
33 32 6 782 237	316 050 0024	499
33 32 6 782 238	316 050 0024	499
33 32 6 792 553	316 710 0001	590
33 32 9 058 821	300 333 2902	540
33 32 9 058 823	300 333 2901	537
33 32 9 061 945	300 333 2902	540
33 32 9 061 946	300 333 2901	537

Ref. no.	MEYLE no.	Page
BMW		
33 41 1 090 505*	300 334 1105	594
33 41 1 093 102	300 343 1101 300 343 1101/S	605–606
33 41 1 093 567	314 752 0003	604
33 41 1 093 725	300 343 1101 300 343 1101/S	605–606
33 41 1 095 238*	314 752 0001	605
33 41 1 095 652	300 343 1101 300 343 1101/S	605–606
33 41 1 095 654	300 343 1101 300 343 1101/S	605–606
33 41 1 123 415	300 334 1103	592, 594
33 41 1 123 415*	300 334 1103/S	592, 594
33 41 1 123 426	300 334 1100 300 334 1100/S	593, 595
33 41 1 124 358	300 334 1101	593, 595
33 41 1 124 358*	300 334 1101/S	593, 595
33 41 1 130 617	300 334 1102 300 334 1102/S	591, 595
33 41 1 131 670	300 334 1100 300 334 1100/S	593, 595
33 41 1 133 123	300 334 1100 300 334 1100/S	593, 595
33 41 1 133 124	300 334 1100	593
33 41 1 134 549	300 334 1100 300 334 1100/S	593, 595
33 41 1 136 180	314 752 0003	604
33 41 1 137 685	300 334 1105	594
33 41 1 468 747	300 334 1102 300 334 1102/S	591, 595
33 41 1 468 904	300 334 1105	594
33 41 1 468 928	300 334 1101	593
33 41 2 220 987	300 334 1102/S	595
33 41 6 760 056	314 752 0006	606
33 41 6 762 314*	314 752 0002	596
33 41 6 762 317*	314 750 0000	596
33 41 6 762 321	300 750 0001	597
33 41 6 762 322	300 750 0001	597
33 41 6 770 974	314 750 0004	597
33 41 6 795 961	314 750 0004	597
33 50 3 412 794	316 060 0011/HD	523
33 50 3 413 197	316 060 0011/HD	523
33 50 3 413 789	326 725 0025	574
33 50 3 413 790	326 725 0025	574
33 50 3 414 297	316 060 0011/HD	523
33 50 3 449 392	326 725 0025	574

Ref. no.	MEYLE no.	Page
BMW		
33 50 3 451 402	326 725 0025	574
33 50 3 451 404	326 725 0025	574
33 50 4 034 410	314 742 0003	560
33 50 4 035 261	326 725 0016	578
33 50 4 035 872	326 725 0016	578
33 50 4 035 929	300 335 9102/HD	585
33 50 4 035 931	300 335 9102/HD	585
33 50 6 751 543	326 725 0012	574
33 50 6 751 544	326 725 0012	574
33 50 6 757 047	314 742 0002	557
33 50 6 757 368	314 742 0001	558
33 50 6 773 628	314 742 0007	558
33 50 6 781 537	316 060 0029/HD	523
33 50 6 781 538	316 060 0000/HD	524
33 50 6 781 539	316 060 0024/HD	524
33 50 6 781 540	316 060 0012/HD	525
33 50 6 785 607	316 060 0042/HD	525
33 50 6 785 608	316 060 0043/HD	525
33 52 0 363 604	326 725 0025	574
33 52 0 363 605	326 725 0025	574
33 52 1 090 826	326 725 0008	576
33 52 1 090 830	326 725 0008	576
33 52 1 091 095	326 725 0008	576
33 52 1 091 238	300 335 2108	586
33 52 1 091 274	326 725 0008	576
33 52 1 091 421	326 725 0010	575
33 52 1 091 629	326 725 0004	578
33 52 1 091 710	300 335 2106	585
33 52 1 092 278	326 725 0002	575
33 52 1 092 309	326 725 0008	576
33 52 1 092 362	300 335 9102/HD	585
33 52 1 092 489	326 725 0008	576
33 52 1 092 575	326 725 0026	576
33 52 1 093 416	300 335 2110	586
33 52 1 093 646	326 725 0007	576
33 52 1 094 091	300 335 2108	586
33 52 1 094 187	326 725 0026	576
33 52 1 094 467	326 725 0007	576
33 52 1 095 061	326 725 0026	576
33 52 1 095 646	326 725 0008	576
33 52 1 095 647	326 725 0000	578
33 52 1 095 788	326 725 0026	576
33 52 1 095 913	326 725 0008	576
33 52 1 096 278	326 725 0012	574
33 52 1 096 366	326 725 0000	578
33 52 1 097 272	300 335 2109	588

Ref. no.	MEYLE no.	Page
BMW		
33 52 1 125 156	326 725 0004	578
33 52 1 125 554	300 335 9102/HD	585
33 52 1 126 351	314 600 0001	553
33 52 1 126 561	326 725 0006	577
33 52 1 127 491	326 725 0004	578
33 52 1 128 130	326 725 0004	578
33 52 1 128 734	314 600 0001	553
33 52 1 128 819	300 335 9102/HD	585
33 52 1 131 085	326 725 0004	578
33 52 1 131 112	326 725 0004	578
33 52 1 131 395	326 725 0013	577
33 52 1 132 078	300 335 1104/HD 300 335 2104/HD	587
33 52 1 132 088	300 355 2105/HD	586
33 52 1 132 250	326 725 0004	578
33 52 1 132 270	300 335 1104/HD 300 335 2104/HD	587
33 52 1 132 489	326 725 0004	578
33 52 1 133 182	326 725 0004	578
33 52 1 133 225	326 725 0004	578
33 52 1 133 231	326 725 0004	578
33 52 1 133 233	326 725 0004	578
33 52 1 133 519	326 725 0006	577
33 52 1 133 564	326 725 0004	578
33 52 1 133 596	326 725 0002	575
33 52 1 133 601	326 725 0002	575
33 52 1 135 180	326 725 0004	578
33 52 1 135 466	326 725 0004	578
33 52 1 135 613	326 725 0002	575
33 52 1 135 636	326 725 0004	578
33 52 1 135 860	326 725 0002	575
33 52 1 135 888	326 725 0004	578
33 52 1 136 283	300 335 2111	552
33 52 1 137 927	326 725 0008	576
33 52 1 137 972	300 335 9102/HD	585
33 52 1 138 158	326 725 0008	576
33 52 1 138 669	326 725 0002	575
33 52 2 282 099	326 725 0000	578
33 52 2 282 100	326 725 0008	576
33 52 2 282 461	326 725 0008	576
33 52 3 413 234	326 725 0025	574
33 52 3 413 259	326 725 0025	574
33 52 3 413 789	326 725 0025	574
33 52 3 413 790	326 725 0025	574
33 52 3 414 164	326 725 0025	574
33 52 4 048 553	326 725 0020	579

Ref. no.	MEYLE no.	Page
BMW		
33 52 4 048 554	326 725 0021	580
33 52 6 750 361	326 725 0012	574
33 52 6 750 781	326 725 0008	576
33 52 6 750 782	326 725 0000	578
33 52 6 750 783	326 725 0008	576
33 52 6 750 784	326 725 0000	578
33 52 6 753 810	314 741 0000	588
33 52 6 754 096	300 335 9102/HD	585
33 52 6 755 839	326 725 0012	574
33 52 6 757 045	326 725 0000	578
33 52 6 757 365	326 725 0008	576
33 52 6 757 366	326 725 0008	576
33 52 6 759 099	326 725 0008	576
33 52 6 759 100	326 725 0008	576
33 52 6 764 875	326 725 0012	574
33 52 6 766 065	326 725 0017	580
33 52 6 766 587	326 725 0018	580
33 52 6 766 605	326 725 0017	580
33 52 6 767 702	326 725 0012	574
33 52 6 768 544	314 741 0001	587
33 52 6 768 917	326 725 0016	578
33 52 6 768 921	326 725 0016	578
33 52 6 769 744	314 741 0000	588
33 52 6 771 555	326 725 0016	578
33 52 6 771 725	326 725 0016	578
33 52 6 771 729	326 725 0016	578
33 52 6 772 811	314 741 0001	587
33 52 6 772 864	314 600 0001	553
33 52 6 772 916	326 725 0016	578
33 52 6 773 253	326 725 0019	579
33 52 6 773 669	300 335 2109	588
33 52 6 775 059	326 725 0017	580
33 52 6 778 677	326 725 0020	579
33 52 6 778 678	326 725 0021	580
33 52 6 779 611	314 741 0000	588
33 52 6 779 670	300 335 9102/HD	585
33 52 6 779 985	326 725 0019	579
33 52 6 780 077	326 725 0016	578
33 52 6 780 081	326 725 0016	578
33 52 6 780 489	326 725 0020	579
33 52 6 780 490	326 725 0021	580
33 52 6 781 921	326 725 0020	579
33 52 6 781 922	326 725 0021	580
33 52 6 785 982	326 725 0017	580
33 52 6 786 524	326 725 0018	580
33 53 1 091 031	300 335 3104	558

Ref. no.	MEYLE no.	Page
BMW		
33 53 1 091 548	314 739 0009	543
33 53 1 091 640	314 740 0002	545
33 53 1 093 632	314 739 0003	543
33 53 1 093 633	314 739 0003	543
33 53 1 093 634	314 739 0003	543
33 53 1 093 939	314 739 0010	543
33 53 1 093 940	314 739 0003	543
33 53 1 094 740	314 739 0013	544
33 53 1 095 732	314 739 0000	544
33 53 1 095 736	314 739 0013	544
33 53 1 096 187	314 739 0002	545
33 53 1 132 248	314 033 0003	544
33 53 1 135 624	300 335 3103	559
33 53 1 136 395	300 335 3101	559
33 53 6 750 756	314 739 0002	545
33 53 6 757 047	314 742 0002	557
33 53 6 757 368	314 742 0001	558
33 53 6 761 027	314 742 0000	559
33 53 6 767 334	314 742 0003	560
33 53 6 767 335	314 742 0005	560
33 53 6 771 381	314 742 0006	560
33 55 1 091 497	316 060 4365/HD	527
33 55 1 092 292	300 335 5105	526
33 55 1 093 663	300 335 5103	510
33 55 1 094 619	316 060 4610	526
33 55 1 095 532	300 335 5105	526
33 55 1 095 696	316 060 4365/HD	527
33 55 1 096 735	316 060 0008/HD	527
33 55 1 124 375	300 335 5102	527
33 55 1 126 932	300 335 5102	527
33 55 1 131 131	300 335 5101	528
33 55 1 131 155	300 335 5107	511
33 55 1 135 307	300 335 5101	528
33 55 6 751 269	314 615 0003	508
33 55 6 753 770	316 060 0024/HD	524
33 55 6 757 460	316 060 0000/HD	524
33 55 6 761 000	316 060 0012/HD	525
33 55 6 764 428	316 060 0020/HD	528
33 55 6 771 937	316 060 0029/HD	523
34 10 1 166 071	315 521 3029 315 521 3029/PD	41
34 10 6 787 490	315 521 0012/PD	42
34 10 6 856 191	025 251 9919	120
34 10 6 859 181	025 251 9919	120
34 10 6 859 182	025 251 9919	120
34 11 0 301 476	025 237 3017	123

Ref. no.	MEYLE no.	Page
BMW		
34 11 1 111 649	025 204 3715	106
34 11 1 116 675	315 521 3012	44
34 11 1 117 002	025 205 8816	105
34 11 1 117 979	025 204 3715	106
34 11 1 119 248	315 521 3012	44
34 11 1 121 902	315 521 3014	45
34 11 1 150 524	025 205 8816	105
34 11 1 150 527	025 205 8816	105
34 11 1 151 655	315 521 3004	44
34 11 1 151 656	315 521 3004	44
34 11 1 152 297	315 521 3014	45
34 11 1 152 655	025 205 8816	105
34 11 1 153 195	314 698 0006	133
34 11 1 153 200	100 698 0008	132
34 11 1 153 203	025 206 2919	107
34 11 1 153 910	025 206 2919	107
34 11 1 154 442	025 211 7317	107
34 11 1 154 443	025 211 7317	107
34 11 1 154 611	025 206 2919	107
34 11 1 154 612	025 206 2919	107
34 11 1 154 747	315 521 3009	51
34 11 1 154 749	315 521 3001	42
34 11 1 154 750	315 521 3001	42
34 11 1 154 974	315 521 3014	45
34 11 1 155 076	025 206 2919	107
34 11 1 155 322	315 521 3005	52
34 11 1 155 998	025 211 7317	107
34 11 1 155 999	025 211 7317	107
34 11 1 156 462	025 206 2919	107
34 11 1 156 898	025 211 7317	107
34 11 1 156 899	025 211 7317	107
34 11 1 157 038	314 698 0006	133
34 11 1 157 039	025 209 6820	106
34 11 1 157 041	100 698 0008	132
34 11 1 157 391	315 521 3005	52
34 11 1 157 503	315 521 3008	43
34 11 1 157 510	025 206 2919	107
34 11 1 157 569	025 209 6820	106
34 11 1 157 747	025 211 7317	107
34 11 1 157 748	025 211 7317	107
34 11 1 157 813	025 209 6820	106
34 11 1 157 923	025 206 2919	107
34 11 1 157 924	025 206 2919	107
34 11 1 158 038	315 521 3005	52
34 11 1 158 040	315 521 3008	43
34 11 1 158 042	315 521 3006	43

Ref. no.	MEYLE no.	Page
BMW		
34 11 1 158 200	100 698 0008	132
34 11 1 158 265	025 209 6820	106
34 11 1 158 267	025 209 6820	106
34 11 1 158 270	025 205 8816	105
34 11 1 159 249	025 205 8816	105
34 11 1 159 251	025 205 8816	105
34 11 1 159 257	025 204 3715	106
34 11 1 159 279	025 209 6820	106
34 11 1 159 415	025 206 2919	107
34 11 1 159 416	025 206 2919	107
34 11 1 159 895	315 521 3023 315 521 3023/PD	54
34 11 1 159 896	315 521 3005	52
34 11 1 159 897	315 521 3008	43
34 11 1 159 898	315 521 3006	43
34 11 1 160 263	025 204 3715	106
34 11 1 160 356	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 160 357	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 160 450	025 209 6820	106
34 11 1 160 451	025 209 6820	106
34 11 1 160 458	025 209 6820	106
34 11 1 160 459	025 209 6820	106
34 11 1 160 522	025 211 7317	107
34 11 1 160 532	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 160 673	315 521 3007 315 521 3007/PD	55
34 11 1 160 674	315 521 3011 315 521 3011/PD	46-47
34 11 1 160 847	315 521 3001	42
34 11 1 160 915	315 521 3001	42
34 11 1 160 936	315 521 3008	43
34 11 1 161 057	025 211 7317	107
34 11 1 161 347	025 211 7317	107
34 11 1 161 372	315 521 3050 315 521 3050/PD	57
34 11 1 161 437	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 161 438	025 216 4317 025 232 8717	109, 121

Ref. no.	MEYLE no.	Page
BMW		
	025 232 8717/PD	
34 11 1 161 445	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 161 446	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 161 693	315 521 3006	43
34 11 1 161 717	025 206 2919	107
34 11 1 162 093	315 521 3015 315 521 3015/PD	56
34 11 1 162 210	025 214 7118	110
34 11 1 162 282	315 521 3011 315 521 3011/PD	46–47
34 11 1 162 288	315 521 3011 315 521 3011/PD	46–47
34 11 1 162 481	025 211 7317	107
34 11 1 162 535	025 209 6820	106
34 11 1 163 013	315 521 3019 315 521 3019/PD	63
34 11 1 163 081	315 521 3019 315 521 3019/PD	63
34 11 1 163 128	315 521 3012	44
34 11 1 163 135	315 521 3004	44
34 11 1 163 136	315 521 3004	44
34 11 1 163 141	315 521 3014	45
34 11 1 163 142	315 521 3014	45
34 11 1 163 307	025 214 8619 025 214 8619/PD	110
34 11 1 163 387	025 216 7720 025 216 7720/PD	111
34 11 1 163 850	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 11 1 163 921	025 214 7118	110
34 11 1 163 953	025 216 7720 025 216 7720/PD	111
34 11 1 164 199	315 521 3011 315 521 3011/PD	46–47
34 11 1 164 330	025 216 7720 025 216 7720/PD	111
34 11 1 164 331	025 216 7720 025 216 7720/PD	111
34 11 1 164 431	315 521 3011 315 521 3011/PD	46–47
34 11 1 164 498	025 232 8717	109

Ref. no.	MEYLE no.	Page
BMW		
	025 232 8717/PD	
34 11 1 164 500	025 232 8717 025 232 8717/PD	109
34 11 1 164 539	315 521 3020 315 521 3020/PD	45–46
34 11 1 164 627	025 216 7720 025 216 7720/PD	111
34 11 1 164 629	025 216 7720 025 216 7720/PD	111
34 11 1 164 839	315 521 3019 315 521 3019/PD	63
34 11 1 164 921	315 521 3011 315 521 3011/PD	46–47
34 11 1 164 973	315 521 3050 315 521 3050/PD	57
34 11 1 165 227	025 214 8619 025 214 8619/PD	110
34 11 1 165 455	315 521 3011 315 521 3011/PD	46–47
34 11 1 165 555	025 232 8717 025 232 8717/PD	109
34 11 1 165 859	315 521 3024 315 521 3024/PD	62
34 11 2 157 570	025 232 8717 025 232 8717/PD	109
34 11 2 225 107	300 343 5101	226
34 11 2 226 081	025 206 2919	107
34 11 2 227 171	315 521 3051 315 521 3051/PD	47–48
34 11 2 227 172	315 521 3052 315 521 3052/PD	48–49
34 11 2 229 031	025 214 8619 025 214 8619/PD	110
34 11 2 283 764	025 233 4720	108
34 11 2 283 865	025 233 4720	108
34 11 3 400 151	315 521 3074 315 521 3074/PD	49–50
34 11 3 404 362	025 231 8320	108
34 11 4 073 936	025 251 9919	120
34 11 4 074 370	025 241 7019 025 241 7019/PD	119–120
34 11 6 750 148	025 231 8320	108
34 11 6 750 265	315 521 3058 315 521 3058/PD	50–51
34 11 6 750 267	315 521 3059 315 521 3059/PD	71

Ref. no.	MEYLE no.	Page
BMW		
34 11 6 750 713	315 521 3025 315 521 3025/PD	70
34 11 6 752 434	315 521 3009	51
34 11 6 752 482	025 232 8717 025 232 8717/PD	109
34 11 6 752 731	025 232 8717 025 232 8717/PD	109
34 11 6 753 091	315 521 3076 315 521 3076/PD	61
34 11 6 753 221	315 521 3060 315 521 3060/PD	52, 64
34 11 6 753 668	025 233 4720	108
34 11 6 754 705	025 231 8320	108
34 11 6 756 045	315 521 3025 315 521 3025/PD	70
34 11 6 756 090	315 521 3005	52
34 11 6 756 128	025 232 8717 025 232 8717/PD	109
34 11 6 756 350	025 234 4821 025 234 4821/PD	112
34 11 6 756 847	315 521 3070 315 521 3070/PD	53
34 11 6 757 526	315 521 3020 315 521 3020/PD	45–46
34 11 6 757 746	315 521 3023 315 521 3023/PD	54
34 11 6 757 750	315 521 3007 315 521 3007/PD	55
34 11 6 757 752	315 521 3015 315 521 3015/PD	56
34 11 6 757 756	315 521 3050 315 521 3050/PD	57
34 11 6 761 237	025 232 8717 025 232 8717/PD	109
34 11 6 761 242	025 232 8717 025 232 8717/PD	109
34 11 6 761 243	025 231 8320	108
34 11 6 761 244	025 232 8717 025 232 8717/PD	109
34 11 6 761 249	025 214 7118	110
34 11 6 761 252	025 214 8619 025 214 8619/PD	110
34 11 6 761 277	025 216 7720 025 216 7720/PD	111
34 11 6 761 278	025 216 7720 025 216 7720/PD	111

Ref. no.	MEYLE no.	Page
BMW		
34 11 6 761 279	025 216 7720 025 216 7720/PD	111
34 11 6 761 280	025 216 7720 025 216 7720/PD	111
34 11 6 761 282	025 234 4821 025 234 4821/PD	112
34 11 6 761 283	025 233 4720	108
34 11 6 761 284	025 233 4720	108
34 11 6 763 089	025 233 4720	108
34 11 6 763 305	025 237 3017	123
34 11 6 763 591	025 233 4720	108
34 11 6 763 617	025 237 9420 025 237 9420/PD	112–113
34 11 6 763 618	025 237 9420 025 237 9420/PD	112–113
34 11 6 763 652	025 237 9120 025 237 9120/PD	113–114
34 11 6 764 021	315 521 3061 315 521 3061/PD	72
34 11 6 764 312	025 237 9120 025 237 9120/PD	113–114
34 11 6 764 540	025 233 4720	108
34 11 6 764 629	315 521 3062 315 521 3062/PD	58
34 11 6 764 641	315 521 3063 315 521 3063/PD	59
34 11 6 764 643	315 523 3059 315 523 3059/PD	65–66
34 11 6 764 645	315 521 3064 315 521 3064/PD	60
34 11 6 765 457	315 521 3025 315 521 3025/PD	70
34 11 6 766 036	315 521 3025 315 521 3025/PD	70
34 11 6 766 107	315 521 3076 315 521 3076/PD	61
34 11 6 766 224	315 521 3020 315 521 3020/PD	45–46
34 11 6 766 239	315 521 3011 315 521 3011/PD	46–47
34 11 6 767 059	315 521 3024 315 521 3024/PD	62
34 11 6 767 061	315 521 3019 315 521 3019/PD	63
34 11 6 767 143	025 239 1517	115
34 11 6 767 144	025 239 1517	115

Ref. no.	MEYLE no.	Page
BMW		
34 11 6 767 191	025 233 4720	108
34 11 6 767 269	315 521 3060 315 521 3060/PD	52, 64
34 11 6 767 353	315 521 3082	64
34 11 6 767 580	025 233 4720	108
34 11 6 768 287	025 237 9120 025 237 9120/PD	113–114
34 11 6 769 100	025 237 9420 025 237 9420/PD	112–113
34 11 6 769 305	315 521 3029 315 521 3029/PD	41
34 11 6 769 763	025 239 3517 025 239 3517/PD	114
34 11 6 769 951	025 239 3517 025 239 3517/PD	114
34 11 6 770 575	025 237 9120 025 237 9120/PD	113–114
34 11 6 770 729	315 521 0002/PD	65
34 11 6 771 837	025 239 1517	115
34 11 6 771 838	025 239 1517	115
34 11 6 771 868	025 237 9420 025 237 9420/PD	112–113
34 11 6 771 972	025 240 9620	115
34 11 6 771 982	315 521 0006/PD	68
34 11 6 771 985	315 521 0004/PD	69
34 11 6 771 986	315 521 0005/PD	69
34 11 6 772 669	315 523 3059 315 523 3059/PD	65–66
34 11 6 774 050	025 239 1517	115
34 11 6 774 258	025 237 9120 025 237 9120/PD	113–114
34 11 6 774 875	315 521 0003/PD	66
34 11 6 775 310	025 246 9719	116
34 11 6 775 314	025 246 8820	118
34 11 6 775 318	025 250 4519	119
34 11 6 775 322	025 250 4519	119
34 11 6 776 161	025 233 4720 025 241 6120	108, 116
34 11 6 777 772	025 240 9620	115
34 11 6 778 048	025 241 7219 025 241 7219/PD	117–118
34 11 6 778 403	025 241 7019 025 241 7019/PD	119–120
34 11 6 779 293	025 241 7019 025 241 7019/PD	119–120
34 11 6 779 652	025 231 8320	108

Ref. no.	MEYLE no.	Page
BMW		
34 11 6 780 711	025 233 1320	116
34 11 6 781 873	025 233 4720	108
34 11 6 783 542	025 233 4720 025 241 6120	108, 116
34 11 6 786 044	025 243 1617	117
34 11 6 791 514	025 241 7219 025 241 7219/PD	117–118
34 11 6 792 215	315 521 0013/PD	67
34 11 6 792 217	315 521 0014/PD	67
34 11 6 792 219	315 521 0003/PD	66
34 11 6 792 221	315 521 0016/PD	68
34 11 6 793 243	315 521 0006/PD	68
34 11 6 793 244	315 521 0005/PD	69
34 11 6 793 245	315 521 0004/PD	69
34 11 6 794 300	315 521 3025 315 521 3025/PD	70
34 11 6 794 301	315 521 3011 315 521 3011/PD	46–47
34 11 6 794 302	315 521 3020 315 521 3020/PD	45–46
34 11 6 794 915	025 233 4720	108
34 11 6 794 917	025 233 4720	108
34 11 6 794 918	025 233 4720	108
34 11 6 798 978	025 251 9919	120
34 11 6 799 166	025 237 9420 025 237 9420/PD	112–113
34 11 6 850 567	025 250 1418	121
34 11 6 850 568	025 255 0618	118
34 11 6 850 885	025 246 8820	118
34 11 6 851 269	025 250 4519	119
34 11 6 852 253	025 241 7019 025 241 7019/PD	119–120
34 11 6 854 126	025 251 9919	120
34 11 6 854 996	315 521 3062 315 521 3062/PD	58
34 11 6 854 997	315 521 3063 315 521 3063/PD	59
34 11 6 854 998	315 523 3059 315 523 3059/PD	65–66
34 11 6 854 999	315 521 3064 315 521 3064/PD	60
34 11 6 855 000	315 521 0002/PD	65
34 11 6 855 006	315 521 0003/PD	66
34 11 6 855 152	315 521 3020 315 521 3020/PD	45–46
34 11 6 855 153	315 521 3011	46–47

Ref. no.	MEYLE no.	Page
BMW		
	315 521 3011/PD	
34 11 6 855 156	315 521 3029 315 521 3029/PD	41
34 11 6 856 193	025 251 9919	120
34 11 6 856 591	025 246 9719	116
34 11 6 858 047	025 246 9719	116
34 11 6 858 910	025 250 1418	121
34 11 6 859 679	315 521 3025 315 521 3025/PD	70
34 11 6 864 057	315 521 3059 315 521 3059/PD	71
34 11 6 864 058	315 521 3020 315 521 3020/PD	45-46
34 11 6 864 059	315 521 3061 315 521 3061/PD	72
34 11 6 864 905	315 521 3060 315 521 3060/PD	52, 64
34 11 9 061 081	025 206 2919	107
34 11 9 070 047	025 216 4317 025 232 8717 025 232 8717/PD	109, 121
34 20 1 166 073	315 523 3030 315 523 3030/PD	73
34 20 6 790 362	315 523 0015/PD	74
34 20 6 799 809	025 253 0717	132
34 21 0 403 290	025 237 3017	123
34 21 1 119 581	315 523 3001	85
34 21 1 121 387	315 523 3002	75
34 21 1 152 571	315 523 3002	75
34 21 1 153 140	315 523 3002	75
34 21 1 153 196	025 206 7516	122
34 21 1 153 913	025 206 7516	122
34 21 1 154 236	314 154 0001	154
34 21 1 154 398	025 206 7516	122
34 21 1 154 399	025 206 7516	122
34 21 1 154 613	025 206 7516	122
34 21 1 154 614	025 206 7516	122
34 21 1 155 499	315 523 3007	77
34 21 1 155 501	315 523 3008/PD	75
34 21 1 156 668	315 523 3004	74
34 21 1 156 744	025 206 7516	122
34 21 1 156 745	025 206 7516	122
34 21 1 156 746	025 206 7516	122
34 21 1 156 747	025 206 7516	122
34 21 1 156 749	025 206 7516	122
34 21 1 157 044	025 209 9517	122

Ref. no.	MEYLE no.	Page
BMW		
34 21 1 157 334	025 209 9517	122
34 21 1 157 360	315 523 3007	77
34 21 1 157 514	025 206 7516	122
34 21 1 157 563	025 209 9517	122
34 21 1 157 757	025 206 7516	122
34 21 1 157 758	025 206 7516	122
34 21 1 157 781	315 523 3006	78
34 21 1 157 814	025 209 9517	122
34 21 1 157 925	025 206 7516	122
34 21 1 157 926	025 206 7516	122
34 21 1 157 953	315 523 3009 315 523 3009/PD	86-87
34 21 1 158 266	025 209 9517	122
34 21 1 158 270	025 209 9517	122
34 21 1 158 323	025 206 7516	122
34 21 1 158 556	315 523 3056	133
34 21 1 158 912	025 206 7516	122
34 21 1 158 936	315 523 3005 315 523 3005/PD	78-79
34 21 1 159 273	025 206 7516	122
34 21 1 159 276	025 206 7516	122
34 21 1 159 486	315 523 3079	134
34 21 1 159 569	314 159 0000	155
34 21 1 159 900	315 523 3009 315 523 3009/PD	86-87
34 21 1 160 198	025 209 9517	122
34 21 1 160 199	025 209 9517	122
34 21 1 160 340	025 219 3417	124
34 21 1 160 533	025 219 3417	124
34 21 1 160 809	315 523 3055 315 523 3055/PD	87-88
34 21 1 161 455	025 219 3417	124
34 21 1 162 289	315 523 3005 315 523 3005/PD	78-79
34 21 1 162 305	315 523 3004	74
34 21 1 162 315	315 523 3021 315 523 3021/PD	76-77
34 21 1 162 446	025 216 0717 025 216 0717/PD	124
34 21 1 162 536	025 209 9517	122
34 21 1 162 967	315 523 3008/PD	75
34 21 1 162 968	315 523 3002	75
34 21 1 163 138	315 523 3008/PD	75
34 21 1 163 140	315 523 3002	75
34 21 1 163 153	315 523 3012 315 523 3012/PD	96-97

Ref. no.	MEYLE no.	Page
BMW		
34 21 1 163 324	025 214 8717	125
34 21 1 163 326	025 214 8717	125
34 21 1 163 395	025 216 9117 025 216 9117/PD	125–126
34 21 1 163 669	315 523 3018 315 523 3018/PD	95–96
34 21 1 163 835	315 523 3018 315 523 3018/PD	95–96
34 21 1 163 845	315 523 3058	76
34 21 1 164 129	315 523 3018 315 523 3018/PD	95–96
34 21 1 164 175	315 523 3012 315 523 3012/PD	96–97
34 21 1 164 399	315 523 3058	76
34 21 1 164 499	025 219 3417	124
34 21 1 164 501	025 219 3417	124
34 21 1 164 581	025 214 8717	125
34 21 1 164 582	025 214 8717	125
34 21 1 164 840	315 523 3012 315 523 3012/PD	96–97
34 21 1 164 911	315 523 3026 315 523 3026/PD	92–93
34 21 1 165 211	315 523 3021 315 523 3021/PD	76–77
34 21 1 165 233	025 216 0717 025 216 0717/PD	124
34 21 1 165 235	025 219 3417	124
34 21 1 165 257	315 523 3007	77
34 21 1 165 259	315 523 3006	78
34 21 1 165 457	315 523 3005 315 523 3005/PD	78–79
34 21 1 165 563	315 523 3022	79
34 21 1 166 127	315 523 3060 315 523 3060/PD	80
34 21 1 166 129	315 523 3061 315 523 3061/PD	81
34 21 1 166 131	315 523 3080	82
34 21 2 157 575	025 232 8717 025 232 8717/PD	109
34 21 2 226 013	025 206 7516	122
34 21 2 226 092	025 209 9517	122
34 21 2 227 177	315 523 3072	82
34 21 2 227 178	315 523 3071	83
34 21 2 283 366	025 237 3017	123
34 21 2 284 296	025 237 3017	123
34 21 2 284 389	025 247 0318	123

Ref. no.	MEYLE no.	Page
BMW		
34 21 2 284 685	025 237 3017	123
34 21 3 332 217	315 523 3075 315 523 3075/PD	83–84
34 21 4 031 725	315 523 3068 315 523 3068/PD	97–98
34 21 6 750 160	025 214 8717	125
34 21 6 750 190	025 219 3417	124
34 21 6 752 545	315 523 0013/PD	95
34 21 6 752 632	025 214 8717	125
34 21 6 753 215	315 523 3062 315 523 3062/PD	98–99
34 21 6 753 850	025 234 4717	126
34 21 6 754 137	315 523 0014/PD	84
34 21 6 755 407	315 523 3001	85
34 21 6 756 849	315 523 3078 315 523 3078/PD	85–86
34 21 6 757 536	025 237 3017	123
34 21 6 757 748	315 523 3009 315 523 3009/PD	86–87
34 21 6 758 552	315 523 3055 315 523 3055/PD	87–88
34 21 6 758 870	025 234 4717	126
34 21 6 761 238	025 216 0717 025 216 0717/PD	124
34 21 6 761 239	025 219 3417	124
34 21 6 761 240	025 214 8717	125
34 21 6 761 241	025 219 3417	124
34 21 6 761 248	025 214 8717	125
34 21 6 761 250	025 214 8717	125
34 21 6 761 251	025 214 8717	125
34 21 6 761 253	025 209 9517	122
34 21 6 761 281	025 216 9117 025 216 9117/PD	125–126
34 21 6 761 285	025 234 4717	126
34 21 6 761 286	025 237 3017	123
34 21 6 763 043	025 237 3217 025 237 3217/PD	126–127
34 21 6 763 044	025 237 3217 025 237 3217/PD	126–127
34 21 6 763 345	315 523 0007/PD	88
34 21 6 764 647	315 523 3063 315 523 3063/PD	89
34 21 6 764 649	315 523 3068 315 523 3068/PD	97–98
34 21 6 764 651	315 523 3064 315 523 3064/PD	90

Ref. no.	MEYLE no.	Page
BMW		
34 21 6 764 653	315 523 3065 315 523 3065/PD	91, 104
34 21 6 764 655	315 523 3066 315 523 3066/PD	91–92
34 21 6 765 458	315 523 3026 315 523 3026/PD	92–93
34 21 6 765 889	315 523 3067 315 523 3067/PD	93–94
34 21 6 765 891	315 523 3081/PD	94
34 21 6 766 219	315 523 0014/PD	84
34 21 6 766 225	315 523 0013/PD	95
34 21 6 767 049	315 523 3018 315 523 3018/PD	95–96
34 21 6 767 060	315 523 3012 315 523 3012/PD	96–97
34 21 6 767 145	025 236 2316 025 236 2316/PD	129–130
34 21 6 767 146	025 236 2316 025 236 2316/PD	129–130
34 21 6 767 148	025 239 2617	127
34 21 6 767 150	025 239 2617	127
34 21 6 768 471	025 237 3017	123
34 21 6 769 105	025 235 5017 025 235 5017/PD	128
34 21 6 769 271	315 523 3068 315 523 3068/PD	97–98
34 21 6 771 970	315 523 0004/PD	104
34 21 6 771 971	315 523 0005/PD	103
34 21 6 772 085	315 523 3062 315 523 3062/PD	98–99
34 21 6 773 161	025 239 2617	127
34 21 6 774 692	025 239 2617	127
34 21 6 775 291	315 523 3082/PD	99
34 21 6 775 342	025 237 3116	131
34 21 6 775 346	025 247 0318	123
34 21 6 775 678	025 235 5017 025 235 5017/PD	128
34 21 6 776 937	025 212 8217 025 212 8217/PD	128–129
34 21 6 777 240	025 236 2316 025 236 2316/PD	129–130
34 21 6 778 051	315 523 0001/PD	100
34 21 6 778 168	025 219 3417	124
34 21 6 778 649	315 523 0006/PD	100
34 21 6 779 294	025 236 2316 025 236 2316/PD	129–130

Ref. no.	MEYLE no.	Page
BMW		
34 21 6 784 808	025 243 1517	130
34 21 6 787 931	315 523 0020/PD	101
34 21 6 788 183	025 236 2316 025 236 2316/PD	129–130
34 21 6 788 275	025 245 5918	130
34 21 6 788 284	025 245 6118	131
34 21 6 790 071	025 214 8717	125
34 21 6 790 966	025 237 3116	131
34 21 6 791 421	025 243 1517	130
34 21 6 791 938	025 235 5017 025 235 5017/PD	128
34 21 6 792 225	315 523 0016/PD	101
34 21 6 792 227	315 523 0017/PD	102
34 21 6 792 229	315 523 0018/PD	102
34 21 6 792 233	315 523 0019/PD	103
34 21 6 793 246	315 523 0005/PD	103
34 21 6 793 247	315 523 0004/PD	104
34 21 6 794 298	315 523 3058	76
34 21 6 794 303	315 523 0014/PD	84
34 21 6 794 306	315 523 0013/PD	95
34 21 6 795 755	315 523 0020/PD	101
34 21 6 796 741	025 245 6118	131
34 21 6 798 193	025 245 6118	131
34 21 6 850 569	025 253 0717	132
34 21 6 855 001	315 523 3063 315 523 3063/PD	89
34 21 6 855 004	315 523 3066 315 523 3066/PD	91–92
34 21 6 855 005	315 523 0001/PD	100
34 21 6 855 007	315 523 3064 315 523 3064/PD	90
34 21 6 855 008	315 523 3065 315 523 3065/PD	91, 104
34 21 6 855 154	315 523 3022 315 523 3022/PD	79, 105
34 21 6 855 155	315 523 3021 315 523 3021/PD	76–77
34 21 6 855 157	315 523 3030 315 523 3030/PD	73
34 21 6 862 202	025 245 6118	131
34 21 6 864 899	315 523 0019/PD	103
34 21 6 864 901	315 523 3065	104
34 21 9 064 270	314 906 4201	134
34 21 9 067 127	314 906 8101	134
34 30 1 163 080	300 343 2112	138
34 30 1 163 155	300 343 2113	138

Ref. no.	MEYLE no.	Page
BMW		
34 30 1 165 075	314 525 0001	141
34 30 1 165 174	300 343 2118	139
34 30 1 165 190	300 343 2114	139
34 30 1 165 249	300 343 2109	140
34 30 1 165 765	314 525 0006/S	140
34 30 1 165 766	314 525 0000/S	141
34 30 1 166 118	300 343 2121	141
34 30 1 166 248	314 525 0001	141
34 30 3 411 443	314 525 0003	142
34 30 3 411 444	314 525 0004	142
34 30 6 762 837	300 525 0007	143
34 30 6 762 838	300 525 0006	143
34 30 6 767 458	300 525 0004 300 525 0005	143-144
34 30 6 768 851	300 525 0007	143
34 30 6 771 690	314 525 0009	144
34 30 6 771 720	300 525 0005	144
34 30 6 776 293	314 525 0014	144
34 30 6 778 260	314 525 0013	145
34 30 6 782 862	314 525 0012	145
34 30 6 787 512	314 525 0016	145
34 30 6 788 437	314 525 0014	144
34 30 6 789 431	300 525 0007	143
34 30 6 789 433	300 525 0006	143
34 30 6 790 550	300 525 0005	144
34 30 6 792 253	300 525 0007	143
34 30 6 798 523	300 525 0006	143
34 30 6 799 424	314 525 0017	146
34 32 1 108 134	300 343 2100	147
34 32 1 113 183	300 343 2106	147
34 32 1 113 184	300 343 2103	147
34 32 1 115 694	300 343 2103	147
34 32 1 115 697	300 343 2100	147
34 32 1 153 107	300 343 2100	147
34 32 1 154 327	300 343 2102	148
34 32 1 154 904	300 343 2102	148
34 32 1 156 157	300 343 2105	149
34 32 1 159 524	300 343 2108	146
34 32 1 159 717	300 343 2107	146
34 32 1 159 878	300 343 2106	147
34 32 1 159 879	300 343 2103	147
34 32 1 159 881	300 343 2100	147
34 32 1 159 889	300 343 2104	148
34 32 1 159 890	300 343 2102	148
34 32 1 159 891	300 343 2105	149
34 32 1 162 477	314 525 0008	149

Ref. no.	MEYLE no.	Page
BMW		
34 32 1 162 479	314 525 0007	149
34 32 1 162 612	300 343 2111	150
34 32 1 162 616	300 343 2110	150
34 32 1 163 759	300 525 0011	150
34 32 1 165 587	300 343 2117	152
34 32 2 227 489	100 525 0012	151
34 32 2 228 295	300 525 0003	151
34 32 4 051 524	300 343 2100	147
34 32 6 753 610	300 525 0008	151
34 32 6 757 744	314 525 0005	152
34 32 6 760 909	300 525 0002	152
34 32 6 765 398	314 525 0012	145
34 32 6 766 966	300 343 2117	152
34 32 6 767 390	300 525 0002	152
34 32 6 768 124	314 525 0015	153
34 32 6 776 867	314 525 0018	153
34 32 6 776 868	314 525 0019	153
34 32 6 788 438	314 525 0019	153
34 32 6 788 439	314 525 0018	153
34 32 6 853 746	314 525 0019	153
34 35 1 163 065	300 343 5113	228
34 35 1 163 066	300 343 5163	224
34 35 1 163 207	300 343 5116	224
34 35 1 164 371	300 343 5114	225
34 35 1 164 372	300 343 5115	225
34 35 1 165 579	300 349 5119	225
34 35 1 165 580	300 343 5120	226
34 35 1 179 820	300 343 5101	226
34 35 1 180 432	300 343 5101	226
34 35 1 180 781	300 343 5101	226
34 35 1 181 337	300 343 5107	226
34 35 1 181 338	300 343 5107	226
34 35 1 181 342	300 343 5103	227
34 35 1 181 344	300 343 5103	227
34 35 1 181 802	300 343 5104	227
34 35 1 182 064	300 343 5110	227
34 35 1 182 065	300 343 5112	228
34 35 1 182 533	300 343 5108	228
34 35 2 229 018	300 343 5113	228
34 35 2 229 780	314 352 0000	229
34 35 2 282 935	314 527 0007	229
34 35 3 411 756	314 353 0000	229
34 35 3 411 757	314 353 0002	230
34 35 3 414 662	314 527 0008	230
34 35 6 751 311	300 343 5117	230
34 35 6 755 266	314 356 0000	233

Ref. no.	MEYLE no.	Page
BMW		
34 35 6 755 267	314 356 0001	233
34 35 6 757 896	314 356 0002	231
34 35 6 759 917	300 343 0000	232
34 35 6 759 918	300 343 0001	233
34 35 6 762 252	314 356 0005	231
34 35 6 762 253	314 356 0006	231
34 35 6 763 667	300 343 0002	234
34 35 6 764 298	300 343 0000	232
34 35 6 764 299	300 343 0001	233
34 35 6 764 851	314 356 0007	234
34 35 6 768 595	300 343 0000	232
34 35 6 768 596	300 343 0001	233
34 35 6 768 597	300 343 0002	234
34 35 6 771 766	314 527 0001	235
34 35 6 772 008	314 527 0003	235
34 35 6 773 008	314 527 0004	235
34 35 6 775 850	314 527 0019	232
34 35 6 775 858	314 527 0022	232
34 35 6 776 421	300 343 0000	232
34 35 6 776 422	300 343 0001	233
34 35 6 776 423	300 343 0002	234
34 35 6 777 649	314 527 0006	234
34 35 6 777 650	314 356 0007	234
34 35 6 778 037	314 356 0000	233
34 35 6 778 038	314 356 0001	233
34 35 6 779 619	314 527 0006	234
34 35 6 780 699	314 527 0001	235
34 35 6 789 439	314 356 0005	231
34 35 6 789 440	314 527 0006	234
34 35 6 789 441	314 356 0007	234
34 35 6 789 445	314 356 0006	231
34 35 6 789 492	300 343 0000	232
34 35 6 789 493	300 343 0001	233
34 35 6 789 494	300 343 0002	234
34 35 6 789 501	314 527 0003	235
34 35 6 789 502	314 527 0004	235
34 35 6 789 505	314 527 0001	235
34 35 6 790 341	314 527 0031	236
34 35 6 791 958	314 527 0016	236
34 35 6 791 960	314 527 0025	236
34 35 6 791 961	314 527 0017	237
34 35 6 791 962	314 527 0015	237
34 35 6 791 963	314 527 0029	237
34 35 6 792 289	314 527 0020	238
34 35 6 792 292	314 527 0021	238
34 35 6 792 559	314 527 0011	238

Ref. no.	MEYLE no.	Page
BMW		
34 35 6 792 560	314 527 0027	239
34 35 6 792 561	314 527 0028	239
34 35 6 792 564	314 527 0012	239
34 35 6 792 565	314 527 0024	240
34 35 6 792 567	314 527 0009	240
34 35 6 792 568	314 527 0013	240
34 35 6 792 571	314 527 0010	241
34 35 6 854 168	314 527 0010	241
34 35 7 836 795	314 527 0026	241
34 41 0 393 646	314 042 0008	137
34 41 1 118 053	314 115 9402	135
34 41 1 156 962	314 042 0008	137
34 41 1 157 823	314 115 9402	135
34 41 1 159 467	314 115 9402	135
34 41 1 159 468	314 115 9401	138
34 41 1 160 729	314 042 0005	135
34 41 1 160 924	314 042 0005	135
34 41 1 163 244	314 042 0006 314 042 0006/S	136
34 41 1 163 255	314 042 0006 314 042 0006/S	136
34 41 1 163 988	314 042 0007 314 042 0007/S	136-137
34 41 1 165 546	314 042 0008	137
34 41 1 165 962	314 042 0008	137
34 41 1 165 968	314 042 0006 314 042 0006/S	136
34 41 6 755 273	314 042 0006 314 042 0006/S	136
34 41 6 756 538	314 042 0008	137
34 41 6 761 289	314 042 0005	135
34 41 6 761 290	314 042 0006 314 042 0006/S	136
34 41 6 761 291	314 042 0006 314 042 0006/S	136
34 41 6 761 292	314 042 0007 314 042 0007/S	136-137
34 41 6 761 293	314 042 0008	137
34 41 6 761 294	314 115 9401	138
34 41 6 780 041	314 042 0008	137
34 41 6 790 186	314 042 0008	137
34 51 1 090 565	314 525 0010	154
34 52 0 025 720	314 899 0047	218
34 52 0 025 721	314 899 0061	216
34 52 0 025 722	314 899 0046	217
34 52 0 025 723	314 899 0024	217

Ref. no.	MEYLE no.	Page
BMW		
34 52 0 025 724	314 899 0027	218
34 52 0 025 726	314 899 0060	219
34 52 1 163 027	314 899 0001	212
34 52 1 163 188	314 899 0001	212
34 52 1 164 643	314 800 0041	212
34 52 1 164 651	314 899 0022	212
34 52 1 164 652	314 899 0048	213
34 52 1 165 519	314 899 0001	212
34 52 1 165 532	314 899 0061	216
34 52 1 165 533	314 899 0046	217
34 52 1 165 534	314 899 0024	217
34 52 1 165 535	314 899 0027	218
34 52 1 165 536	314 899 0047	218
34 52 1 165 609	314 899 0022	212
34 52 1 181 126	314 899 0002	223
34 52 1 181 971	314 899 0002	223
34 52 1 182 063	314 899 0002	223
34 52 1 182 067	314 899 0002	223
34 52 1 182 076	314 899 0035	213
34 52 1 182 077	314 899 0036	214
34 52 1 182 159	314 899 0030	214
34 52 1 182 160	314 899 0039	214
34 52 3 405 906	314 899 0063	215
34 52 3 405 907	314 899 0066	215
34 52 3 420 330	314 899 0063	215
34 52 3 420 331	314 899 0066	215
34 52 6 752 016	314 899 0056	218
34 52 6 752 681	314 899 0049	223
34 52 6 752 682	314 899 0050	216
34 52 6 752 683	314 899 0051	216
34 52 6 756 373	314 899 0061	216
34 52 6 756 374	314 899 0046	217
34 52 6 756 375	314 899 0024	217
34 52 6 756 376	314 899 0027	218
34 52 6 756 377	314 899 0047	218
34 52 6 756 379	314 899 0056	218
34 52 6 756 380	314 899 0060	219
34 52 6 756 573	314 899 0060	219
34 52 6 760 047	314 899 0068	220
34 52 6 760 424	314 899 0045	222
34 52 6 760 425	314 899 0062	222
34 52 6 760 534	314 899 0064	221
34 52 6 761 651	314 899 0059	221
34 52 6 761 801	314 899 0059	221
34 52 6 762 465	314 899 0033	219
34 52 6 762 466	314 899 0034	219

Ref. no.	MEYLE no.	Page
BMW		
34 52 6 762 476	314 899 0065	223
34 52 6 771 701	314 899 0068	220
34 52 6 771 702	314 899 0031	220
34 52 6 771 703	314 899 0032	221
34 52 6 771 705	314 899 0064	221
34 52 6 771 709	314 899 0059	221
34 52 6 785 020	314 899 0045	222
34 52 6 785 021	314 899 0062	222
34 52 6 785 022	314 899 0065	223
34 52 6 792 896	314 899 0050	216
34 52 6 792 897	314 899 0049	223
35 21 1 108 634	300 352 1101	27, 37
37 11 6 771 929	316 060 0036	528
37 11 6 771 930	316 060 0037	529
37 11 6 857 627	316 060 0036	528
37 11 6 857 628	316 060 0037	529
37 12 1 129 867	300 371 2102/HD	588
37 12 1 133 412	300 335 9102/HD	585
37 14 0 141 444	314 899 0073	267
37 14 1 093 697	314 899 0073	267
37 14 1 093 699	314 899 0073	267
37 14 6 778 811	314 899 0073	267
37 14 6 784 696	314 899 0073	267
37 21 1 124 595	300 372 1102	553
37 21 1 132 043	300 372 1102	553
51 23 1 868 555	340 160 3718	2
51 23 1 869 147	340 160 3072	1
51 23 1 906 286	340 160 3717	1
51 23 1 907 262	340 160 3718	2
51 23 1 907 962	340 160 3718	2
51 23 1 908 465	340 160 2696	2
51 23 1 927 129	340 160 3718	2
51 23 1 944 119	340 161 0065	2
51 23 1 960 852	340 161 0612	3
51 23 3 400 352	340 910 0010	3
51 23 7 008 745	340 910 0001	3
51 23 7 060 550	340 910 0004	4
51 23 7 118 370	340 910 0002	4
51 23 8 119 558	340 160 0102	4
51 23 8 150 077	340 160 0111	5
51 23 8 174 866	340 160 0110	5
51 23 8 202 688	340 160 1381	5
51 23 8 240 596	340 910 0000	6
51 23 8 402 551	340 910 0003	6
51 24 1 908 431	340 161 0535	7
51 24 1 934 270	340 161 0310	9

Ref. no.	MEYLE no.	Page
BMW		
51 24 1 960 862	340 161 0022	7
51 24 3 400 379	340 910 0011	7
51 24 4 212 802	340 160 9832	11
51 24 4 365 788	340 910 0008	8
51 24 4 394 052	340 910 0008	8
51 24 7 008 764	340 910 0009	8
51 24 7 060 622	340 910 0006	8
51 24 7 060 623	340 910 0008	8
51 24 7 127 875	340 910 0007	9
51 24 7 250 308	340 910 0008	8
51 24 8 110 327	340 161 0310	9
51 24 8 171 158	340 160 0120	11
51 24 8 190 688	340 160 0106	1
51 24 8 217 305	340 160 0120	11
51 24 8 220 075	340 160 9832	11
51 24 8 222 913	340 160 0104	9
51 24 8 227 895	340 160 0712	10
51 24 8 230 070	340 160 0118	10
51 24 8 232 873	340 160 9829	10
51 24 8 245 031	340 160 0120	11
51 24 8 254 281	340 160 9832	11
51 24 8 402 405	340 910 0005	11
51 32 1 938 884	300 513 2100	6
51 33 1 977 609	314 909 0000	12
51 33 1 977 610	314 909 0002	12
51 33 7 024 811	314 909 0008	14
51 33 7 024 812	314 909 0009	15
51 33 7 075 667	314 909 0031	14
51 33 7 075 668	314 909 0032	14
51 33 7 138 861	314 909 0008	14
51 33 7 138 862	314 909 0009	15
51 33 7 140 587	314 909 0027	13
51 33 7 140 588	314 909 0028	13
51 33 7 184 383	314 909 0031	14
51 33 7 184 384	314 909 0032	14
51 33 7 202 479	314 909 0008	14
51 33 7 202 480	314 909 0009	15
51 33 8 159 832	314 909 0004	16
51 33 8 229 105	314 909 0033	15
51 33 8 229 106	314 909 0034	15
51 33 8 236 860	314 909 0004	16
51 33 8 252 393	314 909 0003	16
51 33 8 252 394	314 909 0004	16
51 33 8 254 911	314 909 0010	16
51 33 8 254 912	314 909 0011	17
51 35 7 125 059	314 909 0012	17

Ref. no.	MEYLE no.	Page
BMW		
51 35 7 125 060	314 909 0013	17
51 35 7 140 589	314 909 0029	18
51 35 7 140 590	314 909 0030	18
51 35 8 159 835	314 909 0018	18
51 35 8 159 836	314 909 0019	19
51 35 8 212 099	314 909 0006	19
51 35 8 212 100	314 909 0007	19
51 35 8 252 429	314 909 0020	20
51 35 8 252 430	314 909 0021	20
51 35 8 254 913	314 909 0012	17
51 35 8 254 914	314 909 0013	17
61 31 1 352 153	314 613 1101	265
61 31 1 366 727	100 953 0012	266
61 31 1 371 907	100 953 0012	266
61 31 1 384 739	314 800 9018	257
61 31 1 387 916	314 613 1303	264
61 31 1 393 361	314 613 1304	264
61 31 8 360 417	314 800 9019	260
61 31 8 360 420	314 613 1801	261
61 31 8 360 857	314 810 0000	259
61 31 8 360 876	314 899 0043	257
61 31 8 363 662	314 850 0001	261
61 31 8 363 664	314 850 0003	262
61 31 8 363 668	314 850 0000	262
61 31 8 363 669	314 850 0002	262
61 31 8 376 440	314 800 0021	259
61 36 1 729 004	314 830 0002	251
61 62 7 118 207	029 350 1414	23
61 62 7 138 508	029 290 1110	23
61 66 1 368 589	100 955 0002	20
61 66 1 377 830	313 061 0002	21
61 66 1 380 066	313 061 0002	21
61 66 1 380 068	314 870 0002	21
61 66 8 360 614	314 870 0002	21
64 11 0 008 138	312 320 0004/S	28
64 11 1 393 489	312 319 0001	29
64 11 2 182 533	312 320 0004/S	28
64 11 6 915 763	312 319 0006	31
64 11 6 915 764	312 320 0006	32
64 11 6 920 365	314 880 0000	263
64 11 6 921 018	312 319 0012/S	28
64 11 6 921 019	312 320 0012/S	30
64 11 6 923 204	314 880 0000	263
64 11 6 929 486	314 880 0000	263
64 11 6 931 680	314 880 0000	263
64 11 6 945 593	314 319 0000/S	32

Ref. no.	MEYLE no.	Page
BMW		
64 11 6 945 594	314 320 0000/S	32
64 11 8 363 274	312 319 0016/S	35
64 11 8 364 173	314 880 0000	263
64 11 8 372 493	314 236 0008	263
64 11 8 377 579	314 880 0000	263
64 11 8 385 549	314 880 0000	263
64 11 8 390 447	312 320 0005/S	34
64 11 8 391 200	312 320 0004/S	28
64 11 8 391 385	312 319 0020/S	29
64 11 8 391 914	312 319 0019	34
64 11 8 391 915	312 319 0019	34
64 11 9 069 895	312 319 0001	29
64 11 9 070 073	312 320 0004/S	28
64 11 9 163 329	312 320 0008/S	29
64 11 9 216 588	312 320 0004/S	28
64 11 9 237 554	312 319 0021	30
64 11 9 237 555	312 320 0021	30
64 11 9 272 642	312 320 0008/S	29
64 11 9 272 643	312 320 0012/S	30
64 11 9 907 450	312 320 0002	35
64 21 1 387 010	319 642 1106	38
64 21 1 387 423	319 642 1120	39
64 21 1 387 424	319 642 1114	38
64 21 1 387 425	319 642 1119	39
64 21 1 394 292	319 642 1119	39
64 21 1 394 293	319 642 1120	39
64 21 1 394 295	319 642 1116	39
64 21 8 409 062	319 642 1803	40
64 21 8 409 063	319 642 1804	40
64 21 8 409 064	319 642 1805	40
64 31 1 000 004	312 319 0002	31
64 31 1 390 836	312 319 0003	31
64 31 2 182 458	312 320 0002	35
64 31 2 207 985	312 320 0004/S	28
64 31 6 913 506	312 320 0007/S	36
64 31 6 915 763	312 319 0006	31
64 31 6 915 764	312 320 0006	32
64 31 6 935 822	312 319 0007/S	36
64 31 6 935 823	312 320 0007/S	36
64 31 6 945 585	314 319 0000/S	32
64 31 6 945 586	314 320 0000/S	32
64 31 6 946 549	312 320 0015	36
64 31 6 946 628	312 320 0015	36
64 31 6 946 629	312 319 0015	35
64 31 6 962 548	312 319 0015	35
64 31 6 962 551	312 319 0015	35

Ref. no.	MEYLE no.	Page
BMW		
64 31 8 361 899	312 319 0002	31
64 31 8 391 198	312 319 0004/S	33
64 31 8 409 043	312 319 0013	33
64 31 8 409 044	312 320 0013	33
64 31 9 069 925	312 319 0019	34
64 31 9 069 926	312 319 0005/S	34
64 31 9 069 927	312 319 0004/S	33
64 31 9 070 072	312 320 0005/S	34
64 31 9 071 933	312 319 0016/S	35
64 31 9 071 934	312 319 0002	31
64 31 9 071 935	312 320 0002	35
64 31 9 142 114	312 319 0015	35
64 31 9 142 115	312 320 0015	36
64 31 9 171 858	312 320 0007/S	36
64 31 9 174 370	312 319 0007/S	36
64 31 9 216 589	312 319 0004/S	33
64 31 9 216 590	312 320 0002	35
64 31 9 216 591	312 319 0002	31
64 31 9 218 706	312 320 0013	33
64 31 9 224 084	312 319 0013	33
64 31 9 224 085	312 320 0013	33
64 31 9 237 157	312 320 0023/S	37
64 31 9 237 158	312 319 0023/S	37
64 31 9 257 504	312 320 0002	35
64 31 9 272 810	312 320 0005/S	34
64 31 9 313 517	312 319 0015	35
65 81 6 905 133	300 919 0001	211
67 11 1 387 606	314 899 0070	264
67 11 1 387 607	314 899 0072	265
67 11 1 387 726	314 899 0070	264
67 11 1 393 999	314 899 0072	265
67 11 8 352 165	314 899 0071	265
67 11 8 353 011	314 899 0072	265
67 11 8 353 012	314 899 0070	264
67 12 6 934 159	314 870 0001	21
67 12 6 973 097	313 067 0001	12
67 12 7 302 589	314 870 0001	21
67 12 8 360 244	314 870 0000	22
67 12 8 362 154	100 955 0006	22
67 12 8 362 157	313 067 0001	12
67 12 8 377 430	313 067 0001	12
67 12 8 377 612	100 955 0006	22
67 12 8 377 613	313 067 0001	12